

Nance County, Nebraska

Soil Map Symbol	Soil Map Unit Name	Crop Index
2100	Boel fine sandy loam, occasionally flooded	30
2110	Inavale loamy fine sand, occasionally flooded	28
2115	Inavale soils, frequently flooded	30
2288	Wann loam, occasionally flooded	40
2328	Inavale fine sandy loam, occasionally flooded	36
2332	Inavale fine sand, occasionally flooded	23
2335	Inavale loamy fine sand, 0 to 3 percent slopes	26
2538	Coly silt loam, 6 to 11 percent slopes, eroded	37
2580	Coly silt loam, 3 to 6 percent slopes	45
2667	Holdrege silt loam, 0 to 1 percent slopes	56
2668	Holdrege silt loam, 1 to 3 percent slopes	55
2672	Holdrege silty clay loam, 3 to 7 percent slopes, eroded	49
2812	Uly-Holdrege silt loams, 7 to 11 percent slopes, eroded	47
2828	Uly, eroded-Hersh complex, 11 to 60 percent slopes	9
2833	Uly-Coly silt loams, 17 to 30 percent slopes, eroded, moist	34
2845	Uly-Coly silt loams, 11 to 17 percent slopes, eroded	36
3248	Meadin loamy fine sand, 0 to 2 percent slopes	26
3260	O'Neill fine sandy loam, 0 to 2 percent slopes	33
3512	Lamo clay loam, sandy substratum, 0 to 1 percent slopes	51
3518	Lamo silty clay loam, occasionally flooded	56
3521	Cass fine sandy loam, occasionally flooded	36
3524	Lamo-Saltine complex, occasionally flooded	39
3525	Lamo silt loam, moderately saline, occasionally flooded	37
3529	Gibbon loam, occasionally flooded	48
3545	Hobbs silt loam, channeled, frequently flooded	43
3553	Hobbs silt loam, frequently flooded	62
3561	Hobbs silt loam, occasionally flooded	68
3726	Detroit silt loam, 0 to 1 percent slopes	59
3775	Muir silt loam, rarely flooded	65
3776	Muir silt loam, 1 to 3 percent slopes	70
3777	Muir silt loam, 3 to 7 percent slopes	69
3951	Fillmore silt loam, occasionally ponded	53
3952	Fillmore silt loam, frequently ponded	59
4104	Geary variant silty clay loam, 11 to 17 percent slopes, severely eroded	35
4105	Geary variant silty clay loam, 7 to 11 percent slopes, severely eroded	37
4238	Ord variant fine sandy loam, 0 to 1 percent slopes	43
4239	Ord variant very fine sandy loam, 0 to 1 percent slopes	43
4265	Loup fine sandy loam, occasionally flooded	17
4267	Loup silt loam, occasionally flooded	20
4527	Els loamy fine sand, 0 to 3 percent slopes	26
4553	Elsmere loamy fine sand, 0 to 3 percent slopes	35
4646	Ipage loamy fine sand, 0 to 3 percent slopes	25
4654	Ipage-Els loamy fine sands, 0 to 3 percent slopes	23
4789	Valentine fine sand, 3 to 17 percent slopes	19
4790	Valentine fine sand, 3 to 17 percent slopes, eroded	16
4791	Valentine fine sand, 3 to 9 percent slopes	17
4796	Valentine fine sand, 9 to 24 percent slopes	19
4818	Valentine loamy fine sand, 3 to 9 percent slopes	20
4822	Valentine loamy fine sand, 3 to 17 percent slopes	19
4854	Valentine-Boelus loamy fine sands, 3 to 9 percent slopes	26
6352	Leshara silt loam, occasionally flooded	54
6365	Obert soils, occasionally flooded	19

Nance County, Nebraska

Soil Map Symbol	Soil Map Unit Name	Crop Index
6366	Obert silt loam, occasionally flooded	30
6508	Blendon fine sandy loam, 0 to 2 percent slopes	40
6525	Janude fine sandy loam, 0 to 1 percent slopes	48
6526	Janude loam, rarely flooded	51
6529	Janude sandy loam, very rarely flooded	49
6583	Ortello very fine sandy loam, 1 to 3 percent slopes	50
6600	Alcester silt loam, 2 to 6 percent slopes	60
6623	Belfore silt loam, 0 to 1 percent slopes	64
6624	Belfore silt loam, 1 to 3 percent slopes	55
6625	Belfore silt loam, 1 to 3 percent slopes, eroded	45
6628	Belfore silty clay loam, 0 to 2 percent slopes	52
6680	Crofton silt loam, 17 to 30 percent slopes	26
6681	Crofton silt loam, 17 to 30 percent slopes, eroded	23
6683	Crofton silt loam, 17 to 30 percent slopes, severely eroded	16
6686	Crofton silt loam, 30 to 60 percent slopes	13
6687	Crofton silt loam, 6 to 11 percent slopes, eroded	32
6696	Crofton-Nora silt loams, 11 to 17 percent slopes, eroded	44
6697	Crofton-Nora silt loams, 17 to 30 percent slopes	29
6699	Crofton-Nora silt loams, 6 to 11 percent slopes, eroded	46
6700	Thurman loamy fine sand, 0 to 2 percent slopes	35
6701	Thurman loamy fine sand, 1 to 3 percent slopes	35
6702	Thurman loamy fine sand, 1 to 3 percent slopes, eroded	29
6703	Thurman loamy fine sand, 2 to 6 percent slopes	35
6704	Thurman loamy fine sand, 2 to 6 percent slopes, eroded	29
6705	Thurman loamy fine sand, 2 to 6 percent slopes, severely eroded	20
6730	Thurman-Ortello fine sandy loams, 0 to 2 percent slopes	42
6731	Thurman-Ortello fine sandy loams, 2 to 6 percent slopes, eroded	34
6732	Thurman-Ortello fine sandy loams, 6 to 11 percent slopes, eroded	33
6755	Nora silt loam, 6 to 11 percent slopes	57
6756	Nora silt loam, 6 to 11 percent slopes, eroded	47
6757	Nora silt loam, 6 to 11 percent slopes, severely eroded	34
6771	Nora-Hersh complex, 11 to 17 percent slopes, severely eroded	30
6772	Nora-Ortello complex, 6 to 11 percent slopes, eroded	42
6773	Nora-Hersh complex, 6 to 11 percent slopes, severely eroded	33
6774	Nora-Crofton complex, 11 to 17 percent slopes, eroded	41
6776	Nora-Crofton silt loams, 11 to 17 percent slopes	51
6777	Nora-Crofton silt loams, 11 to 17 percent slopes, eroded	43
6778	Nora-Crofton complex, 6 to 11 percent slopes, eroded	44
6809	Moody silty clay loam, 1 to 3 percent slopes	61
6812	Moody silty clay loam, 2 to 6 percent slopes, eroded	49
6815	Loretto-Thurman complex, 1 to 3 percent slopes	54
6816	Loretto-Thurman complex, 3 to 6 percent slopes	53
6817	Loretto-Rusco variant fine sandy loams, 0 to 2 percent slopes	42
6820	Moody-Nora silt loams, 3 to 6 percent slopes	63
6821	Moody-Nora silt loams, 3 to 6 percent slopes, eroded	51
6822	Moody-Nora silt loams, 3 to 6 percent slopes, severely eroded	37
6843	Ortello fine sandy loam, 1 to 3 percent slopes	46
6844	Ortello fine sandy loam, 1 to 3 percent slopes, eroded	37
6845	Ortello fine sandy loam, 3 to 6 percent slopes	44
6846	Ortello fine sandy loam, 3 to 6 percent slopes, eroded	36
6860	Crofton silt loam, 8 to 17 percent slopes, eroded	48
8418	Boel loam, occasionally flooded	33

Nance County, Nebraska

Soil Map Symbol	Soil Map Unit Name	Crop Index
8420	Boel loamy fine sand, occasionally flooded	27
8425	Boel-Inavale complex, channeled, frequently flooded	21
8439	Cass silt loam, occasionally flooded	36
8463	Gayville-Carusio complex, occasionally flooded	27
8470	Gibbon silt loam, occasionally flooded	50
8481	Gibbon silt loam, moderately saline, occasionally flooded	27
8493	Gothenburg loamy sand, frequently flooded	13
8495	Gothenburg soils, frequently flooded	14
8531	Novina sandy loam, rarely flooded	51
8541	Ovina loam, rarely flooded	49
8571	Platte-Gothenburg complex, channeled, frequently flooded	10
8580	Wann fine sandy loam, occasionally flooded	38
8587	Wann sandy loam, occasionally flooded	34
8589	Wann silt loam, moderately saline, occasionally flooded	33
8590	Wann silt loam, occasionally flooded	41
8840	Hall silt loam, 0 to 1 percent slopes	68
8841	Hall silt loam, 1 to 3 percent slopes	67
8843	Hall silt loam, 3 to 6 percent slopes	66
8844	Hall silt loam, 3 to 6 percent slopes, eroded	54
8850	Hall-Gayville variant silt loams, 0 to 1 percent slopes	49
8864	Hord-Uly complex, 0 to 6 percent slopes	69
8865	Hord fine sandy loam, 0 to 1 percent slopes	57
8867	Hord fine sandy loam, 1 to 3 percent slopes	58
8868	Hord fine sandy loam, 3 to 6 percent slopes	58
8870	Hord silt loam, 1 to 3 percent slopes	61
8872	Hord silt loam, 3 to 6 percent slopes	61
8874	Hord silt loam, sandy substratum, 0 to 1 percent slopes	64
8878	Hord very fine sandy loam, 0 to 1 percent slopes	57
8879	Hord very fine sandy loam, 1 to 3 percent slopes	58
8880	Hord very fine sandy loam, 3 to 6 percent slopes	58
8881	Hord very fine sandy loam, imperfectly drained, 0 to 1 percent slopes	66
8925	Simeon loamy sand, 0 to 3 percent slopes	18
9726	Ustorthents, steep	10
9970	Aquolls	0