

Potentially Highly Erodible Soil Properties
Hunterdon County

R Factor = 175

Soil MUSYM	K Factor	T Factor
ABA	0.43	3
ABB	0.43	3
ANB	0.24	3
APB	0.24	3
APB	0.24	4
ATB	0.28	4
ATC2	0.28	4
BAB	0.28	4
BAC2	0.28	4
BBB	0.17	3
BBC2	0.17	3
BDB	0.37	4
BDC2	0.37	4
BUB	0.32	4
BUC2	0.32	4
CAB	0.24	3
CBB	0.17	3
CDA	0.49	2
CDB	0.49	2
CEB	0.49	2
CFC	0.49	2
CFC	0.37	3
CGB	0.49	2
CGB	0.32	3
CRA	0.43	3
CRB	0.43	3
CSB	0.32	3
DUB	0.32	4
DUC2	0.32	4
DVC2	0.32	4
EDB	0.28	4
EEC	0.17	5
EEC	0.17	5
HAB	0.17	3
HAC2	0.17	3
HCC	0.15	3
KLC	0.2	2
LAB	0.28	4
LAC2	0.28	4

Potentially Highly Erodible Soil Properties
Hunterdon County

R Factor = 175

Soil MUSYM	K Factor	T Factor
LBB	0.43	3
LEB	0.43	3
LGB	0.2	3
LGC	0.2	3
LHB	0.37	3
LKB	0.28	3
LKC	0.28	3
MEB	0.28	4
MEC2	0.28	4
MOB	0.32	4
MWB	0.28	3
MWB	0.43	3
NDB	0.28	4
NEB	0.32	4
NEC2	0.32	4
NHC	0.24	4
NKC	0.24	4
NKC	0.28	3
NOB	0.32	3
PAC	0.17	5
PBB	0.32	4
PBC2	0.32	4
PCB	0.32	4
PEB	0.28	3
PEC2	0.28	3
PFB	0.28	3
PFB	0.32	4
PFC2	0.28	3
PFC2	0.32	4
QKB	0.32	3
RBB	0.37	3
RCB	0.43	3
REA	0.43	2
REB	0.43	2
RFA	0.43	3
RFB	0.43	3
RGB	0.2	3
RGC	0.2	3
TUB	0.43	3

Potentially Highly Erodible Soil Properties
Hunterdon County

R Factor = 175

Soil MUSYM	K Factor	T Factor
WAB	0.32	4
WAC2	0.32	4
WC	0.43	3