

Fulton County Frozen USLE "K" and "T" Factors			
Symbol	Soil Survey Map Unit	K factor	T factor
3	UDIFLUVENTS AND FLUVAQUENTS SOILS, FREQUENTLY FLOODED, UDIFLUVENTS	0.28	3
3	UDIFLUVENTS AND FLUVAQUENTS SOILS, FREQUENTLY FLOODED, FLUVAQUENTS	0.32	3
4BD	UDORTHENTS, LOAMY	0.37	3
5	UDORTHENTS, REFUSE SUBSTRATUM	0.32	3
6	SAPRISTS AND AQUENTS, PONDED	0.32	3
8	ILION SILT LOAM, VERY STONY	0.28	3
9	LEICESTER, WHITMAN, AND SUN SOILS, 0 TO 8 PERCENT SLOPES, VERY STONY, Leicester	0.24	3
9	LEICESTER, WHITMAN, AND SUN SOILS, 0 TO 8 PERCENT SLOPES, VERY STONY, Whitman	0.2	3
9	LEICESTER, WHITMAN, AND SUN SOILS, 0 TO 8 PERCENT SLOPES, VERY STONY, Sun	0.2	5
11D	HINCKLEY AND WINDSOR SOILS, 15 TO 25 PERCENT SLOPES, Hinckley	0.17	3
11D	HINCKLEY AND WINDSOR SOILS, 15 TO 25 PERCENT SLOPES, Windsor	0.17	5
11E	HINCKLEY AND WINDSOR SOILS, 25 TO 50 PERCENT SLOPES, Hinckley	0.17	3
11E	HINCKLEY AND WINDSOR SOILS, 25 TO 50 PERCENT SLOPES, Windsor	0.17	5
12EF	HOWARD SOILS, 25 TO 70 PERCENT SLOPES	0.24	3
13EF	NELLIS, MOHAWK, AND LANSING SOILS, 25 TO 50 PERCENT SLOPES, Nellis	0.32	3
13EF	NELLIS, MOHAWK, AND LANSING SOILS, 25 TO 50 PERCENT SLOPES, Mohawk	0.32	4
13EF	NELLIS, MOHAWK, AND LANSING SOILS, 25 TO 50 PERCENT SLOPES, Lansing	0.32	3
17A	BESEMAN - RUMNEY - LOXLEY COMPLEX	0.24	5
17BD	HOLLIS - ROCKOUTCROP COMPLEX, 3 TO 25 PERCENT SLOPES	0.2	1
19C	BESEMAN - COLTON - RUMNEY COMPLEX, ROLLING, Colton	0.17	3
19C	BESEMAN - COLTON - RUMNEY COMPLEX, ROLLING, Rumney	0.24	5
20B	NELLIS SILT LOAM, 2 TO 8 PERCENT SLOPES	0.32	3
20C	NELLIS SILT LOAM, 8 TO 15 PERCENT SLOPES	0.32	3
20D	NELLIS SILT LOAM, 15 TO 25 PERCENT SLOPES	0.32	3
21B	GALAWAY SILT LOAM, 2 TO 8 PERCENT	0.32	3
21C	GALAWAY SILT LOAM, 8 TO 15 PERCENT	0.32	3
22A	AMENIA SILT LOAM, 0 TO 3 PERCENT SLOPES	0.32	3
22B	AMENIA SILT LOAM, 3 TO 8 PERCENT SLOPES	0.32	3
24AB	FARMINTON SILT LOAM, 0 TO 8 PERCENT SLOPES	0.32	3
25BD	FARMINTON SILT LOAM, 3 TO 25 PERCENT SLOPES, VERY ROCKY	0.32	3
32B	MOHAWK SILT LOAM, 2 TO 8 PERCENT SLOPES	0.32	4
32C	MOHAWK SILT LOAM, 8 TO 15 PERCENT SLOPES	0.32	4
32D	MOHAWK SILT LOAM, 15 TO 25 PERCENT SLOPES	0.32	4
33AB	ANGOLIA SILT LOAM, 0 TO 8 PERCENT SLOPES	0.37	3
34A	MANHEIM SILT LOAM, 0 TO 3 PERCENT SLOPES	0.37	3
34B	MANHEIM SILT LOAM, 3 TO 8 PERCENT SLOPES	0.37	3
42B	LANSING SILT LOAM, 2 TO 8 PERCENT SLOPES	0.37	3
42C	LANSING SILT LOAM, 8 TO 15 PERCENT SLOPES	0.32	3
42D	LANSING SILT LOAM, 15 TO 25 PERCENT SLOPES	0.32	3
44A	APPLETON SILT LOAM, 0 TO 3 PERCENT SLOPES	0.32	3
44B	APPLETON SILT LOAM, 3 TO 10 PERCENT SLOPES	0.32	3
47A	ILION SILT LOAM, 0 TO 3 PERCENT SLOPE	0.37	3
47B	ILION SILT LOAM 3 TO 8 PERCENT SLOPE	0.37	3
49	FONDA MUCKY SILT LOAM	0.49	5
72B	BROADALBIN LOAM, 2 TO 8, PERCENT SLOPES	0.37	3
72C	BROADALBIN LOAM, 8 TO 15, PERCENT SLOPES	0.37	3
72D	BROADALBIN LOAM, 15 TO 25, PERCENT SLOPES	0.37	3
73BD	BROADALBIN SOILS, 3 TO 8 PERCENT SLOPES, VERY STONY	0.28	3
74A	MOSHERVILLE LOAM, 0 TO 3 PERCENT SLOPES	0.37	3
74B	MOSHERVILLE LOAM, 3 TO 8 PERCENT SLOPES	0.37	3
75AB	MOSHERVILLE LOAM, 0 TO 8 PERCENT SLOPES, VERY STONY	0.28	3
77A	SUN SILT LOAM	0.28	5
81B	CHARLTON FINE SANDY LOAM, 2 TO 8, PERCENT SLOPES, STONY	0.24	3
81C	CHARLTON FINE SANDY LOAM, 8 TO 15, PERCENT SLOPES	0.24	3
81D	CHARLTON FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	0.24	3

Fulton County Frozen USLE "K" and "T" Factors			
Symbol	Soil Survey Map Unit	K factor	T factor
83A	SUTTON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	0.24	3
83B	SUTTON FINE SANDY LOAM 3 TO 10 PERCENT SLOPES	0.24	3
84BD	CHARLTON AND SUTTON FINE SANDY LOAMS, 3 TO 25 PERCENT SLOPES, VERY STONY	0.2	3
84BD	CHARLETON AND SUTTON FINE SANDY LOAMS 3 TO 25 PERCENT SLOPES, VERY STONY	0.2	3
87A	LIECESTER LOAM, 0 TO 3 PERCENT SLOPES	0.29	3
87B	LIECESTER LOAM, 3 TO 8 PERCENT SLOPES	0.29	3
89	WHITMAN MUCKY LOAM	0.28	3
90B	PALATINE SILT LOAM, 3 TO 8 PERCENT SLOPES	0.32	3
90C	PALATINE SILT LOAM, 8 TO 15 PERCENT SLOPES	0.32	3
90D	PALATINE SILT LOAM, 15 TO 25 PERCENT SLOPES	0.32	3
113A	PODUNK ROMUNEY COMPLEX	0.24	5
113A	PODUNK ROMUNEY COMPLEX	0.24	5
120B	HERKIMER SILT LOAM, 2 TO 8 PERCENT SLOPES	0.32	3
130B	HUDSON SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPE	0.49	3
130C	HUDSON SILTY CLAY LOAM, 8 TO 15 PERCENT SLOPE	0.49	3
134A	RHINEBECK SILTY CLAY LOAMS, 0 TO 3 PERCENT SLOPES	0.49	3
134B	RHINEBECK SILTY CLAY LOAMS, 3 TO 8 PERCENT SLOPES	0.49	3
135A	CHURCHVILLE SILTY CLAY LOAMS, 0 TO 3 PERCENT SLOPES	0.49	3
135B	CHURCHVILLE SILTY CLAY LOAMS, 3 TO 8 PERCENT SLOPES	0.49	3
137A	MADALIN SILT LOAM	0.37	5
144B	NINIGRET FINE SILTY CLAY LOAMS, 0 TO 3 PERCENT SLOPES	0.32	3
147A	VARICK SILT LOAM	0.37	3
152A	SCIO VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	0.49	3
154A	RAYNHAM SILT LOAM, 0 TO 3 PERCENT SLOPES	0.49	3
154B	RAYNHAM SILT LOAM, 3 TO 8 PERCENT SLOPES	0.49	3
157A	BIRGSALL SILT LOAM	0.49	5
160A	AGAWAM FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	0.28	3
160B	AGAWAM FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	0.28	3
162B	NINIGRET FINE SANDY LOAM 3 TO 8 PERCENT SLOPES	0.28	3
165A	JUNIUS FINE SANDY LOAM,	0.17	5
169A	GRANBY FINE SANDY LOAM,	0.2	5
170B	WINDSOR LOAMY FINE SAND, 2 TO 8 PERCENT SLOPES	0.17	5
170C	WINDSOR LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	0.17	5
170D	WINDSOR LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	0.17	5
177A	WALPOLE FINE SANDY LOAM	0.2	5
179	SCARBORO MUCKYFINE SANDY LOAM	0.17	5
182A	ELMRIDGE LOAMY FINE SAND 0 TO 3 PERCENT SLOPES	0.24	3
182B	ELMRIDGE LOAMY FINE SAND 3 TO 8 PERCENT SLOPES	0.24	3
187A	POOTATUCK FINE SANDY LOAM	0.2	5
189A	WHATELY VARIANT MUCKY FINE SANDY LOAM	0.24	3
192A	PHELPS GRAVELLY SILT LOAM, 0 TO 3 PERCENT SLOPES	0.24	3
192B	FREDON LOAM	0.28	3
199A	HALSEY MUCKY LOAM	0.24	5
200A	HOWARD GRAVELLY LOAM, 0 TO 3 PERCENT SLOPES	0.24	3
200B	HOWARD GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES	0.24	3
200C	HOWARD GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES	0.24	3
200D	HOWARD GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES	0.24	3
201A	ALTON GRAVELLY SANDY LOAM, 0 TO 3 PERCENT SLOPES	0.17	3
201B	ALTON GRAVELLY SANDY LOAM, 3 TO 8 PERCENT SLOPES	0.17	3
201C	ALTON GRAVELLY SANDY LOAM, 8 TO 15 PERCENT SLOPES	0.17	3
210A	MERRRIMAC FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	0.24	3
210B	MERRRIMAC FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	0.24	3
210C	MERRRIMAC FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	0.24	3
212A	HINCKLEY GRAVELLY LOAM SAND, 0 TO 3 PERCENT SLOPES	0.17	3
212B	HINCKLEY GRAVELLY LOAM SAND, 3 TO 8 PERCENT SLOPES	0.17	3

Fulton County Frozen USLE "K" and "T" Factors			
Symbol	Soil Survey Map Unit	K factor	T factor
212C	HINCKLEY GRAVELLY LOAM SAND, 8 TO 15 PERCENT SLOPES	0.17	3
214A	SUDBURY GRAVELLY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	0.2	3
214B	SUDBURY GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	0.2	3
230	HAMLIN SILT LOAM	0.49	5
232	TEELY SILT LOAM	0.49	5
237	WAYLAND SILT LOAM	0.49	5
239	SLOAN MUCKY SILT LOAM	0.28	5
244A	DARRIEN SILT LOAM 0 TO 3 PERCENT SLOPES	0.37	3
244B	DARRIEN SILT LOAM 0 TO 3 PERCENT SLOPES	0.37	3
3330A	ALLARD SILT LOAM	0.49	3
350B	DUXBURY FINE SANDY LOAM, 3 TO 15 PERCENT	0.32	3
363A	ADAMS LOAMY SAND, 0 TO 3 PERCENT SLOPES	0.17	5
363B	ADAMS LOAMY SAND, 3 TO 15 PERCENT SLOPES	0.17	5
363D	ADAMS LOAMY SAND, 15 TO 35 PERCENT SLOPES	0.17	5
363F	ADAMS LOAMY SAND, 35 TO 60 PERCENT SLOPES	0.17	5
365A	NAUMBERG - CROGHAN COMPLEX	0.17	5
365A	NAUMBERG - CROGHAN COMPLEX	0.17	5
367A	SEARSPORT-NAUMBERG-BESEMAN COMPLEX		
367A	SEARSPORT-NAUMBERG-BESEMAN COMPLEX	0.17	5
367A	SEARSPORT-NAUMBERG-BESEMAN COMPLEX		
375A	COLTON-ADAMS COMPLEX	0.17	3
375A	COLTON-ADAMS COMPLEX	0.17	5
375C	COLTON-ADAMS COMPLEX, 3 TO 15 PERCENT SLOPES	0.17	3
375C	COLTON-ADAMS COMPLEX, 3 TO 15 PERCENT SLOPES	0.17	5
375D	COLTON-ADAMS COMPLEX, 15 TO 35 PERCENT SLOPES	0.17	3
375F	COLTON-ADAMS COMPLEX, 15 TO 35 PERCENT SLOPES	0.17	5
375F	COLTON-ADAMS COMPLEX, 35 TO 60 PERCENT SLOPES	0.17	3
375F	COLTON-ADAMS COMPLEX, 35 TO 60 PERCENT SLOPES	0.17	5
641C	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.2	3
641C	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.17	2
641C	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.2	3
641D	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.2	3
641D	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.17	2
641D	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.2	3
641F	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.2	3
641F	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.17	2
641F	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY		
643C	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.2	3
643D	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.2	3
644F	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.2	3
644C	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.2	3
644C	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.24	3
644D	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.2	3
644D	BERKSHIRE-TUNBRIDGE-LYME COMPLEX, ROLLING, VERY BOULDERY	0.2	3
731C	MARLOWE-TUNERBRIDGE COMPLEX, 3 TO 15 PERCENT SLOPES VERY BOULDERY	0.2	3
731C	MARLOWE-TUNERBRIDGE COMPLEX, 3 TO 15 PERCENT SLOPES VERY BOULDERY	0.17	2
731C	MARLOWE-TUNERBRIDGE COMPLEX, 3 TO 15 PERCENT SLOPES VERY BOULDERY		
731D	MARLOWE-TUNERBRIDGE COMPLEX, 15 TO 35 PERCENT SLOPES VERY BOULDERY	0.2	3
731D	MARLOWE-TUNERBRIDGE COMPLEX, 15 TO 35 PERCENTSLOPES VERY BOULDERY	0.17	2
731D	MARLOWE-TUNERBRIDGE COMPLEX, 15 TO 35 PERCENTSLOPES VERY BOULDERY		
731F	MARLOWE-TUNERBRIDGE COMPLEX, 35 TO 60 PERCENTSLOPES VERY BOULDERY	0.2	3
731F	MARLOWE-TUNERBRIDGE COMPLEX, 35 TO 60 PERCENTSLOPES VERY BOULDERY	0.17	2
731F	MARLOWE-TUNERBRIDGE COMPLEX, 35 TO 60 PERCENTSLOPES VERY BOULDERY		
733C	MARLOWE LOAM, 3 TO 15 PERCENT SLOPES, BOULDERY	0.24	3
733D	MARLOWE LOAM, 15 TO 35 PERCENT SLOPES BOULDERY	0.24	3

Fulton County Frozen USLE "K" and "T" Factors			
Symbol	Soil Survey Map Unit	K factor	T factor
733F	MARLOWE LOAM, 35 TO 60 PERCENT SLOPES BOULDERY	0.24	3
735C	PERU - MARLOWE COMPLEX 3 TO 15 PERCENT SLOPES BOULDERY	0.24	3
735C	PERU - MARLOWE COMPLEX 3 TO 15 PERCENT SLOPES BOULDERY	0.24	3
737B	PERU-PILLSBURY COMPLEX 0 TO 8 PERCENT SLOPES BOULDERY	0.24	3
737B	PERU-PILLSBURY COMPLEX 0 TO 8 PERCENT SLOPES BOULDERY	0.28	3
831C	TUNBRIDGE-LYMAN COMPLEX, 3 TO 15 PERCENT SLOPES, VERY ROCKY	0.24	2
831C	TUNBRIDGE-LYMAN COMPLEX, 3 TO 15 PERCENT SLOPES, VERY ROCKY	0.28	2
831C	TUNBRIDGE-LYMAN COMPLEX, 3 TO 15 PERCENT SLOPES,VERY ROCKY		
831D	TUNBRIDGE-LYMAN COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY	0.24	2
831D	TUNBRIDGE-LYMAN COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY	0.28	2
831D	TUNBRIDGE-LYMAN COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY		
831F	TUNBRIDGE-LYMAN COMPLEX, 35 TO 60 PERCENT SLOPES , VERY ROCKY	0.24	2
831F	TUNBRIDGE-LYMAN COMPLEX, 35 TO 60 PERCENT SLOPES VERY ROCKY	0.28	2
831F	TUNBRIDGE-LYMAN COMPLEX, 35 TO 60 PERCENT SLOPES VERY ROCKY		
A52B	SCIO VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	0.49	3