

Suffolk County Frozen USLE "K" and "T" Factors

Code	Soil Survey Map Unit	K factor	T factor
Bd	Berryland mucky sand	0.17	2
BgA	Bridgehampton silt loam, 0 to 2 percent slopes	0.49	3
BgB	Bridgehampton silt loam, 2 to 6 percent slopes	0.49	3
BhB	Bridgehampton silt loam, till substratum, 2 to 6 percent slopes	0.49	3
BhC	Bridgehampton silt loam, till substratum, 6 to 12 percent slopes	0.49	3
Ca	Canadice silt loam	0.10	5
CpA	Carver and Plymouth sands, 0 to 3 percent slopes	0.17	5
CpC	Carver and Plymouth sands, 3 to 15 percent slopes	0.17	5
CpE	Carver and Plymouth sands, 15 to 35 percent slopes	0.17	5
De	Deerfield sand	0.17	5
HaA	Haven loam, 0 to 2 percent slopes	0.32	3
HaB	Haven loam, 2 to 6 percent slopes	0.32	3
HaC	Haven loam, 6 to 12 percent slopes	0.32	3
He	Haven loam, thick surface layer	0.32	3
MfA	Montauk fine sandy loam, 0 to 3 percent slopes	0.32	3
MfB	Montauk fine sandy loam, 3 to 8 percent slopes	0.32	3
MfC	Montauk fine sandy loam, 8 to 15 percent slopes	0.32	3
MkA	Montauk silt loam, 0 to 3 percent slopes	0.32	3
MkB	Montauk silt loam, 3 to 8 percent slopes	0.32	3
MkC	Montauk silt loam, 8 to 15 percent slopes	0.32	3
MIB	Montauk soils, graded, 0 to 8 percent slopes	0.32	3
MIC	Montauk soils, graded, 8 to 15 percent slopes	0.32	3
MnA	Montauk loamy sand, sandy variant, 0 to 3 percent slopes	0.32	3
MnB	Montauk loamy sand, sandy variant, 3 to 8 percent slopes	0.32	3
MnC	Montauk loamy sand, sandy variant, 8 to 15 percent slopes	0.32	3
MnE	Montauk loamy sand, sandy variant, 15 to 35 percent slopes	0.32	3
PIA	Plymouth loamy sand, 0 to 3 percent slopes	0.17	2
PIB	Plymouth loamy sand, 3 to 8 percent slopes	0.17	2
PIC	Plymouth loamy sand, 8 to 15 percent slopes	0.17	2
PmB3	Plymouth gravelly loamy sand, 3 to 8 percent slopes, eroded	0.17	2
PmC3	Plymouth gravelly loamy sand, 8 to 15 percent slopes, eroded	0.17	2
PsA	Plymouth loamy sand, silty substratum, 0 to 3 percent slopes	0.17	2
PsB	Plymouth loamy sand, silty substratum, 3 to 8 percent slopes	0.17	2
Ra	Raynham loam	0.49	5
RdA	Riverhead sandy loam, 0 to 3 percent slopes	0.28	3
RdB	Riverhead sandy loam, 3 to 8 percent slopes	0.28	3
RdC	Riverhead sandy loam, 8 to 15 percent slopes	0.28	3
ReB	Riverhead very stony sandy loam, 3 to 8 percent slopes	0.20	3
ReC	Riverhead very stony sandy loam, 8 to 15 percent slopes	0.20	3
RhB	Riverhead and Haven soils, graded, 0 to 8 percent slopes	0.32	3
RhC	Riverhead and Haven soils, graded, 8 to 15 percent slopes	0.32	3
RpE	Riverhead and Plymouth very bouldery soils, 15 to 35 percent slopes	0.28	3
ScB	Scio silt loam, till substratum, 2 to 6 percent slopes	0.49	3
SdA	Scio silt loam, sandy substratum, 0 to 2 percent slopes	0.49	3
SdB	Scio silt loam, sandy substratum, 2 to 6 percent slopes	0.49	3
Su	Sudbury sandy loam	0.24	3
Wa	Wallington silt loam, till substratum	0.49	3
Wd	Walpole sandy loam	0.20	3
We	Wareham loamy sand	0.17	5
Wh	Whitman sandy loam	0.28	3