

Ontario and Yates counties Frozen USLE "K" and "T" Factors

Symbol	Soil Survey Map Unit	K factor	T factor
Aa	ALDEN SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	0.37	5
Ab	ALLEDALE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	0.28	5
Ac	ALLIS CHANNERY SILT LOAM, 12 TO 20 INCHES DEEP, ERODED, 15 TO 25 PERCENT SLOPES	0.28	2
Ad	ALLIS SILT LOAM, 36 INCHES OR MORE DEEP, 3 TO 8 PERCENT SLOPES	0.43	3
Ae	ALLIS SILT LOAM, 12 TO 20 INCHES DEEP, 3 TO 8 PERCENT SLOPES	0.28	2
Af	ALLIS SILT LOAM, 12 TO 20 INCHES DEEP, ERODED, 8 TO 15 PERCENT SLOPES	0.28	2
Ag	ALLUVIAL SOILS, UNDIFFERENTIATED, 0 TO 2 PERCENT SLOPES	0.32	3
Ag	ALLUVIAL SOILS, UNDIFFERENTIATED, 0 TO 2 PERCENT SLOPES	0.32	3
Ah	ANGOLA SILT LOAM, 0 TO 3 PERCENT SLOPES	0.37	3
Ak	ARKPORT-DUNKIRK FINE SANDY LOAMS, 6 TO 12 PERCENT SLOPES	0.28	3
Ak	ARKPORT-DUNKIRK FINE SANDY LOAMS, 6 TO 12 PERCENT SLOPES	0.49	3
Al	ARKPORT-DUNKIRK FINE SANDY LOAMS, ERODED, 12 TO 20 PERCENT SLOPES	0.28	3
Al	ARKPORT-DUNKIRK FINE SANDY LOAMS, ERODED, 12 TO 20 PERCENT SLOPES	0.49	3
Am	ARKPORT FINE SANDY LOAM, 0 TO 5 PERCENT SLOPES	0.28	3
An	ARKPORT FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	0.28	3
Ao	ARKPORT FINE SANDY LOAM, ERODED, 12 TO 20 PERCENT SLOPES	0.28	3
Ap	ARKPORT LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	0.17	3
Ar	ARKPORT SOILS, 20 TO 45 PERCENT SLOPES	0.28	3
As	ATHERTON SILT LOAM, 0 TO 1 PERCENT SLOPES	0.37	5
At	AURORA SILT LOAM, 3 TO 8 PERCENT SLOPES	0.37	3
Au	AURORA SILT LOAM, ERODED, 3 TO 8 PERCENT SLOPES	0.37	3
Av	AURORA SILT LOAM, 8 TO 15 PERCENT SLOPES	0.37	3
Aw	AURORA SILT LOAM, ERODED, 8 TO 15 PERCENT SLOPES	0.37	3
Ax	AURORA SILT LOAM, ERODED, 15 TO 30 PERCENT SLOPES	0.37	3
Ba	BATH CHANNERY SILT LOAM, 5 TO 15 PERCENT SLOPES	0.24	3
Bb	BATH CHANNERY SILT LOAM, 15 TO 25 PERCENT SLOPES	0.24	3
Bc	BERRIEN FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	0.28	3
Bd	BONO SILTY CLAY, 0 TO 1 PERCENT SLOPES	0.49	5
Be	BRACEVILLE GRAVELLY SILT LOAM, 0 TO 5 PERCENT SLOPES	0.24	3
Bf	BURDETT SILT LOAM, 0 TO 6 PERCENT SLOPES	0.36	3
CA	COLLAMER SILT LOAM, 0 TO 6 PERCENT SLOPES	0.49	3
Ca	CAMILLUS SILT LOAM, 0 TO 8 PERCENT SLOPES	0.43	3
CB	COLLAMER SILT LOAM, 6 TO 12 PERCENT SLOPES	0.49	3
Cb	CAMILLUS SILT LOAM, IMPERFECTLY DRAINED VARIANT, 0 TO 5 PERCENT SLOPES	0.37	3
CC	COLWOOD SILT LOAM, 0 TO 1 PERCENT SLOPES	0.49	5
Cc	CANEADEA SILTY CLAY LOAM, 0 TO 6 PERCENT SLOPES	0.49	3
CD	CANANDAIGUA SILT LOAM, 0 TO 3 PERCENT SLOPES	0.49	5
Cd	CANEADEA SILTY CLAY LOAM, ERODED, 6 TO 15 PERCENT SLOPES	0.49	3
Ce	CARLISLE MUCK, 0 TO 1 PERCENT SLOPES	NA	NA
Cf	CARLISLE MUCK, SHALLOW, 0 TO 1 PERCENT SLOPES	NA	NA
Cg	CAYUGA SILT LOAM, 3 TO 8 PERCENT SLOPES	0.49	3
Ch	CAYUGA SILT LOAM, ERODED, 3 TO 8 PERCENT SLOPES	0.49	3
Ck	CAYUGA SILT LOAM, 8 TO 15 PERCENT SLOPES	0.49	3
Cl	CAYUGA SILT LOAM, ERODED, 8 TO 15 PERCENT SLOPES	0.49	3
Cm	CAYUGA SILT LOAM, ERODED, 15 TO 25 PERCENT SLOPES	0.49	3
Cn	CAZENOVIA SILT LOAM, 3 TO 10 PERCENT SLOPES	0.37	3
Co	CAZENOVIA SILT LOAM, 10 TO 20 PERCENT SLOPES	0.37	3
Cp	CHAGRIN SILT LOAM, 0 TO 2 PERCENT SLOPES	0.49	5
Cr	CHAGRIN SILT LOAM, ALLUVIAL FAN, 2 TO 8 PERCENT SLOPES	0.32	3
Cs	CHAGRIN SHALY SILT LOAM, ALLUVIAL FAN, 2 TO 8 PERCENT SLOPES	0.24	3
Ct	CHENANGO AND TIOGA GRAVELLY SILT LOAMS, ALLUVIAL FAN, 2 TO 5 PERCENT SLOPES	0.28	5
Cu	CHENANGO GRAVELLY LOAM, 0 TO 5 PERCENT SLOPES	0.24	3
Cv	CHENANGO GRAVELLY LOAM, 5 TO 15 PERCENT SLOPES	0.24	3
Cw	CHENANGO SOILS, 15 TO 25 PERCENT SLOPES	0.24	3
Cx	CHENANGO SOILS, 25 TO 45 PERCENT SLOPES	0.24	3

Ontario and Yates counties Frozen USLE "K" and "T" Factors

Symbol	Soil Survey Map Unit	K factor	T factor
Cy	CHIPPEWA SILT LOAM, 0 TO 1 PERCENT SLOPES	0.32	3
Cz	CHIPPEWA SILT LOAM, 3 TO 8 PERCENT SLOPES	0.32	3
Da	DARIEN SILT LOAM, 0 TO 3 PERCENT SLOPES	0.37	3
Db	DARIEN SILT LOAM, 3 TO 8 PERCENT SLOPES	0.37	3
Dc	DARIEN SILT LOAM, 8 TO 15 PERCENT SLOPES	0.37	3
Dd	DARIEN SILT LOAM, ERODED, 8 TO 15 PERCENT SLOPES	0.37	3
De	DUNKIRK FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	0.32	3
Df	DUNKIRK FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	0.32	3
Dg	DUNKIRK SILT LOAM, 0 TO 6 PERCENT SLOPES	0.49	3
Dh	DUNKIRK SILT LOAM, 6 TO 12 PERCENT SLOPES	0.49	3
Dk	DUNKIRK SILT LOAM, ERODED, 12 TO 20 PERCENT SLOPES	0.49	3
DI	DUNKIRK SILT LOAM, ERODED, 20 TO 45 PERCENT SLOPES	0.49	3
Ea	EDWARDS MUCK, 0 TO 1 PERCENT SLOPES	NA	NA
Eb	EEL SILT LOAM, 0 TO 2 PERCENT SLOPES	0.49	5
Ec	EEL SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	0.49	5
Ed	ERIE GRAVELLY SILT LOAM, 0 TO 3 PERCENT SLOPES	0.24	3
Ee	ERIE GRAVELLY SILT LOAM, 3 TO 8 PERCENT SLOPES	0.24	3
Ef	ERIE GRAVELLY SILT LOAM, 8 TO 15 PERCENT SLOPES	0.24	3
Fa	FARMINGTON LOAM, 12 TO 30 INCHES DEEP, 2 TO 8 PERCENT SLOPES	0.32	3
Fb	FARMINGTON LOAM, 0 TO 12 INCHES DEEP, 2 TO 15 PERCENT SLOPES	0.32	2
Fc	FREMONT CHANNERY SILT LOAM, 0 TO 3 PERCENT SLOPES	0.24	3
Fd	FREMONT CHANNERY SILT LOAM, 3 TO 8 PERCENT SLOPES	0.24	3
Fe	FREMONT CHANNERY SILT LOAM, 8 TO 15 PERCENT SLOPES	0.24	3
Ff	FRESH WATER MARSH, 0 TO 1 PERCENT SLOPES	NA	NA
Fg	FULTON SILT LOAM, 0 TO 3 PERCENT SLOPES	0.49	3
Ga	GALEN FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	0.28	3
Gb	GENESEE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	0.49	5
Gc	GENESEE SILT LOAM, 0 TO 2 PERCENT SLOPES	0.49	5
Gd	GENESEE SILT LOAM, HIGH BOTTOM, 0 TO 2 PERCENT SLOPES	0.49	5
Ge	GRANBY FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	0.28	5
GP	GRAVEL PITS	NA	NA
Ha	HOLLY SILT LOAM, 0 TO 1 PERCENT SLOPES	0.43	5
Hb	HOMER SANDY LOAM, 0 TO 3 PERCENT SLOPES	0.24	4
Hc	HOMER SILT LOAM, 0 TO 3 PERCENT SLOPES	0.37	4
Hd	HONEOYE FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	0.32	3
He	HONEOYE FINE SANDY LOAM, 3 TO 10 PERCENT SLOPES	0.32	3
Hf	HONEOYE FINE SANDY LOAM, 10 TO 20 PERCENT SLOPES	0.32	3
Hg	HONEOYE FINE SANDY LOAM, ERODED, 10 TO 20 SLOPES	0.32	3
Hh	HONEOYE SILT LOAM, 0 TO 3 PERCENT SLOPES	0.32	3
Hk	HONEOYE SILT LOAM, 3 TO 10 PERCENT SLOPES	0.32	3
HI	HONEOYE SILT LOAM, 10 TO 20 PERCENT SLOPES	0.32	3
Hm	HONEOYE SILT LOAM, ERODED, 10 TO 20 PERCENT SLOPES	0.32	3
Hn	HONEOYE SOILS, ERODED, 20 TO 30 PERCENT SLOPES	0.32	3
Ho	HORNELL SILT LOAM, 36 INCHES OR MORE DEEP, 3 TO 8 PERCENT SLOPES	0.43	3
Hp	HORNELL SILT LOAM, 12 TO 20 INCHES DEEP, 3 TO 8 PERCENT SLOPES	0.28	2
Hr	HORNELL SILT LOAM, 36 INCHES OR MORE DEEP, 8 TO 15 PERCENT SLOPES	0.43	3
Hs	HORNELL SILT LOAM, 12 TO 20 INCHES DEEP, ERODED, 8 TO 15 PERCENT SLOPES	0.28	2
Ht	HORNELL SILT LOAM, 36 INCHES OR MORE DEEP, ERODED, 8 TO 15 PERCENT SLOPES	0.43	3
Hu	HOWARD GRAVELLY LOAM, 0 TO 5 PERCENT SLOPES	0.24	3
Hv	HOWARD GRAVELLY LOAM, 5 TO 15 PERCENT SLOPES	0.24	3
Hw	HOWARD SOILS, 15 TO 25 PERCENT SLOPES	0.24	3
Ja	JUNIUS FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	0.28	4
Ka	KENDAIA LOAM, 0 TO 3 PERCENT SLOPES	0.32	3
Kb	KENDAIA SILT LOAM, 0 TO 3 PERCENT SLOPES	0.32	3
Kc	KENDAIA SILT LOAM, 3 TO 8 PERCENT SLOPES	0.32	3

Ontario and Yates counties Frozen USLE "K" and "T" Factors

Symbol	Soil Survey Map Unit	K factor	T factor
LA	LYONS SILT LOAM, 0 TO 1 PERCENT SLOPES	0.37	5
La	LAKEMONT SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	0.49	5
Lb	LANGFORD GRAVELLY SILT LOAM, 3 TO 8 PERCENT SLOPES	0.2	3
Lc	LANGFORD GRAVELLY SILT LOAM, 8 TO 15 PERCENT SLOPES	0.2	3
Ld	LANSING AND DANLEY SILT LOAMS, 12 TO 20 INCHES DEEP, 3 TO 8 PERCENT SLOPES	0.24	2
Le	LANSING AND DANLEY SILT LOAMS, 12 TO 20 INCHES DEEP, ERODED, 8 TO 15% SLOPES	0.32	2
Lf	LANSING AND DANLEY SILT LOAMS, 12 TO 20 INCHES DEEP, ERODED, 15 TO 25% SLOPES	0.32	2
Lg	LANSING SILT LOAM, 3 TO 10 PERCENT SLOPES	0.32	3
Lh	LANSING SILT LOAM, 10 TO 20 PERCENT SLOPES	0.32	3
Lk	LANSING SILT LOAM, ERODED, 10 TO 20 PERCENT SLOPES	0.32	3
LI	LANSING SILT LOAM, 20 TO 30 PERCENT SLOPES	0.32	3
Lm	LANSING SILT LOAM, ERODED, 20 TO 30 PERCENT SLOPES	0.32	3
Ln	LIMA FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	0.32	3
Lo	LIMA FINE SANDY LOAM, 3 TO 10 PERCENT SLOPES	0.32	3
Lp	LIMA SILT LOAM, 12 TO 20 INCHES DEEP, 0 TO 3 PERCENT SLOPES	0.32	2
Lr	LIMA SILT LOAM, 0 TO 3 PERCENT SLOPES	0.32	3
Ls	LIMA SILT LOAM, 3 TO 10 PERCENT SLOPES	0.32	3
Lt	LIMA SILT LOAM, 10 TO 20 PERCENT SLOPES	0.32	3
Lu	LOBDELL SILT LOAM, 0 TO 2 PERCENT SLOPES	0.49	5
Lv	LORDSTOWN AND MANLIUS SOILS, 25 TO 45 PERCENT SLOPES	0.28	3
Lw	LORDSTOWN CHANNERY SILT LOAM, 5 TO 15 PERCENT SLOPES	0.2	3
Lx	LORDSTOWN CHANNERY SILT LOAM, 15 TO 25 PERCENT SLOPES	0.2	3
Ly	LORDSTOWN CHANNERY SILT LOAM, ERODED, 15 TO 25 PERCENT SLOPES	0.2	3
Lz	LORDSTOWN SOILS, 45 TO 70 PERCENT SLOPES	0.2	3
Ma	MANLIUS SHALY SILT LOAM, 36 INCHES OR MORE DEEP, 5 TO 15 PERCENT SLOPES	0.28	3
Mb	MANLIUS SHALY SILT LOAM, 36 INCHES OR MORE DEEP, ERODED, 5 TO 15 PERCENT SLOPES	0.28	3
Mc	MANLIUS SHALY SILT LOAM, 12 TO 20 INCHES DEEP, ERODED, 15 TO 25 PERCENT SLOPES	0.2	2
Md	MANLIUS SHALY SILT LOAM, 36 INCHES OR MORE DEEP, ERODED, 15 TO 25 PERCENT SLOPE	0.28	3
Me	MARDIN CHANNERY SILT LOAM, 3 TO 8 PERCENT SLOPES	0.24	3
Mf	MARDIN CHANNERY SILT LOAM, 8 TO 15 PERCENT SLOPES	0.24	3
Mg	MARDIN CHANNERY SILT LOAM, ERODED, 8 TO 15 PERCENT SLOPES	0.24	3
Mh	MARDIN CHANNERY SILT LOAM, ERODED, 15 TO 25 PERCENT SLOPES	0.24	3
Mk	MARDIN SILT LOAM, 12 TO 20 INCHES DEEP, 3 TO 15 PERCENT SLOPES	0.24	2
MI	MARDIN AND LANGFORD SOILS, 25 TO 45 PERCENT SLOPES	0.24	3
Mm	MIDDLEBURY SILT LOAM, 0 TO 2 PERCENT SLOPES	0.28	5
Mn	MOROCCO FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	0.17	5
Mo	MUCK, ACID (UNCLASSIFIED), 0 TO 1 PERCENT SLOPES	NA	NA
Na	NEWTON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	0.2	5
Nb	NUNDA SILT LOAM, 0 TO 6 PERCENT SLOPES	0.37	3
Nc	NUNDA SILT LOAM, 6 TO 12 PERCENT SLOPES	0.37	3
Nd	NUNDA SILT LOAM, ERODED, 6 TO 12 PERCENT SLOPES	0.37	3
Ne	NUNDA SILT LOAM, ERODED, 12 TO 20 PERCENT SLOPES	0.37	3
Nf	NUNDA SILT LOAM, ERODED, 20 TO 45 PERCENT SLOPES	0.37	3
Oa	ODESSA SILT LOAM, 0 TO 6 PERCENT SLOPES	0.49	3
Ob	ODESSA SILTY CLAY LOAM, ERODED, 6 TO 12 PERCENT SLOPES	0.49	3
Oc	ONTARIO FINE SANDY LOAM, 3 TO 10 PERCENT SLOPES	0.32	3
Od	ONTARIO FINE SANDY LOAM, 10 TO 20 PERCENT SLOPES	0.32	3
Oe	ONTARIO FINE SANDY LOAM, ERODED, 10 TO 20 PERCENT SLOPES	0.32	3
Of	ONTARIO GRAVELLY LOAM, 3 TO 10 PERCENT SLOPES	0.24	3
Og	ONTARIO GRAVELLY LOAM, ERODED, 10 TO 20 PERCENT SLOPES	0.24	3
Oh	ONTARIO, LANSING AND HONEOYE SOILS, 30 TO 60 PERCENT SLOPES	0.32	3
Ok	ONTARIO LOAM, 3 TO 10 PERCENT SLOPES	0.32	3
OI	ONTARIO LOAM, 10 TO 20 PERCENT SLOPES	0.32	3
Om	ONTARIO LOAM, ERODED, 10 TO 20 PERCENT SLOPES	0.32	3
On	ONTARIO SOILS, ERODED, 20 TO 30 PERCENT SLOPES	0.32	3

Ontario and Yates counties Frozen USLE "K" and "T" Factors

Symbol	Soil Survey Map Unit	K factor	T factor
Oo	OTTAWA LOAMY FINE SAND, 0 TO 6 PERCENT SLOPES	0.17	4
Op	OTTAWA LOAMY FINE SAND, 6 TO 12 PERCENT SLOPES	0.17	4
Or	OVID SILT LOAM, 0 TO 3 PERCENT SLOPES	0.49	3
Os	OVID SILT LOAM, 3 TO 8 PERCENT SLOPES	0.49	3
Ot	OVID SILTY CLAY LOAM, ERODED, 3 TO 8 PERCENT SLOPES	0.49	3
Ou	OVID SILTY CLAY LOAM, ERODED, 8 TO 15 PERCENT SLOPES	0.49	3
Pa	PALMYRA AND HOWARD SOILS, 25 TO 35 PERCENT SLOPES	0.24	3
Pb	PALMYRA COBBLY LOAM, 0 TO 5 PERCENT SLOPES	0.24	3
Pc	PALMYRA FINE SANDY LOAM, 0 TO 5 PERCENT SLOPES	0.37	3
Pd	PALMYRA GRAVELLY LOAM, 0 TO 5 PERCENT SLOPES	0.24	3
Pe	PALMYRA GRAVELLY LOAM, 5 TO 15 PERCENT SLOPES	0.24	3
Pf	PALMYRA GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES	0.24	3
Pg	PALMYRA GRAVELLY SANDY LOAM, 0 TO 5 PERCENT SLOPES	0.24	3
Ph	PALMYRA GRAVELLY SANDY LOAM, 5 TO 15 PERCENT SLOPES	0.24	3
Pk	PHELPS GRAVELLY SILT LOAM, 0 TO 5 PERCENT SLOPES	0.37	3
Pl	POYGAN SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	0.49	5
Ra	RED HOOK GRAVELLY SILT LOAM, 0 TO 3 PERCENT SLOPES	0.17	3
Rb	ROMULUS SILT LOAM, 0 TO 3 PERCENT SLOPES	0.37	3
Rc	ROMULUS SILT LOAM, 3 TO 8 PERCENT SLOPES	0.37	3
Rd	ROMULUS SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES	0.37	3
Sa	SCHOHARIE SILT LOAM, 0 TO 6 PERCENT SLOPES	0.49	3
Sb	SCHOHARIE SILT LOAM, 6 TO 12 PERCENT SLOPES	0.49	3
Sc	SCHOHARIE SILTY CLAY LOAM, 0 TO 6 PERCENT SLOPES	0.49	3
Sd	SCHOHARIE SILTY CLAY LOAM, 6 TO 12 PERCENT SLOPES	0.49	3
Se	SCHOHARIE SILTY CLAY LOAM, ERODED, 6 TO 12 PERCENT SLOPES	0.49	3
Sf	SCHOHARIE SILTY CLAY LOAM, 12 TO 20 PERCENT SLOPES	0.49	3
Sg	SCHOHARIE SILTY CLAY LOAM, ERODED, 12 TO 20 PERCENT SLOPES	0.49	3
Sh	SCHOHARIE SILTY CLAY LOAM, ERODED, 20 TO 45 PERCENT SLOPES	0.49	3
Sk	SLOAN SILT LOAM, 0 TO 1 PERCENT SLOPES	0.43	5
Sl	STEEP BROKEN LAND, 35 TO 60 PERCENT SLOPES	0.32	3
Ta	TOLEDO SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	0.49	5
Va	VALOIS GRAVELLY SILT LOAM, 5 TO 15 PERCENT SLOPES	0.24	3
Vb	VALOIS GRAVELLY SILT LOAM, ERODED, 5 TO 15 PERCENT SLOPES	0.24	3
Vc	VALOIS GRAVELLY SILT LOAM, 15 TO 25 PERCENT SLOPES	0.24	3
Vd	VALOIS GRAVELLY SILT LOAM, ERODED, 15 TO 25 PERCENT SLOPES	0.24	3
Ve	VOLUSIA CHANNERY SILT LOAM, 0 TO 3 PERCENT SLOPES	0.24	3
Vf	VOLUSIA CHANNERY SILT LOAM, 3 TO 8 PERCENT SLOPES	0.24	3
Vg	VOLUSIA CHANNERY SILT LOAM, 8 TO 15 PERCENT SLOPES	0.24	3
Vh	VOLUSIA CHANNERY SILT LOAM, ERODED, 8 TO 15 PERCENT SLOPES	0.24	3
Vk	VOLUSIA CHANNERY SILT LOAM, ERODED, 15 TO 25 PERCENT SLOPES	0.24	3
Wa	WARNERS LOAM, 0 TO 1 PERCENT SLOPES	0.43	5
Wb	WAYLAND SILT LOAM, 0 TO 1 PERCENT SLOPES	0.43	5
Wc	WAYLAND SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	0.43	5
Wd	WESTLAND SILT LOAM, 0 TO 1 PERCENT SLOPES	0.28	5
We	WOOSTERN, BATH AND VALOIS SOILS, 25 TO 45 PERCENT SLOPES	0.24	3
Wf	WOOSTERN GRAVELLY LOAM, 5 TO 15 PERCENT SLOPES	0.24	3
Wg	WOOSTERN GRAVELLY LOAM, ERODED, 5 TO 15 PERCENT SLOPES	0.24	3
Wh	WOOSTERN GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES	0.24	3
Wk	WOOSTERN GRAVELLY LOAM, ERODED, 15 TO 25 PERCENT SLOPES	0.24	3