IDENTIFICATION LEGEND & NOTES

GREENE COUNTY, NEW YORK

Erodibility Class	Map Unit Symbol	Map Unit Name	1984 Notes
3	24	Alden silt loam	
3	49	Alden silt loam, very stony	
2	94A	Arnot channery silt loam, 0 to 3 percent slopes	
2	94B	Arnot channery silt loam, 3 to 8 percent slopes	
1	94C	Arnot channery silt loam, 8 to 15 percent slopes	
2	94R	Arnot-Lordstown channery silt loams, rolling	
1	94D	Arnot-Lordstown channery silt loams, 15 to 25 percent slopes	
1	94EF	Arnot-Lordstown channery silt loams, 25 to 45 percent slopes	
2	194R	Arnot-Oquaga complex, rolling	
1	194D	Arnot-Oquaga complex, 15 to 25 percent slopes	
1	194EF	Arnot-Oquaga complex, 25 to 45 percent slopes	
1	48BC	Arnot-Lordstown channery silt loams, 3 to 15 percent slopes, rocky	
1	48DE	Arnot-Lordstown channery silt loams, 15 to 35 percent slopes, very rocky	
1	48F	Arnot-Lordstown channery silt loams, 35 to 55 percent slopes, very rocky	
3	41	Barbour loam	1
3	47	Basher silt loam	
3	23A	Burdett channery silt loam, 0 to 3 percent slopes	2
2	23B	Burdett channery silt loam, 3 to 8 percent slopes	
1	23C	Burdett channery silt loam, 8 to 15 percent slopes	
2	40BC	Burdett channery silt loam, 3 to 15 percent slopes, very stony	
2	123B	Busti silt loam, 3 to 8 percent slopes	3
3	76	Canandaigua silt loam	
	34	Carlisle muck	
2	172B	Chautaugua loam, 3 to 8 percent slopes	4
1	172C	Chautaugua loam, 8 to 15 percent slopes	
3	19A	Chenango gravelly loam, 0 to 3 percent slopes	5
2	19B	Chenango gravelly loam, 3 to 8 percent slopes	

IDENTIFICATION LEGEND & NOTES (Continued)

	Map Unit Symbol	Map Unit Name	1984 Notes
2	19C Drop	Chenango gravelly loam, 8 to 15 percent slopes (combine with 19R)	
2	19R	Chenango gravelly loam, rolling	
1	19H Drop	Chenango gravelly loam, hilly (combine with 19EF)	
2	4	Covington and Madalin soils	14
	27 M.L. Made Land	Dumps, landfill	8
2	38B	Elka channery loam, 3 to 8 percent slopes	6
1	38C	Elka channery loam, 8 to 15 percent slopes	
1	38D	Elka channery loam, 15 to 25 percent slopes	
2	038BC	Elka channery loam, strongly sloping, very stony	
1	038DE	Elka channery loam, moderately steep, very stony	
1	038F	Elka channery loam, very steep, very stony	
3	62A	Elmridge very fine sandy loam, 0 to 3 percent slopes	
2	62B	Elmridge very fine sandy loam, 3 to 8 percent slopes	
2	18R	Farmington gravelly silt loam, rolling, rocky	7
2	18H	Farmington gravelly silt loam, hilly, rocky	
1	18EF	Farmington gravelly silt loam, steep, rocky	
3	16	Fluvaquents-Udifluvents complex, frequently flooded	
2	15B	Galway-Farmington gravelly silt loams, 2 to 8 percent slopes, rocky	8
2	15R	Galway-Farmington gravelly silt loams, rolling, rocky	
2	15H	Galway-Farmington gravelly silt loams, hilly, rocky	
	294A Drop	Halcott very channery loam, 0 to 3 percent slopes (combine with 294B)	9
2	294B	Halcott channery silt loam, 3 to 8 percent slopes	
1	294C	Halcott channery silt loam, 8 to 15 percent slopes	
2	494R	Halcott-Vly complex, rolling	
1	494D	Halcott-Vly complex, 15 to 25 percent slopes	
1	494EF	Halcott-Vly complex, 25 to 45 percent slopes	
2	2B	Hudson and Vergennes soils, 3 to 8 percent slopes	10
1	2C	Hudson and Vergennes soils, 8 to 15 percent slopes	
1	2EF	Hudson and Vergennes soils, 25 to 50 percent slopes	
1	2C3	Hudson and Vergennes silty clay loams, 8 to 15 percent slopes, severely eroded	

IDENTIFICATION LEGEND & NOTES (Continued)

	Map Unit Symbol	Map Unit Name	1984 Notes
1	2D3	Hudson and Vergennes silty clay loams, 15 to 25 percent slopes, severely eroded	
	38B Drop	Hunter loam, 3 to 8 percent slopes (rename Elka)	
	38C Drop	Hunter loam, 8 to 15 percent slopes (rename Elka)	6
	38D Drop	Hunter loam, 15 to 25 percent slopes (rename Elka)	
	38EF Drop	Hunter loam, 25 to 70 percent slopes (combine with 038F, 85 acres)	
	038BC Drop	Hunter loam, 3 to 15 percent slopes, very stony (rename Elka)	
	038DE Drop	Hunter loam, 15 to 35 percent slopes, very stony (rename Elka)	
	038F Drop	Hunter loam, 35 to 70 percent slopes, very stony (rename Elka)	
2	3A	Kingsbury and Rhinebeck soils, 0 to 3 percent slopes	20
2	3B	Kingsbury and Rhinebeck soils, 3 to 8 percent slopes	
2	31B	Lackawanna channery loam, 3 to 8 percent slopes	
1	31C	Lackawanna channery loam, 8 to 15 percent slopes	
1	31D	Lackawanna channery loam, 15 to 25 percent slopes	
1	31E	Lackawanna channery loam, 25 to 35 percent slopes	
2	39BC	Lackawanna and Wellsboro, channery loams, 3 to 15 percent slopes, very stony	
1	39DE	Lackawanna and Wellsboro, channery loams, 15 to 25 percent slopes, very stony	
	39F Drop	Lackawanna channery loam, 25 to 50 percent slopes, very stony (combine with 39DE)	11
2	131B	Lewbeach channery silt loam, 3 to 8 percent slopes	12
1	131C	Lewbeach channery silt loam, 8 to 15 percent slopes	
1	131D	Lewbeach channery silt loam, 15 to 25 percent slopes	
1	131E	Lewbeach channery silt loam, 25 to 35 percent slopes	
1	139F	Lewbeach channery silt loam, 35 to 55 percent slopes, very stony	
1	039F	Lewbeach channery silt loam, very steep, very bouldery,	
2	139BC	Lewbeach and Willowemoc channery silt loams, 3 to 15 percent slopes, very stony	
1	139DE	Lewbeach and Willowemoc channery silt loams, 15 to 35 percent slopes, very stony	
2	039BC	Lewbeach and Willowemoc channery silt loams, strongly sloping, very bouldery	
1	039DE	Lewbeach and Willowemoc channery silt loams, moderately steep, very bouldery	

IDENTIFICATION LEGEND & NOTES (Continued)

	Map Unit Symbol	Map Unit Name	1984 Notes
3	29A	Lordstown channery silt loam, 0 to 3 percent slopes	
2	29B	Lordstown channery silt loam, 3 to 8 percent slopes	
2	29C	Lordstown channery silt loam, 8 to 15 percent slopes	
1	29D	Lordstown channery silt loam, 15 to 25 percent slopes	
	29E Drop	Lordstown channery silt loam, 25 to 35 percent slopes (combine with 29D)	13
3	70	Lyons silt loam	
3	99	Lyons silt loam, very stony	
	4 Drop	Madalin silt loam (rename Covington and Madalin soils)	14
2	156B	Maplecrest gravelly silt loam, 3 to 8 percent slopes	15
	156C Drop	Maplecrest gravelly silt loam, 8 to 15 percent slopes (combine with 156R)	
2	156R	Maplecrest gravelly silt loam, rolling	
1	156D	Maplecrest gravelly silt loam, 15 to 25 percent slopes	
1	156EF	Maplecrest gravelly silt loam, 25 to 45 percent slopes	
2	22B	Mardin gravelly silt loam, 3 to 8 percent slopes	16
1	22C	Mardin gravelly silt loam, 8 to 15 percent slopes	
1	22D	Mardin gravelly silt loam, 15 to 25 percent slopes	
2	9BC	Mardin gravelly silt loam, 3 to 15 percent slopes, very stony	
3	20	Medisaprists, inundated	17
3	120	Medisaprists-Hydraquents, tidal marsh	17
3	82	Middlebury silt loam	18
3	33A	Morris channery silt loam, 0 to 3 percent slopes	19
2	33B	Morris channery silt loam, 3 to 8 percent slopes	
1	33C	Morris channery silt loam, 8 to 15 percent slopes	
2	80BC	Morris channery silt loam, 3 to 15 percent slopes, very stony	
2	8R	Nassau channery silt loam, rolling	
2	10R	Nassau channery silt loam, rolling, very rocky	
2	10H	Nassau channery silt loam, hilly, very rocky	
1	10EF	Nassau channery silt loam, steep, very rocky	

IDENTIFICATION LEGEND & NOTES (Continued)

	Map Unit Symbol		Map Unit Name	1984 Notes
2	72B		Nunda silt loam, 3 to 8 percent slopes	17
1	72C		Nunda silt loam, 8 to 15 percent slopes	
1	72D		Nunda silt loam, 15 to 25 percent slopes	
1	72E		Nunda silt loam, 25 to 35 percent slopes	
1	79BC		Nunda silt loam, 3 to 15 percent slopes, very stony	
1	79DE		Nunda silt loam, 15 to 35 percent slopes, very stony	
	79F	Drop	Nunda silt loam, 35 to 50 percent slopes, very stony (combine with 79DE)	
3	016		Ochrepts, frequently flooded	
	133A	Drop	Onteora silt loam, 0 to 3 percent slopes (combine with 133B)	18
2	133B		Onteora silt loam, 3 to 8 percent slopes	
1	133C		Onteora silt loam, 8 to 15 percent slopes	
2	180BC		Onteora silt loam, 3 to 15 percent slopes, very stony	
1	080BC		Onteora silt loam, strongly sloping, very bouldery	
	11A	Drop	Oquaga very channery silt loam, 0 to 3 percent slopes (combine with 11B)	19
2	11B		Oquaga very channery silt loam, 3 to 8 percent slopes	
1	11C		Oquaga very channery silt loam, 8 to 15 percent slopes	
1	11D		Oquaga very channery silt loam, 15 to 25 percent slopes	
	11E	Drop	Oquaga very channery silt loam, 25 to 35 percent slopes (combine with 11D)	
2	68BC		Oquaga-Arnot complex, 3 to 15 percent slopes, very rocky	
1	68DE		Oquaga-Arnot complex, 15 to 35 percent slopes, very rocky	
1	68F		Oquaga-Arnot complex, 35 to 55 percent slopes, very rocky	
	G.P.		Pits, gravel	
	Qu.		Pits, quarry	
	3A	Drop	Rhinebeck silt loam, 0 to 3 percent slopes (rename Kingsbury and Rhinebeck)	20
	3B	Drop	Rhinebeck silt loam, 3 to 8 percent slopes (rename Kingsbury and Rhinebeck)	
3	52A		Riverhead loam, 0 to 3 percent slopes	21
2	52B		Riverhead loam, 3 to 8 percent slopes	
2	52R		Riverhead loam, rolling	
2	52H		Riverhead loam, hilly	
3	64		Shaker very fine sandy loam	22
	74	Drop	Suny loam (combine with 69)	23
3	69		Suny gravelly silt loam, very stony	

IDENTIFICATION LEGEND & NOTES (Continued)

	Map Unit Symbol		Map Unit Name	1984 Notes
3	81		Tioga loam	
2	135A		Tor flaggy loam	
	150A	Drop	Tor flaggy loam, very stony (combine with 135A)	24
2	050A		Tor flaggy loam, very bouldery	
2	35A		Tuller channery silt loam	
2	50A		Tuller channery silt loam, very stony	
3	28A		Tunkhannock gravelly loam, 0 to 3 percent slopes	25
2	28B		Tunkhannock gravelly loam, 3 to 8 percent slopes	
	28C	Drop	Tunkhannock gravelly loam, 8 to 15 percent slopes (combine with 28R)	
2	28R		Tunkhannock gravelly loam, rolling	
2	28H		Tunkhannock gravelly loam, hilly	
2	46B		Tunkhannock gravelly loam, fan, 3 to 8 percent slopes	
1	19EF		Tunkhannock and Chenango gravelly loams, 25 to 50 percent slopes	
3	199		Udipsamments, dredged	
	26		Udorthents, loamy	
2	56B		Valois gravelly loam, 3 to 8 percent slopes	
1	56C		Valois gravelly loam, 8 to 15 percent slopes	
1	56R		Valois gravelly loam, rolling	
1	56D		Valois gravelly loam, 15 to 25 percent slopes	
1	56EF		Valois gravelly loam, 25 to 60 percent slopes	
1	9DE		Valois gravelly loam, 15 to 35 percent slopes, very stony	26
1	9F		Valois gravelly loam, 35 to 50 percent slopes, very stony	
2	1B		Valois-Nassau complex, undulating	
1	1CD		Valois-Nassau complex, hilly	
	111A	Drop	Vly channery silt loam, 0 to 3 percent slopes (combine with 111B)	27
2	111B		Vly very channery silt loam, 3 to 8 percent slopes	
1	111C		Vly very channery silt loam, 8 to 15 percent slopes	
1	111D		Vly very channery silt loam, 15 to 25 percent slopes	
	111E	Drop	Vly very channery silt loam, 25 to 35 percent slopes (combine with 111D)	
2	068BC		Vly-Halcott complex, strongly sloping, very rocky	
1	068DE		Vly-Halcott complex, moderately steep, very rocky,	
1	068F		Vly-Halcott complex, very steep, very rocky,	

IDENTIFICATION LEGEND & NOTES (Continued)

	Map Unit Symbol	Map Unit Name	1984 Notes
3	91A	Volusia channery loam, 0 to 3 percent slopes	28
2	91B	Volusia channery loam, 3 to 8 percent slopes	
1	91C	Volusia channery loam, 8 to 15 percent slopes	
2	90BC	Volusia channery loam, 3 to 15 percent slopes, very stony	
3	84	Wayland silt loam	29
2	32B	Wellsboro channery loam, 3 to 8 percent slopes	
1	32C	Wellsboro channery loam, 8 to 15 percent slopes	
1	32D	Wellsboro channery loam, 15 to 25 percent slopes	
2	132B	Willowemoc channery silt loam, 3 to 8 percent slopes	
1	132C	Willowemoc channery silt loam, 8 to 15 percent slopes	
1	132D	Willowemoc channery silt loam, 15 to 25 percent slopes	