

## Hydric Soil Percentage by Map Unit

Clinton County, New York

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
15	91	Loxley	50	0	1	Very poorly drained	Frequent
		Beseman	30	0	1	Very poorly drained	Frequent
17	95	Beseman	40	0	1	Very poorly drained	Frequent
		Loxley	20	0	1	Very poorly drained	Frequent
		Rumney	20	0	1	Poorly drained	None
367	95	Searsport	35	0	3	Very poorly drained	Frequent
		Borosaprists	30	0	1	Very poorly drained	Frequent
		Naumburg	20	0	8	Poorly drained	None
375C	5	Adams	40	3	15	Somewhat excessively drained	None
		Colton	40	3	15	Excessively drained	None
375F	1	Adams	40	35	70	Somewhat excessively drained	None
		Colton	40	35	70	Excessively drained	None
651C	20	Monadnock	40	3	15	Well drained	None
		Tunbridge	25	3	15	Well drained	None
		Sabattis	20	0	3	Very poorly drained	None
651D	1	Monadnock	50	15	35	Well drained	None
		Tunbridge	20	15	35	Well drained	None
653C	1	Monadnock	75	3	15	Well drained	None
654C	20	Monadnock	60	3	15	Well drained	None
		Sabattis	20	0	3	Very poorly drained	None
655B	2	Sunapee	50	3	15	Moderately well drained	None
		Monadnock	30	3	15	Well drained	None
661C	0	Hermon	80	3	15	Somewhat excessively drained	None
661D	0	Hermon	80	15	35	Somewhat excessively drained	None
708B	50	Adirondack	40	0	8	Somewhat poorly drained	None
		Sabattis	25	0	3	Very poorly drained	None
		Tughill	20	0	5	Very poorly drained	Frequent
721C	1	Becket	40	3	15	Well drained	None
		Tunbridge	30	3	15	Well drained	None
		Skerry	20	3	15	Moderately well drained	None
721D	0	Becket	45	15	35	Well drained	None
		Tunbridge	30	15	35	Well drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
723C	0	Becket	80	3	15	Well drained	None
723D	0	Becket	80	15	35	Well drained	None
725B	1	Skerry	50	3	15	Moderately well drained	None
		Becket	25	3	15	Well drained	None
727B	7	Skerry	50	0	8	Moderately well drained	None
		Adirondack	30	0	8	Somewhat poorly drained	None
831C	1	Tunbridge	45	3	15	Well drained	None
		Lyman	30	3	15	Somewhat excessively drained	None
831D	0	Tunbridge	45	15	35	Well drained	None
		Lyman	30	15	35	Somewhat excessively drained	None
831F	0	Tunbridge	45	35	60	Well drained	None
		Lyman	30	35	60	Somewhat excessively drained	None
861F	0	Lyman	45	35	60	Somewhat excessively drained	None
		Ricker	30	35	60	Well drained	None
931C	5	Mundalite	40	3	15	Well drained	None
		Rawsonville	25	3	15	Well drained	None
		Worden	20	3	15	Somewhat poorly drained	None
931D	5	Mundalite	50	15	35	Well drained	None
		Rawsonville	30	15	35	Well drained	None
933C	5	Mundalite	50	3	15	Well drained	None
		Worden	30	3	15	Somewhat poorly drained	None
941C	0	Rawsonville	45	3	15	Well drained	None
		Hogback	30	3	15	Well drained	None
941D	0	Rawsonville	45	15	35	Well drained	None
		Hogback	30	15	35	Well drained	None
941F	0	Rawsonville	40	35	60	Well drained	None
		Hogback	35	35	60	Well drained	None
943C	22	Rawsonville	40	3	25	Well drained	None
		Borosaprists	20	0	2	Very poorly drained	Frequent
		Ricker	15	3	25	Well drained	None
945F	0	Hogback	45	35	60	Well drained	None
		Ricker	30	35	60	Well drained	None
949F	0	Rock outcrop	30	35	60		
		Hogback	25	35	60	Well drained	None
		Ricker	25	35	60	Well drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
991D	0	Glebe	55	15	35	Well drained	None
		Skylight	30	15	35	Somewhat excessively drained	None
997F	0	Ricker	35	35	70	Well drained	None
		Skylight	30	35	70	Somewhat excessively drained	None
		Rock outcrop	25	35	70		
AbA	0	Adams	85	0	3	Somewhat excessively drained	None
AbB	0	Adams	85	3	8	Somewhat excessively drained	None
AbC	0	Adams	85	8	15	Somewhat excessively drained	None
AbD	0	Adams	85	15	25	Somewhat excessively drained	None
AgB	5	Adirondack	80	3	8	Somewhat poorly drained	None
AhB	5	Adirondack	80	0	8	Somewhat poorly drained	None
Ak	93	Adjidaumo	85	0	3	Poorly drained	None
Am	91	Adjidaumo	85	0	3	Very poorly drained	Frequent
AtA	0	Amenia	80	0	3	Moderately well drained	None
AtB	0	Amenia	85	3	8	Moderately well drained	None
AwA	4	Appleton	85	0	3	Somewhat poorly drained	None
AwB	4	Appleton	85	3	8	Somewhat poorly drained	None
BcB	0	Becket	85	3	8	Well drained	None
BcC	0	Becket	85	8	15	Well drained	None
BeC	0	Becket	85	3	15	Well drained	None
BeD	0	Becket	85	15	35	Well drained	None
BgC	0	Becket	45	3	15	Well drained	None
		Tunbridge	30	3	15	Well drained	None
BgE	0	Becket	45	15	35	Well drained	None
		Tunbridge	30	15	35	Well drained	None
BhC	0	Benson	80	3	15	Somewhat excessively drained	None
BhE	0	Benson	85	25	45	Somewhat excessively drained	None
Bo	97	Beseman	80	0	1	Very poorly drained	Frequent
BrB	0	Bice	75	3	8	Well drained	None
BrC	0	Bice	80	8	15	Well drained	None
BsC	0	Bice	80	3	15	Well drained	None
BsD	0	Bice	85	15	35	Well drained	None
BvB	1	Bombay	85	3	8	Moderately well drained	None
Bx	97	Bucksport	85	0	1	Very poorly drained	Frequent
CgA	0	Champlain	85	0	3	Somewhat excessively drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
CgB	0	Champlain	85	3	8	Somewhat excessively drained	None
CgC	0	Champlain	85	8	15	Somewhat excessively drained	None
ChF	0	Champlain	45	25	45	Somewhat excessively drained	None
		Adams	40	25	70	Somewhat excessively drained	None
Ck	89	Churubusco	80	0	2	Very poorly drained	Frequent
CIC	0	Colosse	40	3	15	Excessively drained	None
		Hermon	40	3	15	Somewhat excessively drained	None
CmB	0	Colosse	45	3	8	Excessively drained	None
		Trout River	40	3	8	Excessively drained	None
CmC	0	Colosse	45	8	15	Excessively drained	None
		Trout River	40	8	15	Excessively drained	None
CnC	0	Colosse	45	3	15	Excessively drained	None
		Trout River	40	3	15	Excessively drained	None
CnD	0	Colosse	45	15	25	Excessively drained	None
		Trout River	40	15	25	Excessively drained	None
CoA	0	Colton	85	0	3	Excessively drained	None
CoB	0	Colton	85	3	8	Excessively drained	None
CoC	0	Colton	85	8	15	Excessively drained	None
CpC	0	Colton	80	3	15	Excessively drained	None
CpE	0	Colton	80	15	35	Excessively drained	None
Crk	93	Cook	85	0	3	Very poorly drained	None
Crr	9	Cornish	80	0	2	Somewhat poorly drained	None
Cs	1	Covert	85	0	3	Moderately well drained	None
CtsA	0	Covertfalls	85	0	3	Moderately well drained	None
CtsB	0	Covertfalls	85	3	8	Moderately well drained	None
CttB	0	Covertfalls	80	3	8	Moderately well drained	None
CvA	5	Coveytown	75	0	3	Somewhat poorly drained	None
CvB	5	Coveytown	75	3	8	Somewhat poorly drained	None
CwB	5	Coveytown	75	0	8	Somewhat poorly drained	None
CxA	3	Croghan	85	0	3	Moderately well drained	None
CxB	3	Croghan	85	3	8	Moderately well drained	None
DeA	2	Deerfield	80	0	3	Moderately well drained	None
DeB	1	Deerfield	80	3	8	Moderately well drained	None
Df	93	Deinache	85	0	3	Poorly drained	None
FeB	0	Fahey	75	3	8	Moderately well drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
FhB	0	Fahey	75	0	8	Moderately well drained	None
FkB	0	Fernlake	85	3	8	Somewhat excessively drained	None
FIB	0	Fernlake	85	3	8	Somewhat excessively drained	None
FIC	0	Fernlake	85	8	15	Somewhat excessively drained	None
FID	0	Fernlake	85	15	25	Somewhat excessively drained	None
FIF	0	Fernlake	85	35	60	Somewhat excessively drained	None
FmB	0	Flackville	80	3	8	Moderately well drained	None
Fn	33	Udifluvents	40	0	3	Well drained	None
		Fluvaquents	30	0	2	Poorly drained	Occasional
		Fluvaquents	20	0	3	Somewhat poorly drained	None
GfC	3	Gardenisle	45	3	15	Well drained	None
		Benson	35	3	15	Somewhat excessively drained	None
GI	90	Gougeville	85	0	3	Poorly drained	None
GrA	0	Grattan	85	0	3	Excessively drained	None
GrB	0	Grattan	85	3	8	Excessively drained	None
GvB	0	Grenville	85	3	8	Well drained	None
GwC	0	Grenville	85	3	15	Well drained	None
Ha	5	Hailesboro	80	0	3	Somewhat poorly drained	None
HeB	0	Hermon	80	3	8	Somewhat excessively drained	None
HeC	0	Hermon	80	8	15	Somewhat excessively drained	None
HfC	0	Hermon	80	3	15	Somewhat excessively drained	None
HfD	0	Hermon	85	15	35	Somewhat excessively drained	None
HgC	5	Hermon	60	3	15	Somewhat excessively drained	None
		Adirondack	20	0	8	Somewhat poorly drained	None
HIB	5	Heuvelton	85	3	8	Moderately well drained	None
HID	0	Heuvelton	85	15	25	Moderately well drained	None
HoA	1	Hogansburg	85	0	3	Moderately well drained	None
HoB	0	Hogansburg	85	3	8	Moderately well drained	None
HrB	0	Hogansburg	85	0	8	Moderately well drained	None
InB	2	Irona	40	3	8	Well drained	None
		Conic	35	3	15	Well drained	None
Jn	5	Junius	80	0	3	Somewhat poorly drained	None
KhB	1	Kalurah	85	3	8	Moderately well drained	None
KIB	1	Kalurah	85	3	8	Moderately well drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
Kr	5	Kingsbury	45	0	3	Somewhat poorly drained	None
		Rhinebeck	40	0	3	Somewhat poorly drained	None
Ld	2	Lovewell	85	0	3	Moderately well drained	None
Le	100	Loxley	85	0	2	Very poorly drained	Frequent
LtF	0	Lyman	40	35	70	Somewhat excessively drained	None
		Tunbridge	30	35	70	Well drained	None
		Rock outcrop	15				
Lv	88	Lyonmounten	80	0	3	Poorly drained	None
Ly	88	Lyonmounten	80	0	3	Poorly drained	None
MaB	0	Madrid	80	3	8	Well drained	None
MaC	0	Madrid	85	8	15	Well drained	None
MeA	4	Malone	85	0	3	Somewhat poorly drained	None
MeB	3	Malone	85	3	8	Somewhat poorly drained	None
MfB	4	Malone	85	0	8	Somewhat poorly drained	None
Mk	98	Markey	80	0	2	Very poorly drained	Frequent
Mn	5	Massena	80	0	3	Somewhat poorly drained	None
Mp	92	Medomak	85	0	1	Very poorly drained	Frequent
Ms	3	Mino	80	0	3	Somewhat poorly drained	None
MtB	0	Monadnock	80	3	8	Well drained	None
MtC	0	Monadnock	80	8	15	Well drained	None
MuC	0	Monadnock	80	3	15	Well drained	None
MuD	0	Monadnock	85	15	35	Well drained	None
MuF	0	Monadnock	85	35	60	Well drained	None
MvA	0	Mooers	80	0	3	Moderately well drained	None
MvB	0	Mooers	80	3	8	Moderately well drained	None
MwA	5	Muskellunge	85	0	3	Somewhat poorly drained	None
MwB	5	Muskellunge	85	3	8	Somewhat poorly drained	None
NeC	1	Neckrock	45	3	15	Well drained	None
		Summerville	35	3	15	Well drained	None
NoB	0	Nicholville	80	3	8	Moderately well drained	None
NrA	1	Northway	80	0	3	Somewhat poorly drained	None
NrB	1	Northway	80	3	8	Somewhat poorly drained	None
OcA	0	Occur	85	0	3	Moderately well drained	None
OcB	0	Occur	85	3	8	Moderately well drained	None
OgB	9	Ogdensburg	80	0	8	Somewhat poorly drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
PeA	5	Peasleeville	80	0	3	Somewhat poorly drained	None
PeB	5	Peasleeville	80	3	8	Somewhat poorly drained	None
PfB	5	Peasleeville	80	0	8	Somewhat poorly drained	None
Pg	90	Pinconning	85	0	2	Very poorly drained	Frequent
Ph	3	Pipestone	80	0	3	Somewhat poorly drained	None
Pn	4	Pits, gravel	90	0	3		
Po	0	Pits, quarry	90	0	100		
Pp	3	Pits, sand	90	0	3		
PtA	0	Plainfield	85	0	3	Excessively drained	None
PtB	0	Plainfield	85	3	8	Excessively drained	None
PtC	0	Plainfield	85	8	15	Excessively drained	None
PvF	0	Grattan	45	25	60	Excessively drained	None
		Plainfield	45	25	70	Excessively drained	None
RoB	8	Rock outcrop	45	0	8		
		Ricker	35	3	8	Well drained	None
Rr	2	Roundabout	80	0	3	Somewhat poorly drained	None
Ry	96	Runeberg	75	0	3	Very poorly drained	Frequent
		Runeberg	15	0	3	Poorly drained	None
Sb	91	Sabattis	80	0	3	Very poorly drained	None
Se	97	Aquents	40	0	1	Very poorly drained	Frequent
		Saprists	40	0	1	Very poorly drained	Frequent
ShB	0	Schroon	85	3	8	Moderately well drained	None
ShC	0	Schroon	85	8	15	Moderately well drained	None
SkB	0	Schroon	85	3	8	Moderately well drained	None
Sn	6	Sciota	80	0	3	Somewhat poorly drained	None
So	4	Shaker	80	0	3	Somewhat poorly drained	None
SpB	0	Sheddenbrook	80	0	8	Moderately well drained	None
SrB	1	Skerry	85	3	8	Moderately well drained	None
SsB	1	Skerry	85	0	8	Moderately well drained	None
SsC	0	Skerry	85	8	15	Moderately well drained	None
StD	0	Success	80	10	35	Somewhat excessively drained	None
SwB	1	Sunapee	80	3	8	Moderately well drained	None
SxB	1	Sunapee	80	0	8	Moderately well drained	None
Sz	5	Swanton	80	0	3	Somewhat poorly drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
TcB	6	Topknot	40	0	8	Somewhat poorly drained	None
		Chazy	35	0	8	Somewhat poorly drained	None
TnC	0	Tunbridge	45	3	15	Well drained	None
		Lyman	30	3	15	Somewhat excessively drained	None
TnE	0	Tunbridge	45	15	35	Well drained	None
		Lyman	30	15	35	Somewhat excessively drained	None
Ud	1	Psammaquents	40	0	3	Somewhat poorly drained	None
		Udipsamments	40	0	8	Well drained	None
Ue	0	Udipsamments, mine spoil	90	0	35	Well drained	None
Uf	0	Udorthents, refuse substratum	90	0	8	Well drained	None
Ug	0	Udorthents	90	0	15	Well drained	None
Uh	5	Udorthents	90	0	8	Somewhat poorly drained	None
Un	0	Urban land	90	0	8		
UpA	0	Urban land	50	0	3		
		Plainfield	35	0	3	Excessively drained	None
UpB	0	Urban land	50	3	8		
		Plainfield	35	3	8	Excessively drained	None
W	0	Water	100				
WdB	0	Waddington	80	3	8	Somewhat excessively drained	None
Wn	5	Wainola	80	0	3	Somewhat poorly drained	None
WsB	0	Wallace	80	3	8	Well drained	None
WsC	0	Wallace	85	8	15	Well drained	None
WsE	0	Wallace	85	25	35	Well drained	None
Wu	95	Wonsqueak	80	0	2	Very poorly drained	Frequent
Za	0	Denied access	100				