

Hydric Soil Percentage by Map Unit

Franklin County, New York

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
Aaa	0	Adams	40	0	3	Somewhat excessively drained	None
		Wallace	35	0	3	Excessively drained	None
Aab	0	Adams	40	3	8	Somewhat excessively drained	None
		Wallace	35	3	8	Excessively drained	None
Aad	0	Adams	40	12	25	Somewhat excessively drained	None
		Wallace	35	12	25	Excessively drained	None
Abb	0	Adams	40	3	8	Somewhat excessively drained	None
		Colton	35	3	8	Excessively drained	None
Abd	0	Adams	45	8	25	Somewhat excessively drained	None
		Colton	40	8	25	Excessively drained	None
Ace	0	Adams	40	25	60	Somewhat excessively drained	None
		Colton	35	25	60	Excessively drained	None
Ada	36	Au Gres	40	1	3	Somewhat poorly drained	None
		Scarboro	30	0	3	Very poorly drained	Frequent
		Croghan	15	0	8	Moderately well drained	None
Bab	0	Becket	40	3	8	Well drained	None
		Skerry	35	3	8	Moderately well drained	None
Bac	0	Becket	40	8	15	Well drained	None
		Skerry	35	8	15	Moderately well drained	None
Bbb	0	Becket	30	3	8	Well drained	None
		Skerry	25	3	8	Moderately well drained	None
		Hermon	20	3	8	Somewhat excessively drained	None
Bbd	0	Becket	30	8	25	Well drained	None
		Skerry	25	8	25	Moderately well drained	None
		Hermon	20	8	25	Somewhat excessively drained	None
Bce	0	Becket	40	25	60	Well drained	None
		Hermon	35	25	60	Somewhat excessively drained	None
Bda	90	Birdsall	75	0	2	Very poorly drained	Frequent
Bea	10	Brayton	75	0	3	Somewhat poorly drained	None
Beb	10	Brayton	75	3	8	Somewhat poorly drained	None
Bfb	10	Brayton	75	0	8	Somewhat poorly drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
Caa	0	Colton	40	0	3	Excessively drained	None
		Constable	35	0	3	Well drained	None
Cab	0	Colton	40	3	8	Excessively drained	None
		Constable	35	3	8	Well drained	None
Cbb	0	Colton	40	3	8	Excessively drained	None
		Constable	35	3	8	Well drained	None
Ccc	0	Colton	40	8	15	Excessively drained	None
		Constable	35	8	15	Well drained	None
Ccd	0	Colton	40	15	25	Excessively drained	None
		Constable	35	15	25	Well drained	None
Cda	90	Cook	75	0	5	Very poorly drained	None
Cea	90	Cook	75	0	5	Very poorly drained	None
Cfa	10	Coveytown	70	0	6	Poorly drained	None
Cga	15	Coveytown	70	0	3	Poorly drained	None
Cha	10	Coveytown	70	0	6	Poorly drained	None
Cka	90	Covington	75	0	2	Poorly drained	None
Cma	85	Covington	75	0	2	Poorly drained	None
Cna	0	Croghan	75	0	3	Moderately well drained	None
Cnb	0	Croghan	75	0	8	Moderately well drained	None
Coa	10	Croghan	75	0	3	Moderately well drained	None
Cpa	10	Croghan	75	0	6	Moderately well drained	None
Cqb	0	Croghan	75	0	6	Moderately well drained	None
Daa	0	Duane	75	0	3	Moderately well drained	None
Dab	0	Duane	75	3	8	Moderately well drained	None
Db	0	Duane	75	0	3	Moderately well drained	None
Dbb	0	Duane	75	3	8	Moderately well drained	None
Eaa	0	Empeyville	75	0	3	Moderately well drained	None
Eab	0	Empeyville	75	3	8	Moderately well drained	None
Eac	0	Empeyville	75	8	15	Moderately well drained	None
Ebb	0	Empeyville	75	0	8	Moderately well drained	None
		Empeyville	40	15	25	Moderately well drained	None
Ecd	0	Moira	35	15	25	Moderately well drained	None
		Empeyville	40	8	25	Moderately well drained	None
Edc	0	Moira	35	8	25	Moderately well drained	None
		Empeyville	40	8	25	Moderately well drained	None
Faa	0	Fahey	75	0	3	Moderately well drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
Fab	0	Fahey	75	3	8	Moderately well drained	None
Fba	0	Fahey	75	0	3	Moderately well drained	None
Fbb	0	Fahey	75	3	8	Moderately well drained	None
Fcb	0	Fahey	75	0	8	Moderately well drained	None
Gab	0	Grenville	85	3	8	Well drained	None
Gac	0	Grenville	85	8	15	Well drained	None
Gbb	3	Hogansburg	50	0	8	Moderately well drained	None
		Grenville	30	0	8	Well drained	None
Gbc	0	Grenville	40	8	25	Well drained	None
		Hogansburg	35	8	25	Moderately well drained	None
GP	0	Pits, gravel and sand	100	0	3		
Hac	0	Hermon	75	3	15	Somewhat excessively drained	None
Hbb	0	Hogansburg	85	3	8	Moderately well drained	None
Kab	0	Kars	75	0	8	Somewhat excessively drained	None
Kbb	0	Kars	75	0	8	Somewhat excessively drained	None
Laa	90	Livingston	75	0	2	Very poorly drained	None
Lba	95	Livingston	75	0	2	Very poorly drained	None
Lca	90	Livingston	75	0	2	Very poorly drained	None
Maa	85	Madalin	75	0	2	Poorly drained	Frequent
Mba	85	Madalin	75	0	2	Poorly drained	Frequent
Mca	4	Malone	85	0	3	Somewhat poorly drained	None
Mdb	4	Malone	85	0	8	Somewhat poorly drained	None
Mea	0	Moira	75	1	3	Moderately well drained	None
Meb	0	Moira	75	3	8	Moderately well drained	None
Mec	0	Moira	75	8	15	Moderately well drained	None
Mfb	0	Moira	75	0	8	Moderately well drained	None
Mga	100	Muck	75	0	1	Very poorly drained	Frequent
Mha	100	Muck	75	0	1	Very poorly drained	Frequent
Naa	0	Nicholville	75	0	2	Moderately well drained	None
Nab	0	Nicholville	75	2	6	Moderately well drained	None
Nac	0	Nicholville	75	6	12	Moderately well drained	None
Nba	0	Nicholville	75	0	2	Moderately well drained	None
Nbb	0	Nicholville	75	2	6	Moderately well drained	None
Nbc	0	Nicholville	75	6	12	Moderately well drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
Oaa	5	Ondawa	40	0	2	Well drained	None
		Genesee	35	0	2	Well drained	None
Oba	5	Ondawa	40	0	2	Well drained	None
		Genesee	35	0	2	Well drained	None
Paa	85	Panton	75	2	6	Poorly drained	None
Pbb	0	Parishville	75	2	8	Well drained	None
Pcb	0	Parishville	75	2	8	Well drained	None
Pda	10	Podunk	40	0	2	Moderately well drained	None
		Eel	35	0	2	Moderately well drained	None
Pea	10	Podunk	40	0	2	Moderately well drained	None
		Eel	35	0	2	Moderately well drained	None
Qu	0	Quarry	100				
Raa	10	Rhinebeck	75	0	2	Somewhat poorly drained	None
Rab	5	Rhinebeck	75	2	6	Somewhat poorly drained	None
Rbb	85	Ridgebury	75	0	8	Poorly drained	None
Rcb	85	Ridgebury	75	0	8	Poorly drained	None
Rd	5	Rock outcrop	70	15	35		
Rea	85	Rumney	40	0	2	Poorly drained	None
		Wayland	35	0	2	Very poorly drained	Frequent
Rfa	90	Rumney	40	0	2	Poorly drained	None
		Wayland	35	0	2	Poorly drained	Frequent
Saa	90	Saco	40	0	2	Very poorly drained	None
		Sloan	35	0	2	Very poorly drained	None
Sba	0	Salmon	75	0	2	Well drained	None
Sbb	0	Salmon	75	2	6	Well drained	None
Sbc	0	Salmon	75	6	12	Well drained	None
Sca	0	Salmon	75	3	4	Well drained	None
Scb	0	Salmon	75	3	6	Well drained	None
Scc	0	Salmon	75	6	12	Well drained	None
Sce	0	Salmon	75	20	45	Well drained	None
Sdd	0	Salmon	40	12	20	Well drained	None
		Nicholville	35	10	15	Moderately well drained	None
Sea	85	Scarboro	75	0	3	Very poorly drained	Frequent
Sfa	85	Scarboro	75	0	3	Very poorly drained	Frequent

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
Sga	90	Scarboro	40	0	3	Very poorly drained	Frequent
		Scarboro	35	0	3	Very poorly drained	Frequent
Sh	0	Hermon	40	3	60	Somewhat excessively drained	None
		Becket	35	3	60	Well drained	None
Sk	0	Worth	40	3	60	Well drained	None
		Parishville	35	3	60	Well drained	None
Sma	96	Runeberg	75	0	5	Poorly drained	None
		Runeberg	15	0	5	Very poorly drained	Frequent
Sna	96	Runeberg	75	0	3	Poorly drained	None
		Runeberg	15	0	3	Very poorly drained	Frequent
Soa	90	Swanton	75	0	3	Poorly drained	None
Taa	0	Trout River	75	0	3	Excessively drained	None
Tab	0	Trout River	75	3	8	Excessively drained	None
Tba	0	Trout River	75	0	3	Excessively drained	None
Tbb	0	Trout River	75	3	8	Excessively drained	None
Tca	90	Tughill	40	0	3	Very poorly drained	Frequent
		Dannemora	35	0	3	Poorly drained	None
Tda	90	Tughill	40	0	3	Very poorly drained	Frequent
		Dannemora	35	0	3	Poorly drained	None
W	0	Water	100				
Waa	15	Wallington	75	0	2	Poorly drained	None
Wba	10	Wallington	75	0	2	Poorly drained	None
Wca	85	Walpole	75	0	6	Poorly drained	None
Wda	85	Walpole	75	0	5	Poorly drained	None
Wea	85	Walpole	75	0	3	Poorly drained	None
Wfa	85	Walpole	75	0	5	Poorly drained	None
Wga	90	Walpole	75	0	3	Poorly drained	None
Wha	50	Walpole	40	0	6	Poorly drained	None
		Au Gres	35	0	6	Somewhat poorly drained	None
Wka	50	Walpole	40	0	6	Poorly drained	None
		Au Gres	35	0	6	Somewhat poorly drained	None
Wma	40	Westbury	40	0	3	Somewhat poorly drained	None
		Dannemora	35	0	3	Poorly drained	None
Wmb	45	Westbury	40	3	8	Somewhat poorly drained	None
		Dannemora	35	3	8	Poorly drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
Wna	40	Westbury	40	0	8	Somewhat poorly drained	None
		Dannemora	35	0	8	Poorly drained	None
Woc	5	Westbury	40	8	15	Somewhat poorly drained	None
		Brayton	35	8	15	Somewhat poorly drained	None
Wpa	90	Whitman	75	0	8	Very poorly drained	Frequent
Wqa	0	Worth	75	0	3	Well drained	None
Wqb	0	Worth	75	3	8	Well drained	None
Wqc	0	Worth	75	8	15	Well drained	None
Wsb	0	Worth	75	0	8	Well drained	None
Wsd	0	Worth	75	8	25	Well drained	None
Wte	0	Worth	40	25	60	Well drained	None
		Parishville	35	25	60	Well drained	None