

Hydric Soil Percentage by Map Unit

Fulton County, New York

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
3A	90	Endoaquolls	55	0	3	Poorly drained	None
		Hapludolls	30	0	3	Moderately well drained	None
4C	0	Udorthents	75	0	15	Moderately well drained	None
5C	0	Udorthents	70	4	33	Well drained	None
6A	100	Saprists	40	0	1	Very poorly drained	Frequent
		Aquents	35	0	1	Very poorly drained	Frequent
7B	0	Endoaquents	75	0	8	Somewhat poorly drained	None
10A	93	Pleasant Lake	45	0	2	Very poorly drained	Frequent
		Burnt Vly	35	0	2	Very poorly drained	Frequent
11B	0	Hinckley	40	3	8	Excessively drained	None
		Windsor	35	3	8	Excessively drained	None
11C	0	Hinckley	40	8	15	Excessively drained	None
		Windsor	35	8	15	Excessively drained	None
11D	0	Hinckley	40	15	25	Excessively drained	None
		Windsor	40	15	25	Excessively drained	None
11E	0	Hinckley	45	25	50	Excessively drained	None
		Windsor	40	25	50	Excessively drained	None
13F	0	Lansing	50	25	50	Well drained	None
		Mohawk	30	25	35	Well drained	None
16E	0	Broadalbin	75	25	40	Well drained	None
17D	0	Hollis	60	3	25	Well drained	None
		Rock outcrop	15	3	25		
18C	0	Chatfield	50	8	15	Well drained	None
		Hollis	30	8	15	Well drained	None
18D	3	Chatfield	45	15	35	Well drained	None
		Hollis	35	15	35	Somewhat excessively drained	None
21B	0	Galway	75	3	8	Well drained	None
21C	0	Galway	75	8	15	Well drained	None
22B	0	Georgia	75	3	8	Moderately well drained	None
24B	0	Farmington	75	2	8	Well drained	None
24C	0	Farmington	75	8	15	Well drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
25A	66	Wonsqueak	35	0	2	Very poorly drained	Frequent
		Colton	25	0	15	Excessively drained	None
		Rumney	20	0	3	Poorly drained	None
25D	0	Farmington	70	3	25	Well drained	None
32B	0	Mohawk	75	3	8	Well drained	None
32C	0	Mohawk	75	8	15	Well drained	None
32D	0	Mohawk	75	15	25	Well drained	None
33B	10	Angola	75	0	8	Somewhat poorly drained	None
34A	5	Manheim	80	0	3	Somewhat poorly drained	None
34B	4	Manheim	80	3	8	Somewhat poorly drained	None
42B	0	Lansing	85	2	8	Well drained	None
42C	0	Lansing	85	8	15	Well drained	None
42D	0	Lansing	85	15	25	Well drained	None
44A	4	Appleton	85	0	3	Somewhat poorly drained	None
44B	5	Appleton	80	3	8	Somewhat poorly drained	None
47A	94	Ilion	80	0	3	Poorly drained	None
47B	91	Ilion	80	3	8	Poorly drained	None
49A	91	Fonda	75	0	1	Very poorly drained	Frequent
72B	0	Broadalbin	50	2	8	Well drained	None
		Broadalbin	30	2	8	Moderately well drained	None
72C	0	Broadalbin	75	8	15	Well drained	None
72D	0	Broadalbin	75	15	25	Well drained	None
74A	5	Mosherville	80	0	3	Somewhat poorly drained	None
74B	3	Mosherville	75	3	8	Somewhat poorly drained	None
77A	84	Sun	75	0	3	Poorly drained	None
81B	1	Charlton	85	3	8	Well drained	None
81C	0	Charlton	85	8	15	Well drained	None
81D	0	Charlton	85	15	25	Well drained	None
89A	95	Whitman	75	0	3	Very poorly drained	Frequent
90B	0	Palatine	75	3	8	Well drained	None
90C	0	Palatine	80	8	15	Well drained	None
90D	0	Palatine	85	15	25	Well drained	None
94B	6	Paxton	80	3	8	Well drained	None
94C	2	Paxton	85	8	15	Well drained	None
94D	1	Paxton	85	15	25	Well drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
95B	7	Woodbridge	85	3	8	Moderately well drained	None
96B	15	Ridgebury	80	0	8	Somewhat poorly drained	None
99A	100	Timakwa	75	0	2	Very poorly drained	Frequent
109A	100	Catden	80	0	1	Very poorly drained	Frequent
112A	0	Scio	45	0	3	Moderately well drained	None
		Urban land	40	0	3		
114B	0	Urban land	40	0	8		
		Windsor	40	0	8	Excessively drained	None
114C	0	Windsor	50	3	15	Excessively drained	None
		Urban land	35	3	15		
114D	0	Windsor	60	15	25	Excessively drained	None
		Urban land	30	15	25		
115B	0	Udipsamments	85	0	8	Excessively drained	None
116	0	Urban land	90	0	8		
117B	0	Broadalbin	50	3	8	Moderately well drained	None
		Urban land	30	3	8		
117C	0	Broadalbin	45	8	15	Well drained	None
		Urban land	30	0	8		
130B	0	Hudson	75	3	8	Moderately well drained	None
130C	0	Hudson	80	8	15	Moderately well drained	None
134A	5	Rhinebeck	75	0	3	Somewhat poorly drained	None
134B	3	Rhinebeck	75	3	8	Somewhat poorly drained	None
135A	5	Churchville	80	0	3	Somewhat poorly drained	None
135B	4	Churchville	75	3	8	Somewhat poorly drained	None
137A	84	Madalin	75	0	3	Poorly drained	None
151B	0	Unadilla	80	3	8	Well drained	None
152A	0	Scio	80	0	3	Moderately well drained	None
152B	0	Scio	80	3	8	Moderately well drained	None
154A	8	Tonawanda	80	0	3	Somewhat poorly drained	None
154B	2	Tonawanda	80	3	8	Somewhat poorly drained	None
157A	97	Birdsall	75	0	3	Very poorly drained	Frequent
160A	3	Agawam	85	0	3	Well drained	None
160B	0	Agawam	85	3	8	Well drained	None
162B	0	Ninigret	85	3	8	Moderately well drained	None
165A	3	Stafford	80	0	3	Somewhat poorly drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
170B	0	Windsor	85	3	8	Excessively drained	None
170C	0	Windsor	85	8	15	Excessively drained	None
170D	0	Windsor	90	15	25	Excessively drained	None
179A	98	Scarboro	80	0	3	Very poorly drained	Frequent
182A	0	Elmridge	75	0	3	Moderately well drained	None
182B	0	Elmridge	75	3	8	Moderately well drained	None
187A	39	Aeric Epiaquepts	50	0	3	Somewhat poorly drained	None
		Aeric Epiaquepts	30	0	2	Poorly drained	None
189A	90	Cheektowaga	75	0	3	Very poorly drained	Frequent
197A	15	Fredon	75	0	3	Somewhat poorly drained	None
201B	0	Alton	80	3	8	Somewhat excessively drained	None
201C	0	Alton	80	8	15	Somewhat excessively drained	None
201D	0	Alton	80	15	25	Somewhat excessively drained	None
210A	0	Merrimac	85	0	3	Somewhat excessively drained	None
210B	0	Merrimac	85	3	8	Somewhat excessively drained	None
210C	0	Merrimac	85	8	15	Somewhat excessively drained	None
210D	0	Merrimac	80	15	25	Somewhat excessively drained	None
211A	88	Burnt Vly	35	0	2	Very poorly drained	Frequent
		Humaquepts	25	0	2	Poorly drained	None
		Pleasant Lake	20	0	2	Very poorly drained	Frequent
212A	0	Hinckley	85	0	3	Excessively drained	None
212B	0	Hinckley	85	3	8	Excessively drained	None
212C	0	Hinckley	85	8	15	Excessively drained	None
232A	8	Teel	75	0	3	Moderately well drained	None
244A	5	Darien	75	0	3	Somewhat poorly drained	None
244B	4	Darien	75	3	8	Somewhat poorly drained	None
363A	0	Adams	85	0	3	Somewhat excessively drained	None
363B	0	Adams	80	3	15	Somewhat excessively drained	None
363D	0	Adams	80	15	35	Somewhat excessively drained	None
363F	0	Adams	75	35	60	Somewhat excessively drained	None
365A	7	Naumburg	45	0	3	Somewhat poorly drained	None
		Croghan	35	0	3	Moderately well drained	None
368A	66	Searsport	35	0	3	Very poorly drained	Frequent
		Wonsqueak	25	0	2	Very poorly drained	Frequent
		Naumburg	20	0	3	Somewhat poorly drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
375A	0	Colton	45	0	3	Excessively drained	None
		Adams	40	0	3	Somewhat excessively drained	None
375C	0	Colton	45	3	15	Excessively drained	None
		Adams	40	3	15	Somewhat excessively drained	None
375D	0	Colton	45	15	35	Excessively drained	None
		Adams	35	15	35	Somewhat excessively drained	None
650C	0	Monadnock	35	3	15	Well drained	None
		Adams	30	3	15	Somewhat excessively drained	None
		Colton	20	3	15	Excessively drained	None
650D	0	Monadnock	40	15	35	Well drained	None
		Adams	30	15	35	Somewhat excessively drained	None
		Colton	20	15	35	Excessively drained	None
651C	17	Monadnock	40	3	15	Well drained	None
		Tunbridge	25	3	15	Well drained	None
		Sabattis	15	0	6	Very poorly drained	Frequent
651D	0	Monadnock	45	15	35	Well drained	None
		Tunbridge	35	15	35	Well drained	None
651F	0	Monadnock	50	35	60	Well drained	None
		Tunbridge	35	35	60	Well drained	None
653C	0	Monadnock	80	3	15	Well drained	None
653D	0	Monadnock	80	15	35	Well drained	None
708B	55	Adirondack	35	0	8	Somewhat poorly drained	None
		Sabattis	30	0	6	Very poorly drained	Frequent
		Tughill	20	0	5	Very poorly drained	Frequent
711C	20	Adirondack	40	3	15	Somewhat poorly drained	None
		Tunbridge	30	3	15	Well drained	None
		Burnt Vly	15	0	1	Very poorly drained	Frequent
721C	1	Becket	40	3	15	Well drained	None
		Tunbridge	30	3	15	Well drained	None
		Skerry	20	3	15	Moderately well drained	None
721D	0	Becket	45	15	35	Well drained	None
		Tunbridge	30	15	35	Well drained	None
721F	0	Becket	45	35	60	Well drained	None
		Tunbridge	30	35	60	Well drained	None
723C	0	Becket	80	3	15	Well drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
723D	0	Becket	80	15	35	Well drained	None
725B	1	Skerry	50	3	15	Moderately well drained	None
		Becket	25	3	15	Well drained	None
727B	11	Skerry	45	0	8	Moderately well drained	None
		Adirondack	35	0	8	Somewhat poorly drained	None
741C	0	Potsdam	50	3	15	Well drained	None
		Tunbridge	30	3	15	Well drained	None
741D	0	Potsdam	50	15	35	Well drained	None
		Tunbridge	30	15	35	Well drained	None
743C	0	Potsdam	80	3	15	Well drained	None
743D	0	Potsdam	80	15	35	Well drained	None
745C	0	Crary	40	3	15	Moderately well drained	None
		Potsdam	35	3	15	Well drained	None
747B	2	Crary	45	0	8	Moderately well drained	None
		Adirondack	35	0	8	Somewhat poorly drained	None
831C	1	Tunbridge	45	3	15	Well drained	None
		Lyman	30	3	15	Somewhat excessively drained	None
831D	0	Tunbridge	45	15	35	Well drained	None
		Lyman	30	15	35	Somewhat excessively drained	None
831F	0	Tunbridge	45	35	60	Well drained	None
		Lyman	30	35	60	Somewhat excessively drained	None
833C	4	Tunbridge	45	0	25	Well drained	None
		Adirondack	25	0	15	Somewhat poorly drained	None
		Lyman	15	3	25	Somewhat excessively drained	None
836C	24	Tunbridge	45	0	25	Well drained	None
		Wonsqueak	20	0	2	Very poorly drained	Frequent
		Knob Lock	15	3	25	Somewhat excessively drained	None
851C	0	Lyman	45	3	15	Somewhat excessively drained	None
		Knob Lock	30	3	15	Somewhat excessively drained	None
851D	0	Lyman	45	15	35	Somewhat excessively drained	None
		Knob Lock	30	15	35	Somewhat excessively drained	None
851F	0	Lyman	45	35	60	Somewhat excessively drained	None
		Knob Lock	30	35	60	Somewhat excessively drained	None
931D	0	Mundalite	45	15	35	Well drained	None
		Rawsonville	35	15	35	Well drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
931F	0	Mundalite	45	35	60	Well drained	None
		Rawsonville	35	35	60	Well drained	None
941C	0	Rawsonville	50	3	15	Well drained	None
		Hogback	25	3	15	Well drained	None
941D	0	Rawsonville	50	15	35	Well drained	None
		Hogback	30	15	35	Well drained	None
941F	0	Rawsonville	45	35	60	Well drained	None
		Hogback	30	35	60	Well drained	None
1018B	0	Colton	75	0	8	Excessively drained	None
1018C	0	Colton	75	8	15	Excessively drained	None
1018D	0	Colton	80	15	35	Excessively drained	None
1022A	0	Croghan	80	0	5	Moderately well drained	None
1023A	7	Naumburg	80	0	3	Somewhat poorly drained	None
1024A	89	SearSPORT	75	0	3	Very poorly drained	Frequent
1025A	0	Adams	85	0	3	Somewhat excessively drained	None
1025B	0	Adams	85	3	8	Somewhat excessively drained	None
1025C	0	Adams	85	8	15	Somewhat excessively drained	None
1025E	0	Adams	80	15	35	Somewhat excessively drained	None
1025F	0	Adams	80	35	70	Somewhat excessively drained	None
1027B	0	Allagash	75	3	8	Well drained	None
1027C	0	Allagash	80	8	15	Well drained	None
1027E	0	Allagash	80	15	35	Well drained	None
1070B	0	Berkshire	75	3	8	Well drained	None
1070C	0	Berkshire	70	8	15	Well drained	None
1070E	0	Berkshire	70	15	35	Well drained	None
1075B	0	Potsdam	80	3	8	Well drained	None
1075C	0	Potsdam	80	8	15	Well drained	None
1078B	0	Crary	80	3	8	Moderately well drained	None
1080B	0	Becket	85	3	8	Well drained	None
1080C	0	Becket	85	8	15	Well drained	None
1080E	0	Becket	85	15	35	Well drained	None
1081B	1	Skerry	85	0	8	Moderately well drained	None
1081C	0	Skerry	85	8	15	Moderately well drained	None
1118C	0	Adams	55	3	15	Somewhat excessively drained	None
		Colton	30	3	15	Excessively drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
1118D	0	Adams	50	15	35	Somewhat excessively drained	None
		Colton	35	15	35	Excessively drained	None
1170B	0	Henniker	75	3	8	Well drained	None
1170C	0	Henniker	80	8	15	Well drained	None
1170E	0	Henniker	85	15	35	Well drained	None
1171B	0	Metacommet	80	3	8	Moderately well drained	None
1171C	0	Metacommet	80	8	15	Moderately well drained	None
1172B	10	Pillsbury	75	3	8	Somewhat poorly drained	None
1178A	6	Adirondack	80	0	3	Somewhat poorly drained	None
1178B	5	Adirondack	75	3	8	Somewhat poorly drained	None
1185A	100	Wonsqueak	85	0	2	Very poorly drained	Frequent
1190C	0	Tunbridge	45	3	15	Well drained	None
		Lyman	30	3	15	Somewhat excessively drained	None
1190E	0	Tunbridge	45	15	35	Well drained	None
		Lyman	30	15	35	Somewhat excessively drained	None
1190F	0	Tunbridge	45	35	70	Well drained	None
		Lyman	30	35	70	Somewhat excessively drained	None
1193A	100	Wonsqueak	60	0	2	Very poorly drained	Frequent
		Humaquepts	30	0	2	Poorly drained	None
1291C	0	Becket	35	8	15	Well drained	None
		Lyman	25	8	15	Somewhat excessively drained	None
		Tunbridge	20	8	15	Well drained	None
1291D	0	Becket	35	15	35	Well drained	None
		Lyman	25	15	35	Somewhat excessively drained	None
		Tunbridge	20	15	35	Well drained	None
1292C	0	Becket	45	3	15	Well drained	None
		Tunbridge	30	3	15	Well drained	None
1292E	0	Becket	45	15	35	Well drained	None
		Tunbridge	30	15	35	Well drained	None
1292F	0	Becket	45	35	60	Well drained	None
		Tunbridge	30	35	60	Well drained	None
1293C	0	Skerry	55	3	15	Moderately well drained	None
		Tunbridge	25	3	15	Well drained	None
1380C	0	Becket	40	3	15	Well drained	None
		Skerry	35	3	15	Moderately well drained	None

Map Unit Symbol	Percent Hydric Soil	Component Name	Component Percent	Slope Gradient (low-high)		Drainage Class	Ponding Frequency
1391C	0	Lyman	40	8	15	Somewhat excessively drained	None
		Tunbridge	30	8	15	Well drained	None
		Rock outcrop	15				
1391D	0	Lyman	40	15	35	Somewhat excessively drained	None
		Tunbridge	30	15	35	Well drained	None
		Rock outcrop	15				
1580B	7	Adirondack	50	3	8	Somewhat poorly drained	None
		Skerry	30	3	8	Moderately well drained	None
1591F	0	Lyman	45	35	60	Somewhat excessively drained	None
		Berkshire	35	35	60	Well drained	None
1911C	0	Potsdam	60	8	15	Well drained	None
		Lyman	25	8	15	Somewhat excessively drained	None
1911E	0	Potsdam	60	15	35	Well drained	None
		Lyman	25	15	35	Somewhat excessively drained	None
1920B	0	Monadnock	75	3	8	Well drained	None
1920C	0	Monadnock	80	8	15	Well drained	None
1920E	0	Monadnock	80	15	35	Well drained	None
1941A	92	Sabattis	75	0	3	Very poorly drained	Frequent
2170B	0	Henniker	75	3	8	Well drained	None
2170C	0	Henniker	80	8	15	Well drained	None
2170E	0	Henniker	75	15	35	Well drained	None
2171B	0	Metacomet	80	3	8	Moderately well drained	None
2171C	0	Metacomet	80	8	15	Moderately well drained	None
2172B	10	Pillsbury	75	3	8	Somewhat poorly drained	None
DeB	4	Deerfield	75	3	8	Moderately well drained	None
GP	0	Pits	80	0	60	Somewhat excessively drained	
W	0	Water	100				