

## LIVINGSTON COUNTY, NEW YORK

## FINAL CORRELATION

DECEMBER 1979

80 85

2 2	Aa	Hornell silt loam, 2 to 15 percent slopes
3 3	Ab	Fluvaquents - Udifluvents complex, frequently flooded
2 2	Ac	Arkport fine sandy loam, undulating
3 3	Ad	Galen fine sandy loam, nearly level
1 1	Ae	Arkport fine sandy loam, hilly
1 1	Af	Arkport fine sandy loam, steep
2 2	Ag	Angola silt loam, 0 to 8 percent slopes
1 1	Ah	Aurora silt loam, 15 to 40 percent slopes
1 1	Ak	Aurora silt loam, 8 to 15 percent slopes
1 1	Ba	Bath channery silt loam, 15 to 25 percent slopes
2 2	Bb	Bath channery silt loam, 4 to 15 percent slopes
1 1	Bc	Bath-Mardin channery silt loams, 15 to 25 percent slopes
2 2	Bd	Mardin-Bath channery silt loams, 3 to 15 percent slopes
2 2	Be	Elmridge-Galen fine sandy loams, 1 to 6 percent slopes
3 3	Bf	Castile silt loam, 0 to 3 percent slopes
2 2	Bg	Brockport silt loam, 0 to 8 percent slopes
2 2	Bh	Burdett silt loam, 2 to 8 percent slopes
2 2	C	Collamer silt loam, 5 to 10 percent slopes
1 1	Ca	Collamer silt loam, 15 to 30 percent slopes
1 1	Cb	Collamer silt loam, 10 to 15 percent slopes
2 2	Cc	Niagara silt loam, 0 to 5 percent slopes
2 2	Co	Hudson and Collamer soils, 5 to 10 percent slopes, severely eroded
1 1	Ce	Hudson and Collamer soils, 15 to 30 percent slopes, severely eroded
1 1	Cf	Hudson and Collamer soils, 10 to 15 percent slopes, severely eroded
2 2	Cg	Hudson silty clay loam, 5 to 10 percent slopes
1 1	Ch	Hudson silty clay loam, 15 to 30 percent slopes
1 1	Ci	Hudson and Collamer soils, 10 to 15 percent slopes, severely eroded

80 85 2 2	Cj	Rhinebeck silty clay loam, 0 to 5 percent slopes
2 2	Ck	Langford and Mardin gravelly silt loams, 0 to 8 percent slopes
1 1	Cl	Langford and Mardin gravelly silt loams, 15 to 30 percent slopes
2 2	Cm	Langford and Mardin gravelly silt loams, 8 to 15 percent slopes
3 3	Cn	Palms-Carlisle mucks
2 2	Co	Cayuga silt loam, 3 to 8 percent slopes
1 1	Cp	Cayuga silt loam, 15 to 30 percent
1 1	Cq	Cayuga silt loam, 8 to 15 percent
2 2	Cr	Cazenovia silt loam, 0 to 8 percent slopes
1 1	Cs	Cazenovia silt loam, 15 to 30 percent slopes
1 1	Ct	Cazenovia silt loam, 8 to 15 percent slopes
3 3	Cu	Tioga silt loam, high bottom
3 3	Cv	Herkimer shaly silt loam
3 3	Cw	Tioga silt loam
3 3	Cx	Tioga silt loam, high bottom
2 2	Cy	Agawam fine sandy loam, 0 to 5 percent slopes
2 2	Cz	Agawam fine sandy loam, 5 to 15 percent slopes
2 2	C2	Chenango channery loam, fan, 2 to 12 percent slopes
2 2	C3	Chenango channery loam, 0 to 5 percent slopes
2 2	C4	Chenango gravelly loam, 5 to 15 percent slopes
1 1	C5	Chenango soils, hilly
2 2	C6	Chippewa silt loam, 3 to 8 percent slopes
3 3	C7	Alden silt loam, 0 to 3 percent slopes
3 3	C8	Lamson silt loam
2 2	C9	Appleton and Conesus silt loams, 0 to 8 percent slopes
1 1	C10	Conesus silt loam, 8 to 15 percent slopes
1 1	Da	Dunkirk silt loam, hilly
1 1	Db	Dunkirk silt loam, rolling
3 3	Ea	Martisco-Edwards mucks
3 3	Eb	Teel silt loam

3 3	Ec	Teel silty clay loam
2 2	Ed	Erie silt loam, 3 to 8 percent slopes
1 1	Ee	Langford silt loam, 15 to 30 percent slopes
3 3	Ef	Erie silt loam, 0 to 3 percent slopes
2 2	Eg	Erie silt loam, 8 to 15 percent slopes
2 2	Fa	Benson loam, rocky, 0 to 8 percent slopes
2 2	Fb	Galway loam, 0 to 8 percent slopes
2 2	Fc	Volusia channery silt loam, 0 to 8 percent slopes
2 2	Fd	Rhinebeck and Madalin silt loams, 0 to 5 percent slopes
3 3	Ga	Hamlin very fine sandy loam
3 3	Gb	Hamlin silt loam
	Gc	Pits, gravel
2 2	Ha	Hilton gravelly loam, 2 to 8 percent slopes
3 3	Hb	Wayland silty clay loam
3 3	Hc	Fredon fine sandy loam
2 2	Hd	Lime loam, 1 to 8 percent slopes
2 2	He	Honeoye loam, 8 to 15 percent slopes
1 1	Hf	Hornell silty clay loam, 15 to 30 percent slopes
1 1	Hg	Hornell silty clay loam, 8 to 15 percent slopes
2 2	Hh	Copake fine sandy loam, 0 to 5 percent slopes
2 2	Hk	Copake fine sandy loam, 5 to 10 percent slopes
2 2	Hl	Howard gravelly loam, 0 to 5 percent slopes
2 2	Hm	Howard gravelly loam, 5 to 10 percent slopes
1 1	Hn	Howard and Copake soils, hilly
2 2	Ka	Kendaie silt loam, 0 to 5 percent slopes
3 3	La	Lakemont silty clay loam
2 2	Lb	Langford gravelly silt loam, 2 to 8 percent slopes
1 1	Lc	Langford gravelly silt loam, 15 to 30 percent slopes
2 2	Ld	Langford gravelly silt loam, 8 to 15 percent slopes

8085

22	Le	Conesus silt loam, 1 to 8 percent slopes
11	Lf	Lansing silt loam, 15 to 30 percent slopes
22	Lg	Lansing silt loam, 8 to 15 percent slopes
22	Lh	Lima-Kendaia silt loams, 1 to 6 percent slopes
11	Lk	Lordstown flaggy silt loam, 15 to 25 percent slopes
22	Ll	Lordstown flaggy silt loam, 5 to 15 percent slopes
11	Lm	Lordstown flaggy silt loam, 25 to 35 percent slopes
11	Ln	Lordstown very stony silt loam, 25 to 40 percent slopes
33	Lo	Lyons silt loam
11	Ma	Manlius shaly silt loam, 15 to 25 percent slopes
22	Mb	Manlius shaly silt loam, 3 to 15 percent slopes
22	Mc	Mardin channery silt loam, 8 to 15 percent slopes
22	Md	Mardin channery silt loam, 3 to 8 percent slopes
11	Me	Mardin channery silt loam, 15 to 30 percent slopes
22	Mf	Mardin channery silt loam, 8 to 15 percent slopes
22	Mg	Arkport fine sandy loam, 0 to 5 percent slopes
33	Mh	Middlebury silt loam
<del>11</del>	Mk	Water areas less than 40 acres
22	Oa	Odesa-Elmridge, complex, 0 to 5 percent slopes
22	Ob	Schoharie-Elmridge, complex, 5 to 10 percent slopes
22	Oc	Schoharie and Odesa silt loams, 5 to 10 percent slopes
11	Od	Schoharie and Cayuga silt loams, 10 to 15 percent slopes
22	Oe	Odesa and Schoharie silt loams, 0 to 5 percent slopes
22	Of	Ontario-Hilton fine sandy loams, 1 to 8 percent slopes
11	Og	Ontario fine sandy loam, 15 to 30 percent slopes
22	Oh	Ontario fine sandy loam, 8 to 15 percent slopes
22	Ok	Ontario loam, 8 to 15 percent slopes
22	Ol	Ontario-Hilton loams, 1 to 8 percent slopes
22	Om	Hilton loam, 0 to 5 percent slopes
11	On	Ontario loam, 15 to 30 percent slopes

8085

- 2 2 Dp Ontario loam, 8 to 15 percent slopes
- 2 2 Dr Colonie loamy fine sand, rolling
- 2 2 De Galen and Colonie loamy fine sands, undulating
- 2 2 Ot Darien and Ovid silt loams, 3 to 8 percent slopes
- 3 3 Ou Darien and Ovid silt loams, 0 to 3 percent slopes
- 1 1 Ov Danley silt loam, 8 to 15 percent slopes
- 2 2 Pa Palmyra fine sandy loam, 0 to 5 percent slopes
- 2 2 Pb Palmyra fine sandy loam, 5 to 10 percent slopes
- 2 2 Pc Palmyra gravelly loam, 0 to 5 percent slopes
- 2 2 Pd Palmyra gravelly loam, 5 to 10 percent slopes
- 1 1 Pe Palmyra soils, hilly
- 3 3 Pf Fonda silty clay loam
- 2 2 Ra Angola silt loam, 0 to 8 percent slopes
- 1 1 Rb Aurora silt loam, 8 to 15 percent slopes
- 3 3 Rc Fluvequents - Udifluvents complex, frequently flooded
- 3 3 Rd Hamlin silt loam, high bottom
- 1 1 Re Arnot - rock outcrop complex, very steep
- ~~1 1~~ ~~Ma~~ 8 Dumps, salt
- 2 2 Sa Schoharie soils, undulating
- 1 1 Sb Schoharie silt loam, 8 to 15 percent slopes
- 2 2 Sc Schoharie soils, undulating
- 2 2 Sd Schoharie silty clay loam, 3 to 8 percent slopes, severely eroded
- 1 1 Se Schoharie silty clay loam, hilly, severely eroded
- 1 1 Sf Schoharie silty clay loam, 8 to 15 percent slopes, severely eroded
- 2 2 Sg Schoharie silty clay loam, 3 to 8 percent slopes, severely eroded
- 1 1 Sh Schoharie silty clay loam, 8 to 15 percent slopes, severely eroded
- 2 2 Sk Schoharie soils, undulating
- 1 1 Sl Hudson soils, rocky, steep
- 1 1 Sm Howard and Coraie soils, steep

8085

1 1	So	Ontario soils, steep
1 1	Sp	Arnot - rock outcrop complex, very steep
1 1	Sr	Manlius soils, steep
1 1	Ss	Howard and Copake soils, steep
1 1	St	Valois soils, steep
3 3	Ta	Tioga silt loam
3 3	Tb	Fonda and Canandaigua silt loams
3 3	Tc	Elmridge sandy loam
1 1	Va	Stockbridge gravelly loam, hilly
1 1	Vb	Stockbridge gravelly loam, rolling
2 2	Vc	Volusia channery silt loam, 3 to 8 percent slopes
1 1	Vd	Volusia channery silt loam, 15 to 25 percent slopes
3 3	Ve	Volusia channery silt loam, 0 to 3 percent slopes
2 2	Vf	Volusia channery silt loam, 8 to 15 percent slopes
3 3	Wa	Wallkill silt loam
3 3	Wb	Wayland silt loam
3 3	Wc	Wayland silty clay loam
3 3	Wd	Halsey silt loam
1 1	We	Valois gravelly loam, hilly
1 1	Wf	Valois gravelly loam, hilly
1 1	Wg	Valois gravelly loam, rolling
2 2	Wh	Valois gravelly loam, undulating