

IDENTIFICATION LEGEND

Saratoga County
October 7 - 11, 1985

EROSION CLASS	Map	Mapping Unit Name	Notes (1982)		
	Symbol		(1983)	(1984)	(1985)
3	118	Aurora silt loam, 0 to 3 percent slopes			33
2	0198C*	Bice loam, strongly sloping, stony			32
1	0198E*	Bice loam, steep, stony			
1	0198F*	Bice loam, very steep, stony			
2	81B	Broadalbin silt loam, 3 to 8 percent slopes			2
1	81C	Broadalbin silt loam, 8 to 15 percent slopes			
1	81D	Broadalbin silt loam, 15 to 25 percent slopes			
2	130U	Broadalbin-Manlius-Nassau complex, undulating			2
1	130R	Broadalbin-Manlius-Nassau complex, rolling			
1	130H	Broadalbin-Manlius-Nassau complex, hilly			
2	107	Brockport silty clay loam, 0 to 3 percent slopes			1
3	62A	Burdett silt loam, 0 to 3 percent slopes			
2	62B	Burdett silt loam, 3 to 8 percent slopes			
1	62C	Burdett silt loam, 8 to 15 percent slopes			
	10	ADD Canandaigua silt loam, 0 to 3 percent slopes			3
3	230	Carlisle muck, 0 to 2 percent slopes			34
3	150L	Chenango silt loam, nearly level			35
2	150U	ADD Chenango silt loam, undulating			
1	150R	Chenango silt loam, rolling			
1	150H	Chenango silt loam, hilly			
3	33A	Claverack fine sandy loam, 0 to 3 percent slopes			4
2	33B	Claverack fine sandy loam, 3 to 8 percent slopes			
1	33C	Claverack fine sandy loam, 8 to 15 percent slopes			
3	34	Cosad loamy fine sand, 0 to 3 percent slopes			6
3	30L	Colonie loamy fine sand, nearly level			5
2	30U	Colonie loamy fine sand, undulating			
2	30R	Colonie loamy fine sand, rolling			
1	30H	Colonie loamy fine sand, hilly			
3	23A	Elmridge very fine sandy loam, 0 to 3 percent slopes			27
2	23B	Elmridge very fine sandy loam, 3 to 8 percent slopes			
1	23C	Elmridge very fine sandy loam, 8 to 15 percent slopes			

* 3rd Order Units

IDENTIFICATION LEGEND

Saratoga County
October 7 - 11, 1985

Map Symbol	Mapping Unit Name	Notes (1982)		
		(1983)	(1984)	(1985)
2	124B	Farmington silt loam, 3 to 8 percent slopes		7
2	268C	Farmington-Rock outcrop complex, 3 to 15 percent slopes		7
1	268E	Farmington-Rock outcrop complex, 15 to 50 percent slopes		
3	161L	Hoosic gravelly silt loam, nearly level		9
2	161U	Hoosic gravelly silt loam, 3 to 8 percent slopes		
2	161R	Hoosic gravelly silt loam, rolling		
1	161H	Hoosic gravelly silt loam, hilly		
3	214	Limerick silt loam, 0 to 3 percent slopes		
1	0227C*	Lyman-Rock outcrop complex, strongly sloping		8
1	0227E*	Lyman-Rock outcrop complex, steep		
3	3	Madalin silty clay loam, 0 to 3 percent slopes		10
3	113A	ADD Manlius channery silt loam, 0 to 3 percent slopes		11
3	164L	Merrimac gravelly silt loam, nearly level		12
2	164U	Merrimac gravelly silt loam, undulating		
2	164R	Merrimac gravelly silt loam, rolling		
1	164H	Merrimac gravelly silt loam, hilly		
3	28	Minoa very fine sandy loam, 0 to 3 percent slopes		13
3	82A	Mosherville loam, 0 to 3 percent slopes		14
2	82B	Mosherville loam, 3 to 8 percent slopes		
2	122U	Nassau channery silt loam, undulating 3-8		15
1	122R	Nassau channery silt loam, rolling 8-15		
1	122H	Nassau channery silt loam, hilly 15-25		
1	265R	Nassau-Rock outcrop complex, rolling		
1	265H	Nassau-Rock outcrop complex, hilly 15-25		
1	260E	Oakville and Windsor loamy fine sands, 25 to 35 percent slopes		16
3	36L	Oakville loamy fine sand, nearly level 0-3		16
2	36U	Oakville loamy fine sand, undulating 3-8		
2	36R	Oakville loamy fine sand, rolling 8-15		
1	36H	Oakville loamy fine sand, hilly 15-25		

IDENTIFICATION LEGEND

Saratoga County
October 7 - 11, 1985

Map Symbol	Mapping Unit Name	Notes (1982)		
		(1983)	(1984)	(1985)
2 114B	ADD Palatine silt loam, 3 to 8 percent slopes			17
1 114C	ADD Palatine silt loam, 8 to 15 percent slopes			
3 231	Palms muck, 0 to 2 percent slopes			27
2 94B	Paxton gravelly loam, 3 to 8 percent slopes			18
2 94C	Paxton gravelly loam, 8 to 15 percent slopes			
1 94D	Paxton gravelly loam, 15 to 25 percent slopes			
3 15	Raynham silt loam, 0 to 3 percent slopes			19
2 2A	Rhinebeck silt loam, 0 to 3 percent slopes			20
2 2B	Rhinebeck silt loam, 3 to 8 percent slopes			
3 21L	ADD Riverhead fine sandy loam, nearly level 0-3			21
2 21U	ADD Riverhead fine sandy loam, undulating 3-8			
1 21R	ADD Riverhead fine sandy loam, rolling 8-15			
1 21H	ADD Riverhead fine sandy loam, hilly 15-25			
2 14	Scio very fine sandy loam, 0 to 3 percent slopes			28
3 32	Stafford loamy fine sand, 0 to 3 percent slopes			22
3 213	Teel silt loam, 0 to 3 percent slopes			29
- 301	Udorthents, sandy, 0 to 8 percent slopes			30
3 41	Wareham loamy sand, 0 to 3 percent slopes			31
3 39L	Windsor loamy fine sand, nearly level 0-3			23
2 39U	Windsor loamy fine sand, undulating 3-8			
2 39R	Windsor loamy fine sand, rolling 8-15			
1 39H	Windsor loamy fine sand, hilly 15-25			
3 95A	Woodbridge loam, 0 to 3 percent slopes			24
2 95B	Woodbridge loam, 3 to 8 percent slopes			
2 95C	Woodbridge loam, 8 to 15 percent slopes			

PROVISIONAL LEGEND
Saratoga County
 October 7 - 11, 1985

4	Map Symbol	Mapping Unit Name	Notes (1982) (1983)(1984)(1985)
3	039A*	Adams loamy fine sand, nearly level	0-3
2	039C*	Adams loamy fine sand, undulating rolling	3-15
1	039E*	Adams loamy fine sand, hilly	15-
3	71	Alden silt loam, 0 to 3 percent slopes	
2	111A	Allis silt loam, 0 to 3 percent slopes	
2	111B	Allis silt loam, 3 to 8 percent slopes	
3	119	Angola silt loam, 0 to 3 percent slopes	
3	26A	Arkport fine sandy loam, 0 to 3 percent slopes	
2	26B	Arkport fine sandy loam, 3 to 8 percent slopes	
1	26C	Arkport fine sandy loam, 8 to 15 percent slopes	
1	26D	Arkport fine sandy loam, 15 to 25 percent slopes	
3	157	Atherton loam, 0 to 3 percent slopes	
2	0202C*	Becket loam, strongly sloping, very stony	0-15
1	0202E*	Becket loam, steep, very stony	
1	0202F*	Becket loam, very steep, very stony	
2	0222C ADD	Becket-Lyman loams, strongly sloping, stony	0-15
1	0222E ADD	Becket-Lyman loams, steep, stony	
2	0102C*	Berkshire loam, strong sloping, stony	0-15
1	0102E*	Berkshire loam, steep, stony	
1	0102F*	Berkshire loam, very steep, stony	
2	0229C*	Berkshire-Lyman loams, strongly sloping, stony	0-15
1	0229E*	Berkshire-Lyman loams, steep, stony	
2	0298C*	Bice loam, strongly sloping, very stony	0-15
1	0298E*	Bice loam, steep, very stony	
1	0298F*	Bice loam, very steep, very stony	
3	158A	Braceville fine sandy loam, 0 to 3 percent slopes	
2	158B	Braceville fine sandy loam, 3 to 8 percent slopes	
2	47B	Cambridge silt loam, 3 to 8 percent slopes	
1	47C	Cambridge silt loam, 8 to 15 percent slopes	
1	47D	Cambridge silt loam, 15 to 25 percent slopes	

* 3rd Order Units

PROVISIONAL LEGEND
Saratoga County
October 7 - 11, 1985

Map Symbol	Mapping Unit Name	Notes (1982) (1983)(1984)(1985)
3	69A	Camroden silt loam, 0 to 3 percent slopes
2	69B	Camroden silt loam, 3 to 8 percent slopes
1	69C	Camroden silt loam, 8 to 15 percent slopes
3	10 DROP	Canandaigua silt loam, 0 to 3 percent slopes (Add to ID Legend)
2	098A*	Canton fine sandy loam, nearly level, stony 7-10 7-8
1	098C*	Canton fine sandy loam, strongly sloping, stony 8-25
1	098E*	Canton fine sandy loam, steep, stony
3	155	Castile fine sandy loam, 0 to 3 percent slopes
3	98A	Charlton loam, 0 to 3 percent slopes
2	98B	Charlton loam, 3 to 8 percent slopes
1	98C	Charlton loam, 8 to 15 percent slopes
1	98D	Charlton loam, 15 to 25 percent slopes
2	277AC	Charlton loam, 0 to 15 percent slopes, very stony
1	277DE	Charlton loam, 15 to 35 percent slopes, very stony
1	129B	Chatfield loam, 3 to 8 percent slopes
1	129C	Chatfield loam, 8 to 15 percent slopes
1	129D	Chatfield loam, 15 to 25 percent slopes
2	150U DROP	Chenango silt loam, undulating (Add to ID Legend)
1	150R DROP	Chenango silt loam, rolling (Add to ID Legend)
1	150H DROP	Chenango silt loam, hilly (Add to ID Legend)
2	0161C*	Colton gravelly sandy loam, undulating
1	0161E*	Colton gravelly sandy loam, hilly
3	40A	Deerfield loamy sand, 0 to 3 percent slopes
2	40B	Deerfield loamy sand, 3 to 8 percent slopes
2	0162B*	Duane gravelly sandy loam, nearly level
3	31A	Elnora loamy fine sand, 0 to 3 percent slopes
2	31B	Elnora loamy fine sand, 3 to 8 percent slopes

* - 3rd Order Units

PROVISIONAL LEGEND
Saratoga County
October 7 - 11, 1985

Map Symbol	Mapping Unit Name	Notes (1982) (1983)(1984)(1985)
2	101B	Essex loam, 3 to 8 percent slopes
2	101C	Essex loam, 8 to 15 percent slopes
1	101D	Essex loam, 15 to 25 percent slopes
3	300	Fluvaquents, frequently flooded, 0 to 3 percent slopes
3	0300*	Fluvaquents-Udifuluents, sandy
3	152	Fredon silt loam, 0 to 3 percent slopes
3	115A	Galway silt loam, 0 to 3 percent slopes
2	115B	Galway silt loam, 3 to 8 percent slopes
1	115C	Galway silt loam, 8 to 15 percent slopes
3	153	Halsey silt loam, 0 to 3 percent slopes
3	212	Hamlin silt loam, 0 to 3 percent slopes
3	176A	Hinckley gravelly loamy sand, 0 to 3 percent slopes
2	176B	Hinckley gravelly loamy sand, 3 to 8 percent slopes
2	176R	Hinckley gravelly loamy sand, rolling
1	176H	Hinckley gravelly loamy sand, hilly
1	127R	Hollis-Rock outcrop complex, rolling 8-15
1	127H	Hollis-Rock outcrop complex, hilly 15-25
2	110A	Hornell silt loam, 0 to 3 percent slopes
2	110B	Hornell silt loam, 3 to 8 percent slopes
1	110C	Hornell silt loam, 8 to 15 percent slopes
2	1B	Hudson silt loam, 3 to 8 percent slopes
1	1C	Hudson silt loam, 8 to 15 percent slopes
1	1H	Hudson silt loam, hilly
1	250E	Hudson silt loam, 25 to 35 percent slopes
3	53A	Ilion silt loam, 0 to 3 percent slopes
2	53B	Ilion silt loam, 3 to 8 percent slopes

* - 3rd Order units

PROVISIONAL LEGEND
Saratoga County
October 7 - 11, 1985

⑦ Map Symbol	Mapping Unit Name	Notes (1982) (1983)(1984)(1985)
3 37	Junius fine sandy loam, 0 to 3 percent slopes	
3 102	Leicester fine sandy loam, 0 to 3 percent slopes	
2 0106A*	Lyme loam, gently sloping, very stony	
113	DROP Manlius channery silt loam, 0 to 3 percent slopes (Add to ID Legend)	
3 70A	Marcy silt loam, 0 to 3 percent slopes	
2 70B	Marcy silt loam, 3 to 8 percent slopes	
3 100A	Massena silt loam, 0 to 3 percent slopes	
2 100B	Massena silt loam, 3 to 8 percent slopes	
1 100C	Massena silt loam, 8 to 15 percent slopes	
3 325	Medisapristis, ponded, 0 to 2 percent slopes	
2 55B	Mohawk silt loam, 3 to 8 percent slopes	
2 55C	Mohawk silt loam, 8 to 15 percent slopes	
1 55D	Mohawk silt loam, 15 to 25 percent slopes	
1 55E	Mohawk silt loam, 25 to 35 percent slopes	
3 0163A*	Naumburg fine sandy loam, nearly level 0-3	
2 131B	Newstead loam, 2 to 8 percent slopes	
3 0208	Ondawa fine sandy loam, 0 to 3 percent slopes	
3 163L	Otisville loamy sand, 0 to 3 percent slopes	

* 3rd Order unit

PROVISIONAL LEGEND
Saratoga County
October 7 - 11, 1985

(8) Map Symbol	Mapping Unit Name	Notes (1982) (1983)(1984)(1985)
2 163U	Otisville loamy sand, 3 to 8 percent slopes	
2 163R	Otisville loamy sand, rolling 8-15	
1 163H	Otisville loamy sand, hilly 15-25	
114B	DROP Palatine silt loam, 3 to 8 percent slopes (Add to ID Legend)	
114C	DROP Palatine silt loam, 8 to 15 percent slopes (Add to ID Legend)	
2 0103B*	Peru loam, gently sloping, very stony 3-8	
2 68B	Pinckney silt loam, 3 to 8 percent slopes	
1 68C	Pinckney silt loam, 8 to 15 percent slopes	
1 68D	Pinckney silt loam, 15 to 25 percent slopes	
3 92A	Pittsfield fine sandy loam, 0 to 3 percent slopes	
2 92B	Pittsfield fine sandy loam, 3 to 8 percent slopes	
2 92C	Pittsfield fine sandy loam, 8 to 15 percent slopes	
1 92D	Pittsfield fine sandy loam, 15 to 25 percent slopes	
3 0209	Podunk fine sandy loam, 0 to 3 percent slopes	
3 156A	Red Hook fine sandy loam, 0 to 3 percent slopes	
2 156B	Red Hook fine sandy loam, 3 to 8 percent slopes	
3 96A	Ridgebury loam, 0 to 3 percent slopes	
2 96B	Ridgebury loam, 3 to 8 percent slopes	
21L	DROP Riverhead fine sandy loam, 0 to 3 percent slopes (Add to ID Legend)	
21U	DROP Riverhead fine sandy loam, 3 to 8 percent slopes (Add to ID Legend)	
21R	DROP Riverhead fine sandy loam, rolling (Add to ID Legend)	
21H	DROP Riverhead fine sandy loam, hilly (Add to ID Legend)	
3 0210	Rumney fine sandy loam, 0 to 3 percent slopes	
3 167	Scarboro sandy loam, 0 to 3 percent slopes	

*3rd Order Unit

PROVISIONAL LEGEND
Saratoga County
October 7 - 11, 1985

Map Symbol	Mapping Unit Name	Notes (1982) (1983)(1984)(1985)
3 24	Shaker very fine sandy loam, 0 to 3 percent slopes	
3 165A	Sudbury gravelly fine sandy loam, 0 to 3 percent slopes	
2 165B	Sudbury gravelly fine sandy loam, 3 to 8 percent slopes	
3 83A	Sun loam, 0 to 3 percent slopes	
2 83B	Sun loam, 3 to 8 percent slopes	
2 275AB	Sun loam, 0 to 8 percent slopes, very stony	
3 99A	Sutton loam, 0 to 3 percent slopes, stony	
2 99B	Sutton loam, 3 to 8 percent slopes, stony	
2 13	Unadilla very fine sandy loam, 0 to 3 percent slopes	
1001B ADD	Valois - Manlius loam complex, 3 to 8 percent slopes	
1001C ADD	Valois - Manlius loam complex, 8 to 15 percent slopes	
3 128	Varick silt loam, 0 to 3 percent slopes	
3 42A	Varysburg gravelly fine sandy loam, 0 to 3 percent slopes	
2 42B	Varysburg gravelly fine sandy loam, 3 to 8 percent slopes	
3 48A	Venango silt loam, 0 to 3 percent slopes	
2 48B	Venango silt loam, 3 to 8 percent slopes	
1 48C	Venango silt loam, 8 to 15 percent slopes	
2 19	Wallington very fine sandy loam, 0 to 3 percent slopes	
3 166	Walpole gravelly fine sandy loam, 0 to 3 percent slopes	
3 25	Whately fine sandy loam, 0 to 3 percent slopes	
3 97	Whitman loam, 0 to 3 percent slopes	
2 18A	Williamson very fine sandy loam, 0 to 3 percent slopes	
2 18B	Williamson very fine sandy loam, 3 to 8 percent slopes	
1 18D	Williamson very fine sandy loam, 8 to 15 percent slopes	
2 1000U ADD	Windsor Variant fine sandy loam, undulating (mod. deep)	3-8
2 1000R ADD	Windsor Variant fine sandy loam, rolling (mod. deep)	8-15