

Map Units Added to Coshocton County, Ohio

Map symbol	Soil name	Source county	Map symbol in source county
AbB	Aaron silt loam, 2 to 8 percent slopes	Muskingum	AaB
AbC	Aaron silt loam, 8 to 15 percent slopes	Guernsey	AaC
AbC2	Aaron silt loam, 8 to 15 percent slopes, eroded	Muskingum	AaC2
AgC2	Alford silt loam, 8 to 15 percent slopes, eroded	Muskingum	AfC2
BkF	Bethesda channery clay loam, 25 to 70 percent slopes	Tuscarawas	BnF
BkC	Bethesda channery clay loam, 8 to 15 percent slopes	Tuscarawas	BnC
BfE	Bethesda clay loam, 25 to 40 percent slopes	Guernsey	BgE
BsF	Brownsville-Westmoreland complex, 25 to 40 percent slopes	Knox	BsF
CcA	Chavies loam, 0 to 2 percent slopes	Muskingum	CcA
CbD	Chili gravelly loam, 12 to 18 percent slopes	Knox	ChD
CbC	Chili gravelly loam, 6 to 12 percent slopes	Knox	ChC
ClC2	Chili loam, 6 to 12 percent slopes, eroded	Licking	ChC2
CmC2	Clarksburg silt loam, 8 to 15 percent slopes, eroded	Muskingum	CpC2
CoD2	Coshocton silt loam, 15 to 25 percent slopes, eroded	Holmes	CtD2
CnC2	Coshocton silt loam, 8 to 15 percent slopes, eroded	Guernsey	CsC2
CuD	Coshocton-Guernsey silt loams, 15 to 25 percent slopes	Tuscarawas	CsD
CvD	Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes	Tuscarawas	CtD
CtE	Coshocton-Westmoreland silt loams, 25 to 40 percent slopes	Muskingum	CtE
GkC	Gilpin silt loam, 8 to 15 percent slopes	Guernsey	GdC
GkC2	Gilpin silt loam, 8 to 15 percent slopes, eroded	Muskingum	GdC2
GnC2	Glenford silt loam, 6 to 15 percent slopes, eroded	Muskingum	GfC2
HgD	Hazleton channery loam, 15 to 25 percent slopes	Tuscarawas	HeD
HgE	Hazleton channery loam, 25 to 40 percent slopes	Tuscarawas	HeE
HfF	Hazleton channery loam, 25 to 70 percent slopes, stony	Guernsey	HaF
HgF	Hazleton channery loam, 40 to 60 percent slopes	Tuscarawas	HeF
KeC2	Keene silt loam, 6 to 15 percent slopes, eroded	Muskingum	KeC2
KfC	Keene silt loam, 8 to 15 percent slopes	Guernsey	KeC
McD2	Markland-Glenford complex, 15 to 35 percent slopes, eroded	Muskingum	McD2
MrD2	Mentor silt loam, 12 to 18 percent slopes, eroded	Licking	MnD2
MoC	Mentor silt loam, 8 to 15 percent slopes	Guernsey	MeC
Np	Nolin silt loam, frequently flooded	Guernsey	No
RdD	Rigley channery loam, 15 to 25 percent slopes	Muskingum	RgD
ReF	Rigley fine sandy loam, 25 to 35 percent slopes	Licking	RgF
RfC	Rigley loam, 8 to 15 percent slopes	Muskingum	RfC
RlE	Rigley sandy loam, 25 to 40 percent slopes	Tuscarawas	RgE
RkE	Rigley-Coshocton complex, 25 to 40 percent slopes	Muskingum	RhE
SaD	Schaffenaker loamy sand, 12 to 25 percent slopes	Knox	ScD
SbF	Schanffenaker very bouldery loamy sand, 25 to 60 percent slopes	Knox	SdF
Ud	Udorthents, loamy, hilly	Muskingum	Ud
WfC	Wellston silt loam, 8 to 15 percent slopes	Guernsey	WhC
WtE	Westmoreland silt loam, 25 to 40 percent slopes	Muskingum	WtE
WkF	Westmoreland silt loam, 40 to 60 percent slopes	Tuscarawas	WhF
WtC	Westmoreland silt loam, 8 to 15 percent slopes	Guernsey	WmC
WtC2	Westmoreland silt loam, 8 to 15 percent slopes, eroded	Muskingum	WtC2
WlC2	Westmoreland-Coshocton complex, 8 to 15 percent slopes, eroded	Holmes	WgC2
WmD	Westmoreland-Guernsey silt loams, 15 to 25 percent slopes	Tuscarawas	WnD
WmE	Westmoreland-Guernsey silt loams, 25 to 40 percent slopes	Tuscarawas	WnE
WrA	Wheeling-Urban land complex, nearly level	Tuscarawas	WsA