

**NATURAL RESOURCES CONSERVATION SERVICE**  
**CONSERVATION PRACTICE STANDARD**  
**HERBACEOUS WEED CONTROL**

(Ac.)

**CODE 315**

**DEFINITION**

The removal or control of herbaceous weeds including invasive, noxious and prohibited plants.

**PURPOSE**

Enhance accessibility, quantity, and quality of forage and/or browse.

Restore or release native or create desired plant communities and wildlife habitats consistent with the ecological site.

Protect soils and control erosion

Reduce fine-fuels fire hazard and improve air quality

**CONDITIONS WHERE PRACTICE APPLIES**

On all lands except active cropland where removal reduction, or manipulation of herbaceous vegetation is desired.

This practice does not apply to removal of herbaceous vegetation by prescribed fire (use Prescribed Burning - 338) or removal of herbaceous vegetation to facilitate a land use change (use Land Clearing - 460).

**CRITERIA**

**General Criteria Applicable to All Purposes**

Herbaceous weed control will be applied in a manner to achieve the desired control of the target species and protection of desired species. This will be accomplished by mechanical, chemical, burning or biological methods either alone or in combination. When burning is used as a method, the Prescribed Burning standard (338) will also be applied.

NRCS will not develop biological or chemical

treatment recommendations except for biological control utilizing grazing animals. Prescribed Grazing (528) is used to ensure desired results are achieved and maintained.

NRCS may provide clients with current acceptable references to achieve desired management objectives for biological or chemical control.

Chemical pesticide applications will only be made according to extension service recommendations. OSU pesticide recommendations can be found in the current OSU Extension Agents Handbook, OSU Factsheets, and the OSU Pesticide Economic and Environmental Tradeoffs (PEET) website. For those counties that adjoin another state, use of that state extension handbooks and factsheets are also permissible for recommendations. When using these recommendations from another extension service, make sure the labeled rates are consistent with Oklahoma pesticide laws. Reference to this material is

<http://www.oda.state.ok.us/forms/cps/cpl.pdf>

Texas Extension publication can be found at :  
<http://efotg.sc.egov.usda.gov/references/public/TX/b1466chemrec052010.pdf>

Kansas Extension Recommendations can be found at

<http://www.ksre.ksu.edu/library/crpsl2/srp1045.pdf>

Missouri Extension publication can be found at

<http://extension.missouri.edu/webster/webster/agric/PastureWeedBrushControlAug10.pdf>

Arkansas Extension publication can be found:

[http://www.uaex.edu/Other\\_Areas/publications/PDF/MP44/MP44.pdf](http://www.uaex.edu/Other_Areas/publications/PDF/MP44/MP44.pdf)

Conservation practice standards are reviewed periodically and updated if needed. To obtain the current version of this standard, contact your Natural Resources Conservation Service [State Office](#) or visit the [Field Office Technical Guide](#).

**NRCS, OK**  
**August 2011**

When herbicides are used, environmental hazards and site-specific application criteria listed on pesticide labels and contained in extension service and other approved pest management references must be followed.

Herbaceous weed control will include post treatment measures as needed to achieve resource management objectives.

Livestock and people access will be controlled based on management methods applied and restrictions as listed on the chemical labels.

Manage and/or dispose of treated weed species in a manner that will prevent the spread of herbaceous weeds to new sites.

**Additional Criteria to Enhance Accessibility, Quantity, and Quality of Forage and/or Browse**

Herbaceous weed control will be applied in a manner to minimize negative impact to forage and/or other non targeted plants. Timing and sequence of control shall be planned in coordination with specifications developed for Prescribed Grazing (528) or Forage Harvest Management (511).

**Additional Criteria to Restore or Release Native or Create Desired Plant Communities and Wildlife Habitats Consistent with the Ecological Site Description when available.**

Apply herbaceous weed control in a manner to protect the health and vigor of native or desired plant species.

Use applicable Ecological Site Description (ESD) State and Transition models, to develop specifications that are ecologically sound and defensible. Treatments must be congruent with dynamics of the ecological site(s) and keyed to states and plant community phases that have the potential and capability to support the desired plant community. If an ESD is not available, another reference is the Oklahoma Technical Range Site Descriptions. Otherwise base specifications on the best approximation of the desired plant community composition, structure, and function.

Treatments will be conducted during periods of the year when weed species are most vulnerable and will promote restoration of the native or desired plant communities.

Apply herbaceous weed control in a manner that maintain or enhance important wildlife habitat requirements. Treatments will be conducted during periods of the year that accommodate reproduction and other life-cycle requirements of target wildlife and pollinator species.

Apply treatments that maintain or enhance plant community composition and structure to meet the requirements of target wildlife species.

**Additional Criteria to Protect Soils and Control Erosion**

Apply herbaceous weed control to minimize soil disturbance and soil erosion.

Additional treatment will be applied to protect soils and prevent erosion.

**Additional Criteria to Improve Air Quality**

Treat weed species in a manner that creates a native or desired plant community which reduces the potential for accumulating excessive fuel loads and increased wildfire hazards.

Apply treatment methods in a manner that minimize the potential for unintended impacts to air resources, e.g., smoke, chemical drift etc. Online tools are available at [http://agweather.mesonet.org/index.php/advisors/drift\\_risk/](http://agweather.mesonet.org/index.php/advisors/drift_risk/) to use in planning and predicting environmental conditions when applying pesticides

**Additional Criteria to Protect Plant Resources**

Follow specific pesticide label instructions for preventing negative effects on plants and:

- Keep pesticide applications directed in the targeted area.
- Clean spray equipment before moving to the next field.
- Apply pesticides under proper climatic conditions, plant stage, soil moisture, pH, soil depth for incorporation, and organic matter in order to protect plant health.
- Follow label restrictions when making tank mixes of pesticides and fertilizers.

**Oklahoma, NRCS**

**August 2011**

- Follow label restrictions when adding spray additives or carriers to pesticide mix.
- Maintain good, healthy plant growth using proper nutrient management.

### CONSIDERATIONS

Consider using Integrated Pest Management (595) in support of herbaceous weed control. Consider soil erosion potential and difficulty of vegetation establishment when choosing a method of control that causes soil disturbance.

Consider the appropriate time period for treatment. Some herbaceous weed control activities can be effective when applied within a single year; others may require multiple years of treatment(s) to achieve desired objectives.

Consider impacts to wildlife species, in general, treatments that create a mosaic pattern may be the most desirable.

Consider applying the herbaceous weed control during seasons when non targeted plants with wildlife benefits are less affected

Consider impacts to wildlife food supplies, space, and cover availability when planning the method and amount of herbaceous weed control.

State issued licenses may be required when using chemical pesticide treatments.

For air quality purposes, consider using chemical methods of herbaceous weed control that minimize chemical drift and excessive chemical usage and consider mechanical methods of herbaceous weed control that minimize the entrainment of particulate matter.

Adjacent land uses must be considered before chemicals are used. If adjacent land is managed within USDA Organic standards, careful consideration should be taken to assure that treatments do not impact that certification

### PLANS AND SPECIFICATIONS

Prepare plans and specifications for each field or treatment unit according to the criteria included in this standard. At a minimum, a herbaceous weed control practice plan shall include:

1. Goals and objectives statement.

2. Plan map and soil map for the site.
3. Pre-treatment cover or density of the target plant(s) and the planned post-treatment cover or density and desired efficacy.
4. Maps, drawings, and/or narratives detailing or identifying areas to be treated, pattern of treatment (if applicable), and areas that will not be disturbed.
5. A monitoring plan that identifies what shall be measured (including timing and frequency) and the changes in the plant community (compare with objectives) that will be achieved.

**For Mechanical Treatment Methods.** Plans and specifications will include items 1 through 5 above, plus the following:

- Type of equipment to use for management
- Dates of treatment for effective management.
- Operating instructions (if applicable)
- Techniques and procedures to be followed.

**For Chemical Treatment Methods.** Plans and specifications will include items 1 through 5, above, plus the following:

- Acceptable chemical treatment references for containment and management of target species
- Document techniques to be used, planned dates and rates of application
- Evaluation and interpretation of herbicide risks associated with the selected treatment(s) using WIN-PST or other approved tools. Refer to Agronomy Technical Note -5 for information about WIN-PST and the role of NRCS planners in the Pest Management process.
- Any special mitigation, timing considerations or other factors (such as soil texture and organic matter content) that must be considered to ensure the safest, most effective application of the herbicide
- Reference to product label instructions

**For Biological Treatment Methods.** Plans and specifications will include items 1 through 5, above, plus the following:

- Acceptable biological treatment references for the selected biological agent used to contain and manage the target species
- Document release date, kind, and number of agents
- Timing, frequency, duration and intensity of grazing or browsing
- Desired degree of grazing or browsing use for effective management of target species
- Maximum allowable degree of use on desirable non-target species
- Special mitigation, precautions, or requirements associated with the selected treatment(s)

### OPERATION AND MAINTENANCE

**Operation.** Herbaceous weed control practices shall be applied using approved materials and procedures. Operations will comply with all local, state, and federal laws and ordinances.

Success of the practice shall be determined by evaluating regrowth or reoccurrence of target species after sufficient time has passed to monitor the situation and gather reliable data. Length of evaluation periods will depend on the herbaceous weeds species being monitored, proximity of propagules (seeds, plant materials and roots) to the site, transport mode of seeds (wind or animals) and methods and materials used.

The operator will develop a safety plan for individuals exposed to chemicals, including telephone numbers and addresses of emergency treatment centers and the telephone number for the nearest poison control center. The National Pesticide Information Center (NPIC) telephone number in Corvallis, Oregon, may also be given for non-emergency information: **1-800-858-7384**

Monday to Friday

6:30 a.m. to 4:30 p.m. Pacific Time

The national Chemical Transportation Emergency Center (CHEMTRAC) telephone number is: 1-800-424-9300

- Follow label requirements for mixing/loading setbacks from wells, intermittent streams

and rivers, natural or impounded ponds and lakes, and reservoirs.

- Post signs, according to label directions and/or federal, state, tribal, and local laws, around fields that have been treated. Follow restricted entry intervals.
- Dispose of herbicide and herbicide containers in accordance with label directions and adhere to federal, state, tribal, and local regulations.
- Read and follow label directions and maintain appropriate Material Safety Data Sheets (MSDS). MSDS and herbicide labels may be accessed on the Internet at: <http://www.greenbook.net/>
- Calibrate application equipment according to recommendations before each seasonal use and with each major chemical and site change.
- Replace worn nozzle tips, cracked hoses, and faulty gauges on spray equipment.
- Maintain records of plant management for at least two years. herbicide application records shall be in accordance with USDA Agricultural Marketing Service's Pesticide Recordkeeping Program and state-specific requirements.

Wear appropriate protective clothing and equipment as specified.

Store pesticides properly.

Follow label instructions in case of accidental exposure. Provide adequate first aid equipment such as plastic eyewash bottles, water, and detergent for washing off splashes or spills.

**Maintenance.** Following initial application, some regrowth, resprouting, or reoccurrence of herbaceous weeds may be expected. Spot treatment of individual plants or areas needing re-treatment should be completed as needed when weed vegetation is most vulnerable to desired treatment procedures.

Review and update the plan periodically in order to incorporate new IPM technology; response to grazing management and complex weed population changes; and avoid the development of weed resistance to herbicide chemicals.

**Oklahoma, NRCS**

**August 2011**

## REFERENCES

Alex, J.F., and C.M. Switer. 1982. Ontario weeds. Publ. 505, University of Guelph – Ontario Agricultural College, Guelph, Ontario, Canada.

American Sheep Industry, A. Peischel and D.D. Henry, Jr., 2006. Targeted Grazing: a Natural Approach to Vegetation Management and Landscape Enhancement.

Cheney, M. Common poisonous plants of western Washington which affect livestock. [Online] Available at [http://www.piercecountycd.org/tip\\_toxicplnts\\_p.html](http://www.piercecountycd.org/tip_toxicplnts_p.html). (Accessed 15 October 2008).

Ciba-Geigy Corp. Plants that poison livestock: Information chart.

Cornell University Department of Animal Science. Plants Poisonous to Livestock and Other Animals. [Online]. Available at: <http://www.ansci.cornell.edu/plants/>

DeWolf, G. and M. Hondalus. 1988. Common Massachusetts plants poisonous to horses. University of Massachusetts Cooperative Extension Service, Amherst, MA.

Ensminger, M.E. 1992. The stockman's handbook. (7th Ed.) The Interstate Printers and Publishers, Inc. Danville, IL.

Evers, R.A., and R.P. Link. 1972. Poison plants of the Midwest and their effects on livestock. Special Publication 24, University of Illinois – College of Agriculture, Urbana, IL.

Hamilton, G.W., and J.R. Mitchell. 2001. [Online] Poisonous plants in pastures. Univ. of New Hampshire Coop. Ext. Serv., Durham, NH. Available at [http://extension.unh.edu/resources/representation/Resource000623\\_Rep645.pdf](http://extension.unh.edu/resources/representation/Resource000623_Rep645.pdf). (Accessed 15 October 2008).

Hill, R.J., and D. Folland. 1986. Poisonous plants of Pennsylvania. Pennsylvania Department of Agriculture, Harrisburg, PA.

Reed, C.F. 1970. Selected weeds of the United States. Agriculture Handbook No. 366, U.S. Government Printing Office, Washington, D.C.

USDA-ARS. 2006. Bulletin 415 - Plants poisonous to livestock in the Western states. [Online]. Available at <http://www.ars.usda.gov/Services/docs.htm?docid=12140> (Updated 08 February 2006, accessed 15 October 2008).