

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD**

WASTE RECYCLING

(Tons)

CODE 633

DEFINITION

Using agricultural wastes such as manure and wastewater or other organic residues.

PURPOSES

- Protect water quality.
- Provide fertility for crop, forage, fiber production and forest products.
- Improve or maintain soil structure.
- Provide feedstock for livestock.
- Provide a source of energy.
- Provide or reduce energy use.

CONDITIONS WHERE PRACTICE APPLIES

This practice applies where agricultural wastes including animal manure and contaminated water from livestock and poultry operations; solids and wastewater from municipal treatment plants; and agricultural processing residues are generated, and/or utilized.

CRITERIA

General Criteria Applicable To All Purposes

All federal, tribal, state and local laws, rules and regulations governing waste management, pollution abatement, health and safety shall be strictly adhered to. The owner or operator shall be responsible for securing all required permits or approvals related to waste utilization, and for operating and maintaining any components in accordance with applicable laws and regulations.

Waste Utilization shall be planned and applied as a component of a Resource Management System (RMS) or Comprehensive Nutrient Management Plan (CNMP) for livestock operations.

Use of agricultural wastes shall be based on at least one analysis of the material during the time it is to be used. In the case of daily spreading, the waste shall be sampled and analyzed at least once each year. As a minimum, the waste analysis should identify nutrient and specific ion concentrations. Where the metal content of municipal wastewater, sludge, septage, and other agricultural waste is of a concern, the analysis shall also include determining the concentration of metals in the material.

Plans that include biosolids shall be developed in accordance with NRCS, General Manual, Title 190, Ecological Sciences, Part 402 Nutrient Management; OR40207(e)(1) Land application of sewage sludge and Oregon NRCS Amendments, OR402.07(e)(3) and OR402.07(4)(b)(1).

Where agricultural wastes are to be spread on land not owned or controlled by the producer, the waste management plan, as a minimum, shall document the amount of waste to be transferred and who will be responsible for the environmentally acceptable use of the waste.

Records of the use of wastes shall be kept a minimum of five years as discussed in OPERATION AND MAINTENANCE of this standard.

Additional Criteria To Protect Water Quality

All agricultural waste shall be utilized in a manner that minimizes the opportunity for contamination of surface and ground water supplies.

Agricultural waste shall not be land-applied on soils that are frequently flooded, as defined by the National Cooperative Soil Survey, during the period when flooding is expected.

When liquid wastes are applied, the application rate shall not exceed the infiltration rate of the soil, and the amount of waste applied shall not

exceed the moisture holding capacity of the soil profile at the time of application. Wastes shall not be applied to frozen, snow-covered, or saturated soil if the potential risk for runoff exists. The basis for the decision to apply waste under these conditions shall be documented in the waste management plan.

When wastes are applied in areas with an identified nutrient or other waste-related water quality impairment, criteria in the practice standard, Nutrient Management (590) shall be followed.

Additional Criteria For Providing Fertility For Crop, Forage And Fiber Production And Forest Products

Where agricultural wastes are utilized to provide fertility for crop, forage, fiber production, and forest products, the practice standard Nutrient Management (590) shall be followed.

Where municipal wastewater and solids are applied to agricultural lands as a nutrient source, the single application or lifetime limits of heavy metals shall not be exceeded. The concentration of salts shall not exceed the level that will impair seed germination or plant growth.

Additional Criteria For Improving Or Maintaining Soil Structure

Wastes shall be applied at rates not to exceed the crop nutrient requirements or salt concentrations as stated above, and shall be applied at times the waste material can be incorporated by appropriate means into the soil within 72 hours of application.

Additional Criteria For Providing Feedstock For Livestock

Agricultural wastes to be used for feedstock shall be handled in a manner to minimize contamination and preserve its feed value. Chicken litter stored for this purpose shall be covered. A qualified animal nutritionist shall develop rations that utilize wastes.

Additional Criteria For Providing A Source Of Energy

Use of agricultural waste for energy production shall be an integral part of the overall waste management system.

All energy producing components of the system shall be included in the waste management plan

and provisions for utilization of residues of energy production identified.

Where the residues of energy production are to be land-applied for crop nutrient use or soil conditioning, the criteria listed above shall apply.

CONSIDERATIONS

The effect of Waste Utilization on the water budget should be considered, particularly where a shallow ground water table is present or in areas prone to runoff. Limit waste application to the volume of liquid that can be stored in the root zone.

Minimize the impact of odors of land-applied wastes by making application at times when temperatures are cool and when wind direction is away from neighbors.

Agricultural wastes contain pathogens and other disease-causing organisms. Wastes should be utilized in a manner that minimizes their disease potential.

Priority areas for land application of wastes should be on gentle slopes located as far as possible from waterways. When wastes are applied on more sloping land or land adjacent to waterways, other conservation practices should be installed to reduce the potential for offsite transport of waste.

It is preferable to apply wastes on pastures and hayland soon after cutting or grazing before re-growth has occurred.

Reduce nitrogen volatilization losses associated with the land application of some waste by incorporation within 24 hours.

Minimize environmental impact of land-applied waste by limiting the quantity of waste applied to the rates determined using the practice standard Nutrient Management (590) for all waste utilization.

PLANS AND SPECIFICATIONS

Plans and specifications for Waste Utilization shall be in keeping with this standard and shall describe the requirements for applying the practice to achieve its intended purpose. The waste management plan is to account for the utilization or other disposal of all animal wastes produced, and all waste application areas shall be clearly indicated on a plan map.

Site specific criteria shall be recorded using Waste Utilization Specification Sheet, 633 OR-Specification and Nutrient Management Specification Sheet 590 OR-Specification or other documentation approved by the State Resource Conservationist and State Conservation Engineer.

OPERATION AND MAINTENANCE

An operation and maintenance plan shall be developed that is consistent with the purposes of the practice it's intended life, safety requirements, and the criteria for its design.

Records shall be kept for a period of five years or longer, and include when appropriate:

- Quantity of manure and other agricultural waste produced and their nutrient content
- Soil test results and manure, wastewater or organic by-product test results.
- Dates and amounts of waste application where land applied, and the dates and amounts of waste removed from the system due to feeding, energy production, or export from the operation.
- Waste application methods.
- Crops grown and yields (both yield goals and measured yield).
- Other tests, such as determining the nutrient content of the harvested product.
- Calibration of application equipment. Refer to Chapter 11 and 13 of the NRCS National Engineering Handbook-Part 651, Agricultural Waste Management Field Handbook for guidance in the calibration of application equipment.
- Waste application utilizing nutrients for plant production shall follow operation and maintenance requirements in the practice standard Nutrient Management (590).

The operation and maintenance plan shall include the dates of periodic inspections and maintenance of equipment and facilities used in waste utilization. The plan should include what is to be inspected or maintained, and a general time frame for making necessary repairs.

REFERENCES

USDA NRCS, Agricultural Waste Management Field Handbook, National Engineering Handbook, April 1992.

Oregon, NRCS Agronomy Technical Note No. 26, The Phosphorus Index, April 1994.

Oregon, NRCS Agronomy Technical Note No. 33, Soil Condition Index for Cropland Management Systems, May 2000.

Oregon, NRCS Agronomy Technical Note No. 38, Management of Residual Nitrogen in Cover Crops, August 1998.

Oregon, NRCS, Engineering Technical Note No. 5, Oregon Animal Waste Management Program (<ftp://ftp.or.nrcs.usda.gov/pub/eng/DesignAids/ORAWM/>)

Agricultural Phosphorus and Eutrophication, USDA, Agricultural Research Service, ARS-149, July 1999.

USDA, NRCS, Soil Quality Institute Technical Pamphlet No. 2, Phosphorus in Agriculture.

Core 4 Conservation Practice Workbook, Part 2, Nutrient Management Chapters 1 to 6.

Oregon Department of Environmental Quality (DEQ) available on the DEQ web site at: (<http://waterquality.deq.state.or.us/wq/>)

- Water Quality Limited Streams 303(d) List
- Total Maximum Daily Load (TMDL) and Water Quality Management Plans (WQMP)
- 1998 303(d) Database (Decision Matrix)