OR649

Douglas County Area
Highly Erodible Land Classes
March 3, 1987

1 = Highly Erodible Land
2 = Potentially Highly Erodible
3 = Not Highly Erodible

Map Symbol	Soil Name	Percent	Wind Erosion C Value	Wind Erosion I Value	Wind Erosion Average	Wind Erosion Hel Class	K Value	R Value	T Value	Water Erosion Slope Minimum	Water Erosion Slope Maximum	Water Erosion Length Minimum	Water Erosion Length Maximum	Water Erosion LS-Value Minimum	Water Erosion LS-Value Maximum	Water Erosion LS-Value Average	Water Erosion E.I.	Water Erosion Hel Class	Water Erosion PHel Value
2AS	WALDPORT	100	0.03	310	1.86	3	0.17	100	5	0	30	400	500	0.09	13.12	6.60	2.35	2	22.46
3C	WALDPORT	100	0.03	310	1.86	3	0.17	100	5	0	12	400	600	0.09	4.27	2.18	2.35	2	7.41
3E	WALDPORT	100	0.03	310	1.86	3	0.17	100	5	12	30	250	500	2.75	13.12	7.93	2.35	1	26.98
3F	WALDPORT	100	0.03	310	1.86	3	0.17	100	5	30	70	200	300	8.30	24.73	16.52	2.35	1	56.15
4A	HECETA	100	0.03	134	0.80	3	0.10	100	5	0	2	400	900	0.09	0.39	0.24	4.00	3	0.48
4AS	HECETA	50	0.03	134	0.80	3	0.10	100	5	0	2	400	900	0.09	0.39	0.24	4.00	3	0.48
4AS	WALDPORT	40	0.03	310	1.86	3	0.17	100	5	0	12	400	600	0.09	4.27	2.18	2.35	2	7.41
6C	NETARTS	100	0.03	134	0.80	3	0.17	100	5	2	12	400	600	0.30	4.27	2.28	2.35	2	7.77
6E	NETARTS	100	0.03	134	0.80	3	0.17	100	5	12	30	250	500	2.75	13.12	7.93	2.35	1	26.98
10A	CAMAS	100	0.03	0	0.00	3	0.05	40	2	0	3	400	900	0.09	0.55	0.32	8.00	3	0.32
14C	LINT	100	0.03	48	0.29	3	0.37	100	5	0	12	400	600	0.09	4.27	2.18	1.08	2	16.13
14D	LINT	100	0.03	48	0.29	3	0.37	100	5	12	20	250	550	2.75	8.16	5.46	1.08	1	40.37
16A	BRALLIER VARIANT	100	0.03	56	0.34	3	0.02	100	5	0	1	400	900	0.09	0.25	0.17	20.00	3	0.07
18A	WINTLEY	100	0.03	48	0.29	3	0.32	100	5	0	12	400	600	0.09	4.27	2.18	1.25	2	13.95
19A	KIRKENDALL	45	0.03	48	0.29	3	0.32	100	5	0	3	400	900	0.09	0.55	0.32	1.25	3	2.05
19A	NEKOMA	35	0.03	56	0.42	3	0.24	100	4	0	3	400	900	0.09	0.55	0.32	1.33	3	1.92
21A	QUOSATANA	100	0.03	48	0.29	3	0.32	100	5	0	3	400	900	0.09	0.55	0.32	1.25	3	2.05
22A	NATAL	100	0.03	48	0.29	3	0.28	100	5	0	3	400	900	0.09	0.55	0.32	1.43	3	1.79
23A	WILLANCH	100	0.03	86	0.52	3	0.15	100	5	0	3	400	900	0.09	0.55	0.32	2.67	3	0.96
24A	WILLANCHVARIANT	100	0.03	56	0.34	3	0.15	100	5	0	3	400	900	0.09	0.55	0.32	2.67	3	0.96
25A	EVANS	100	0.03	56	0.42	3	0.32	40	4	0	3	400	900	0.09	0.55	0.32	2.50	3	1.02
27A	CHAPMAN	45	0.03	48	0.29	3	0.28	40	5	0	3	400	900	0.09	0.55	0.32	3.57	3	0.72
27A	CHEHALIS	40	0.03	38	0.23	3	0.37	40	5	0	3	400	900	0.09	0.55	0.32	2.70	3	0.95
29A	NESTUCCA	100	0.03	48	0.29	3	0.32	100	5	0	3	400	900	0.09	0.55	0.32	1.25	3	2.05
30A	COQUILLE	100	0.03	48	0.29	3	0.32	100	5	0	1	400	900	0.09	0.25	0.17	1.25	3	1.09
31A	NEKOMA	45	0.03	56	0.34	3	0.24	100	5	0	3	400	900	0.09	0.55	0.32	1.67	3	1.54
31A	GARDINER	40	0.03	86	0.52	3	0.24	100	5	0	3	400	900	0.09	0.55	0.32	1.67	3	1.54
32A	COQUILLE	100	0.03	48	0.29	3	0.32	100	5	0	1	400	900	0.09	0.25	0.17	1.25	3	1.09

33C	MEDA	100	0.03	48	0.29	3	0.24	100	5	2	12	400	600	0.30	4.27	2.28	1.67	2	10.97
35A	NEWBERG	100	0.03	86	0.52	3	0.28	40	5	0	3	400	900	0.09	0.55	0.32	3.57	3	0.72
36A	CRATER LAKE VARIANT	100	0.03	86	0.52	3	0.10	55	5	0	3	400	900	0.09	0.55	0.32	7.27	3	0.35
37E	CRATER LAKE	100	0.03	86	0.52	3	0.37	55	5	3	30	400	500	0.43	13.12	6.77	1.96	2	27.57
37F	CRATER LAKE	100	0.03	86	0.52	3	0.37	55	5	30	60	200	300	8.30	21.73	15.02	1.96	1	61.11
51A	NATROY	100	0.03	38	0.23	3	0.20	40	5	0	2	400	900	0.09	0.39	0.24	5.00	3	0.38
55C	ABEGG	100	0.03	0	0.00	3	0.15	55	5	2	12	400	600	0.30	4.27	2.28	4.85	3	3.77
55D	ABEGG	100	0.03	0	0.00	3	0.15	55	5	12	20	250	550	2.75	8.16	5.46	4.85	2	9.00
55E	ABEGG	100	0.03	0	0.00	3	0.15	55	5	20	30	250	500	5.50	13.12	9.31	4.85	1	15.36
58E	GUSTIN	65	0.03	38	0.57	3	0.24	75	2	3	30	400	500	0.43	13.12	6.77	0.89	2	60.97
58E	ORFORD	25	0.03	38	0.23	3	0.10	75	5	3	30	400	500	0.43	13.12	6.77	5.33	2	10.16
60A	BASHAW	100	0.03	86	0.52	3	0.17	40	5	0	1	400	900	0.09	0.25	0.17	5.88	3	0.23
61A	ROSEBURG	100	0.03	48	0.29	3	0.28	55	5	0	3	400	900	0.09	0.55	0.32	2.60	3	0.98
65A	BRAND	100	0.03	134	0.80	3	0.32	40	5	0	3	400	900	0.09	0.55	0.32	3.12	3	0.82
66A	WALDO	100	0.03	38	0.23	3	0.24	40	5	0	3	400	900	0.09	0.55	0.32	4.17	3	0.61
68C	DUPEE	100	0.03	38	0.23	3	0.43	55	5	3	12	400	600	0.43	4.27	2.35	1.69	2	11.12
68D	DUPEE	100	0.03	38	0.23	3	0.43	55	5	12	30	250	500	2.75	13.12	7.93	1.69	1	37.53
70A	COBURG	100	0.03	38	0.23	3	0.32	55	5	0	5	400	900	0.09	1.60	0.84	2.27	3	2.97
71A	ROSEBURG VARIANT	100	0.03	86	0.52	3	0.28	55	5	0	5	400	900	0.09	1.60	0.84	2.60	3	2.60
72A	REDBELL	100	0.03	48	0.36	3	0.37	55	4	0	5	400	900	0.09	1.60	0.84	1.57	2	4.30
81A	CONSER	100	0.03	38	0.23	3	0.37	40	5	0	1	400	900	0.09	0.25	0.17	2.70	3	0.50
82A	MEDFORD	100	0.03	38	0.23	3	0.32	40	5	0	7	400	800	0.09	2.33	1.21	3.12	3	3.10
85A	MALABON	100	0.03	38	0.23	3	0.15	40	5	0	3	400	900	0.09	0.55	0.32	6.67	3	0.38
91C	FORDICE	100	0.03	0	0.00	3	0.10	55	5	0	12	400	600	0.09	4.27	2.18	7.27	3	2.40
93A	PACKARD	100	0.03	48	0.29	3	0.20	55	5	0	3	400	900	0.09	0.55	0.32	3.64	3	0.70
99C	STOCKEL	100	0.03	86	0.86	3	0.43	55	3	3	12	400	600	0.43	4.27	2.35	1.01	2	18.52 3.20
100C	CURTIN	100	0.03	86	0.52	3	0.17	540 40	5	3	12	400	600	0.43	4.27	2.35	0.44	2	~~43.15~~
100D	CURTIN	100	0.03	86	0.52	3	0.17	40	5	12	20	250	550	2.75	8.16	5.46	5.88	2	7.42
101E	EDENBOWER	100	0.03	86	2.58	3	0.20	55	1	3	30	200	500	0.43	13.12	6.77	0.73	2	74.52
105E	CLIMAX	100	0.03	86	1.29	3	0.20	55	2	12	30	400	500	2.75	13.12	7.93	1.45	1	43.64
105F	CLIMAX	100	0.03	86	1.29	3	0.20	55	2	30	60	250	300	8.30	21.73	15.02	1.45	1	82.58
106C	VENETA	100	0.03	48	0.29	3	0.37	40	5	0	12	400	600	0.09	4.27	2.18	2.70	2	6.45
106D	VENETA	100	0.03	48	0.29	3	0.37	40	5	12	20	250	550	2.75	8.16	5.46	2.70	1	16.15
110C	DIXONVILLE	100	0.03	38	0.38	3	0.32	55	3	3	12	200	600	0.43	4.27	2.35	1.36	2	13.79
110E	DIXONVILLE	100	0.03	38	0.38	3	0.32	55	3	12	30	400	500	2.75	13.12	7.93	1.36	1	46.55
100F	DIXONVILLE	100	0.03	38	0.38	3	0.32	55	3	30	60	250	300	8.30	21.73	15.02	1.36	1	88.09
115D	PENGRA	100	0.03	48	0.29	3	0.28	55	5	2	20	250	550	0.30	8.16	4.23	2.60	2	13.03

115E	PENGRA	100	0.03	48	0.29	3	0.28	55	5	20	30	200	500	5.50	13.12	9.31	2.60	1 28.67
116E	DARBY	100	0.03	38	0.23	3	0.32	55	5	12	30	400	500	2.75	13.12	7.93	2.27	1 27.93
116F	DARBY	100	0.03	38	0.23	3	0.32	55	5	30	60	250	300	8.30	21.73	15.02	2.27	1 52.85
117D	PENGRA	100	0.03	48	0.29	3	0.28	55	5	4	20	400	550	0.70	8.16	4.43	2.60	2 13.64
117E	PENGRA	100	0.03	48	0.29	3	0.28	55	5	20	30	400	500	5.50	13.12	9.31	2.60	1 28.67
119E	PENGRA VARIANT	100	0.03	0	0.00	3	0.10	55	2	3	30	250	500	0.43	13.12	6.77	2.91	2 18.63
120C	NONPAREIL	100	0.03	48	1.44	3	0.32	55	1	3	12	400	600	0.43	4.27	2.35	0.45	2 41.36
120E	NONPAREIL	100	0.03	48	1.44	3	0.32	55	1	12	30	200	500	2.75	13.12	7.93	0.45	1139.66
123E	MCMULLIN	40	0.03	48	1.44	3	0.20	55	1	3	30	400	500	0.43	13.12	6.77	0.73	2 74.52
123F	MCMULLIN	40	0.03	48	1.44	3	0.20	55	1	30	75	200	300	8.30	26.03	17.16	0.73	1188.81
123E	RESTON	30	0.03	56	1.68	3	0.28	55	1	3	30	400	500	0.43	13.12	6.77	0.52	2104.34
123F	RESTON	30	0.03	56	1.68	3	0.28	55	1	30	75	250	300	8.30	26.03	17.16	0.52	1264.34
125C	NONPAREIL	45	0.03	48	1.44	3	0.32	55	1	3	12	200	600	0.43	4.27	2.35	0.45	2 41.36
125E	NONPAREIL	45	0.03	48	1.44	3	0.32	55	1	12	30	400	500	2.75	13.12	7.93	0.45	1139.66
125F	NONPAREIL	45	0.03	48	1.44	3	0.32	55	1	30	60	250	300	8.30	21.73	15.02	0.45	1264.26
125C	OAKLAND	30	0.03	48	0.72	3	0.43	55	2	3	12	200	600	0.43	4.27	2.35	0.68	2 27.79
125E	OAKLAND	30	0.03	48	0.72	3	0.43	55	2	12	30	400	500	2.75	13.12	7.93	0.68	1 93.83
125F	OAKLAND	30	0.03	48	0.72	3	0.43	55	2	30	60	200	300	8.30	21.73	15.02	0.68	1177.55
129E	MCMULLIN	30	0.03	48	1.44	3	0.20	55	1	3	30	400	500	0.43	13.12	6.77	0.73	2 74.52
129F	MCMULLIN	30	0.03	48	1.44	3	0.20	55	1	30	75	200	300	8.30	26.03	17.16	0.73	1188.81
129E	RESTON	30	0.03	56	1.68	3	0.28	55	1	3	30	400	500	0.43	13.12	6.77	0.52	2104.34
129F	RESTON	30	0.03	56	1.68	3	0.28	55	1	30	75	200	300	8.30	26.03	17.16	0.52	1264.34
129E	ROCK OUTCROP	20	0.03	0	0.00	3	0.02	55	1	3	30	400	500	0.43	13.12	6.77	7.27	2 7.45
129F	ROCK OUTCROP	20	0.03	0	0.00	3	0.02	55	1	30	75	200	300	8.30	26.03	17.16	7.27	1 18.88
131C	OAKLAND	100	0.03	48	0.72	3	0.43	55	2	3	12	400	600	0.43	4.27	2.35	0.68	2 27.79
131D	OAKLAND	100	0.03	48	0.72	3	0.43	55	2	12	20	250	550	2.75	8.16	5.46	0.68	1 64.50
131E	OAKLAND	100	0.03	48	0.72	3	0.43	55	2	20	30	250	500	5.50	13.12	9.31	0.68	1110.09
131F	OAKLAND	100	0.03	48	0.72	3	0.43	55	2	30	60	200	300	8.30	21.73	15.02	0.68	1177.55
133E	DICKERSON	100	0.03	48	1.44	3	0.20	55	1	3	30	400	500	0.43	13.12	6.77	0.73	2 74.52
133F	DICKERSON	100	0.03	48	1.44	3	0.20	55	1	30	90	200	300	8.30	29.22	18.76	0.73	1206.36
135E	OAKLAND	35	0.03	48	0.72	3	0.43	55	2	12	30	250	500	2.75	13.12	7.93	0.68	1 93.83
135F	OAKLAND	35	0.03	48	0.72	3	0.43	55	2	30	60	200	300	8.30	21.73	15.02	0.68	1177.55
135E	NONPAREIL	25	0.03	48	1.44	3	0.32	55	1	12	30	250	500	2.75	13.12	7.93	0.45	1139.66
135F	NONPAREIL	25	0.03	48	1.44	3	0.32	55	1	30	60	200	300	8.30	21.73	15.02	0.45	1264.26
135E	SUTHERLIN	25	0.03	48	0.48	3	0.37	55	3	12	30	250	500	2.75	13.12	7.93	1.18	1 53.82
135F	SUTHERLIN	25	0.03	48	0.48	3	0.37	55	3	30	50	200	300	8.30	18.24	13.27	1.18	1 90.01
136E	DICKERSON	40	0.03	48	1.44	3	0.20	55	1	3	30	400	500	0.43	13.12	6.77	0.73	2 74.52

136F	DICKERSON	40	0.03	48	1.44	3	0.20	55	1	30	60	200	300	8.30	21.73	15.02	0.73	1165.16
136E	ROCK OUTCROP	30	0.03	0	0.00	3	0.02	55	1	3	30	400	500	0.43	13.12	6.77	7.27	2 7.45
136F	ROCK OUTCROP	30	0.03	0	0.00	3	0.02	55	1	30	60	200	300	8.30	21.73	15.02	7.27	1 16.52
140E	OAKLAND	50	0.03	48	0.72	3	0.43	55	2	12	30	250	500	2.75	13.12	7.93	0.68	1 93.83
140E	SUTHERLIN	35	0.03	48	0.48	3	0.37	55	3	12	30	250	500	2.75	13.12	7.93	1.18	1 53.82
141E	OAKLNAD	40	0.03	48	0.72	3	0.43	55	2	12	30	250	500	2.75	13.12	7.93	0.68	1 93.83
141E	DUPEE	30	0.03	38	0.23	3	0.43	55	5	12	30	250	500	2.75	13.12	7.93	1.69	1 37.53
148D	PANTHER	100	0.03	38	0.23	3	0.24	55	5	4	20	400	550	0.70	8.16	4.43	3.03	2 11.70
150E	PHILOMATH	55	0.03	86	2.58	3	0.32	55	1	3	30	400	500	0.43	13.12	6.77	0.45	2119.24
150F	PHILOMATH	50	0.03	86	2.58	3	0.32	55	1	30	70	200	300	8.30	24.73	16.52	0.45	1290.66
150E	DIXONVILLE	30	0.03	38	0.38	3	0.32	55	3	3	30	400	500	0.43	13.12	6.77	1.36	2 39.75
150F	DISONVILLE	35	0.03	38	0.38	3	0.32	55	3	30	60	200	300	8.30	21.73	15.02	1.36	1 88.09
160E	RITNER	100	0.03	0	0.00	3	0.24	55	3	12	30	250	500	2.75	13.12	7.93	1.82	1 34.91
160F	RITNER	100	0.03	0	0.00	3	0.24	55	3	30	60	200	300	8.30	21.73	15.02	1.82	1 66.06
160G	RITNER	100	0.03	0	0.00	3	0.24	55	3	60	90	100	300	12.55	29.22	20.88	1.82	1 91.89
165E	PHILOMATH	55	0.03	86	2.58	3	0.32	55	1	12	30	250	500	2.75	13.12	7.93	0.45	1139.66
165F	PHILOMATH	50	0.03	86	2.58	3	0.32	55	1	30	60	200	300	8.30	21.73	15.02	0.45	1264.26
165E	EDENBOWER	30	0.03	86	2.58	3	0.20	55	1	12	30	250	500	2.75	13.12	7.93	0.73	1 87.28
165F	EDENBOWER	35	0.03	86	2.58	3	0.20	55	1	30	60	200	300	8.30	21.73	15.02	0.73	1165.16
170E	ROCK OUTCROP	100	0.03	0	0.00	3	0.02	55	1	30	80	200	300	8.30	27.21	17.76	7.27	1 19.53
175C	SUTHERLIN	100	0.03	48	0.48	3	0.37	55	3	3	12	400	600	0.43	4.27	2.35	1.18	2 15.94
175D	SUTHERLIN	100	0.03	48	0.48	3	0.37	55	3	12	20	250	550	2.75	8.16	5.46	1.18	1 37.00
175E	SUTHERLIN	100	0.03	48	0.48	3	0.37	55	3	20	30	550	500	8.16	13.12	10.64	1.18	1 72.17
175F	SUTHERLIN	100	0.03	48	0.48	3	0.37	55	3	30	50	200	300	8.30	18.24	13.27	1.18	1 90.01
180D	SPEAKER	100	0.03	48	0.72	3	0.24	55	2	2	20	400	600	0.30	8.52	4.41	1.21	2 29.10
180E	SPEAKER	100	0.03	48	0.72	3	0.24	55	2	20	30	550	500	8.16	13.12	10.64	1.21	1 70.22
180F	SPEAKER	100	0.03	48	0.72	3	0.24	55	2	30	60	200	300	8.30	21.73	15.02	1.21	1 99.10
188E	SPEAKER	50	0.03	48	0.72	3	0.24	55	2	3	30	400	500	0.43	13.12	6.77	1.21	2 44.71
188F	SPEAKER	45	0.03	48	0.72	3	0.24	55	2	30	60	200	300	8.30	21.73	15.02	1.21	1 99.10
188E	NONPAREIL	35	0.03	48	1.44	3	0.32	55	1	3	30	400	500	0.43	13.12	6.77	0.45	2119.24
188F	NONPAREIL	40	0.03	48	1.44	3	0.32	55	1	30	60	200	300	8.30	21.73	15.02	0.45	1264.26
198D	BUCKEYE	100	0.03	48	0.48	3	0.28	55	3	2	20	400	600	0.30	8.52	4.41	1.56	2 22.64
198E	BUCKEYE	100	0.03	48	0.48	3	0.28	55	3	20	30	250	500	5.50	13.12	9.31	1.56	1 47.79
198F	BUCKEYE	100	0.03	48	0.48	3	0.28	55	3	30	60	200	300	8.30	21.73	15.02	1.56	1 77.08
200C	BELLPINE	100	0.03	48	0.72	3	0.32	55	2	3	12	400	600	0.43	4.27	2.35	0.91	2 20.68
200E	BELLPINE	100	0.03	48	0.72	3	0.32	55	2	12	30	250	500	2.75	13.12	7.93	0.91	1 69.83
200F	BELLPINE	100	0.03	48	0.72	3	0.32	55	2	30	60	200	300	8.30	21.73	15.02	0.91	1132.13

205C	NEKIA	100	0.03	38	0.57	3	0.24	55	2	2	12	400	600	0.30	4.27	2.28	1.21	2 15.08
205D	NEKIA	100	0.03	38	0.57	3	0.24	55	2	12	20	250	550	2.75	8.16	5.46	1.21	1 36.00
205E	NEKIA	100	0.03	38	0.57	3	0.24	55	2	20	30	250	500	5.50	13.12	9.31	1.21	1 61.44
209C	JORY	100	0.03	48	0.36	3	0.32	55	4	2	12	400	600	0.30	4.27	2.28	1.82	2 10.05
209E	JORY	100	0.03	48	0.36	3	0.32	55	4	12	30	250	500	2.75	13.12	7.93	1.82	1 34.91
209F	JORY	100	0.03	48	0.36	3	0.32	55	4	30	60	200	300	8.30	21.73	15.02	1.82	1 66.07
210C	JORY	100	0.03	38	0.23	3	0.20	55	5	2	12	400	600	0.30	4.27	2.28	3.64	2 5.03
210D	JORY	100	0.03	38	0.23	3	0.20	55	5	12	20	250	550	2.75	8.16	5.46	3.64	2 12.00
210E	JORY	100	0.03	48	0.29	3	0.32	55	5	20	30	250	500	5.50	13.12	9.31	2.27	1 32.77
210F	JORY	100	0.03	48	0.29	3	0.32	55	5	30	60	200	300	8.30	21.73	15.02	2.27	1 52.85
211E	JORY	40	0.03	48	0.36	3	0.32	55	4	12	30	250	500	2.75	13.12	7.93	1.82	1 34.91
211E	BELLPINE	30	0.03	48	0.72	3	0.32	55	2	12	30	250	500	2.75	13.12	7.93	0.91	1 69.83
212F	BELLPINE	40	0.03	48	0.72	3	0.32	55	2	30	60	200	300	8.30	21.73	15.02	0.91	1132.13
212F	JORY	30	0.03	48	0.36	3	0.32	55	4	30	60	200	300	8.30	21.73	15.02	1.82	1 66.07
222F	ROCK OUTCROP	100	0.03	0	0.00	3	0.02	55	1	30	60	200	300	8.30	21.73	15.02	7.27	1 16.52
225C	BATEMAN	100	0.03	48	0.29	3	0.28	55	5	3	12	400	600	0.43	4.27	2.35	2.60	2 7.24
225E	BATEMAN	100	0.03	48	0.29	3	0.28	55	5	12	30	250	550	2.75	13.76	8.25	2.60	1 25.42
233E	ATRING	45	0.03	0	0.00	3	0.15	55	3	12	30	250	550	2.75	13.76	8.25	2.91	2 22.70
233F	ATRING	40	0.03	0	0.00	3	0.15	55	3	30	60	200	300	8.30	21.73	15.02	2.91	1 41.29
233G	ATRING	35	0.03	0	0.00	3	0.15	55	3	60	90	100	300	12.55	29.22	20.88	2.91	1 57.43
233E	LARMINE	25	0.03	48	1.44	3	0.15	55	1	12	30	250	500	2.75	13.12	7.93	0.97	1 65.46
233F	LARMINE	30	0.03	48	1.44	3	0.15	55	1	30	60	200	300	8.30	21.73	15.02	0.97	1123.87
233G	LARMINE	35	0.03	48	1.44	3	0.15	55	1	60	90	100	300	12.55	29.22	20.88	0.97	1172.30
235E	ATRING	100	0.03	0	0.00	3	0.15	55	3	12	30	250	500	2.75	13.12	7.93	2.91	2 21.82
235F	ATRING	100	0.03	0	0.00	3	0.15	55	3	30	60	200	300	8.30	21.73	15.02	2.91	1 41.29
235G	ATRING	100	0.03	0	0.00	3	0.15	55	3	60	90	100	300	12.55	29.22	20.88	2.91	1 57.43
236F	VERMISA	30	0.03	0	0.00	3	0.20	55	1	30	60	200	300	8.30	21.73	15.02	0.73	1165.16
236G	VERMISA	35	0.03	0	0.00	3	0.20	55	1	60	90	100	300	12.55	29.22	20.88	0.73	1229.73
237F	ATRING	30	0.03	0	0.00	3	0.15	55	3	30	60	200	300	8.30	21.73	15.02	2.91	1 41.29
237G	ATRING	30	0.03	0	0.00	3	0.15	55	3	60	90	100	300	12.55	29.22	20.88	2.91	1 57.43
237F	LARMINE	30	0.03	48	1.44	3	0.15	55	1	30	60	200	300	8.30	21.73	15.02	0.97	1123.87
237G	LARMINE	30	0.03	48	1.44	3	0.15	55	1	60	90	100	300	12.55	29.22	20.88	0.97	1172.30
237F	ROCK OUTCROP	25	0.03	0	0.00	3	0.02	55	1	30	60	200	300	8.30	21.73	15.02	7.27	1 16.52
237G	ROCK OUTCROP	25	0.03	0	0.00	3	0.02	55	1	60	90	100	300	12.55	29.22	20.88	7.27	1 22.97
238G	VERMISA	40	0.03	0	0.00	3	0.15	55	1	60	99	100	300	12.55	30.66	21.60	0.95	1181.81
238G	ROCK OUTCROP	30	0.03	0	0.00	3	0.02	55	1	60	90	100	300	12.55	29.22	20.88	7.27	1 22.97
240E	DIGGER	40	0.03	0	0.00	3	0.10	100	3	3	30	400	500	0.43	13.12	6.77	2.40	2 22.58

240F	DIGGER	40	0.03	0	0.00	3	0.10	100	3	30	60	200	300	8.30	21.73	15.02	2.40	1 50.05
240G	DIGGER	30	0.03	0	0.00	3	0.10	100	3	60	90	100	300	12.55	29.22	20.88	2.40	1 69.62
240E	BOHANNON	30	0.03	48	0.48	3	0.10	100	3	3	30	400	500	0.43	13.12	6.77	2.40	2 22.58
240F	BOHANNON	30	0.03	48	0.48	3	0.10	100	3	30	60	200	300	8.30	21.73	15.02	2.40	1 50.05
240G	BOHANNON	25	0.03	48	0.48	3	0.10	100	3	60	90	100	300	12.55	29.22	20.88	2.40	1 69.62
240G	UMPCOOS	25	0.03	0	0.00	3	0.10	100	1	60	90	100	300	12.55	29.22	20.88	0.80	1208.85
241F	DAMEWOOD	30	0.03	0	0.00	3	0.20	100	3	30	60	200	300	8.30	21.73	15.02	1.20	1100.10
241G	DAMEWOOD	30	0.03	0	0.00	3	0.20	100	3	60	90	100	300	12.55	29.22	20.88	1.20	1139.23
241F	BOHANNON	25	0.03	48	0.48	3	0.10	100	3	30	60	200	300	8.30	21.73	15.02	2.40	1 50.05
241G	BOHANNON	25	0.03	48	0.48	3	0.10	100	3	60	90	100	300	12.55	29.22	20.88	2.40	1 69.62
241F	UMPCOOS	25	0.03	0	0.00	3	0.10	100	1	30	60	200	300	8.30	21.73	15.02	0.80	1150.15
241G	UMPCOOS	25	0.03	0	0.00	3	0.10	100	1	60	90	100	300	12.55	29.22	20.88	0.80	1208.85
243G	ROCK OUTCROP	60	0.03	0	0.00	3	0.02	100	1	60	90	100	300	12.55	29.22	20.88	4.00	1 41.77
243G	UMPCOOS	25	0.03	0	0.00	3	0.10	100	1	60	99	100	300	12.55	30.66	21.60	0.80	1216.05
250E	TISHAR	40	0.03	38	0.28	3	0.24	55	4	3	30	400	500	0.43	13.12	6.77	2.42	2 22.36
250F	TISHAR	40	0.03	38	0.28	3	0.24	55	4	30	60	200	300	8.30	21.73	15.02	2.42	1 49.55
250G	TISHAR	40	0.03	38	0.28	3	0.24	55	4	60	80	100	300	12.55	27.21	19.88	2.42	1 65.60
250E	MCGINNIS	30	0.03	0	0.00	3	0.24	55	2	3	30	400	500	0.43	13.12	6.77	1.21	2 44.71
250F	MCGINNIS	30	0.03	0	0.00	3	0.24	55	2	30	60	200	300	8.30	21.73	15.02	1.21	1 99.10
250G	MCGINNIS	30	0.03	0	0.00	3	0.24	55	2	60	80	100	300	12.55	27.21	19.88	1.21	1131.21
256F	TISHAR	40	0.03	38	0.28	3	0.24	55	4	30	30	200	300	8.30	21.73	15.02	2.42	1 49.55
256G	TISHAR	100	0.03	38	0.28	3	0.24	55	4	60	80	100	300	12.55	27.21	19.88	2.42	1 65.60
256F	MCGINNIS	30	0.03	0	0.00	3	0.24	55	2	30	60	200	300	8.30	21.73	15.02	1.21	1 99.10
256G	MCGINNIS	100	0.03	0	0.00	3	0.24	55	2	60	80	100	300	12.55	27.21	19.88	1.21	1131.21
260C	BOOMER	100	0.03	0	0.00	3	0.20	55	3	3	12	400	600	0.43	4.27	2.35	2.18	2 8.62
260D	BOOMER	100	0.03	0	0.00	3	0.20	55	3	12	20	250	550	2.75	8.16	5.46	2.18	1 20.00
260E	BOOMER	100	0.03	0	0.00	3	0.20	55	3	20	30	250	500	5.50	13.12	9.31	2.18	1 34.14
260F	BOOMER	100	0.03	0	0.00	3	0.20	55	3	30	60	200	300	8.30	21.73	15.02	2.18	1 55.05
270E	ROSEHAVEN	100	0.03	48	0.29	3	0.24	55	5	12	30	250	500	2.75	13.12	7.93	3.03	2 20.95
270F	ROSEHAVEN	100	0.03	48	0.29	3	0.24	55	5	30	60	200	300	8.30	21.73	15.02	3.03	1 39.64
275E	ROSEHAVEN	40	0.03	48	0.29	3	0.24	55	5	12	30	250	500	2.75	13.12	7.93	3.03	2 20.95
275F	ROSEHAVEN	40	0.03	48	0.29	3	0.24	55	5	30	60	200	300	8.30	21.73	15.02	3.03	1 39.64
275E	ATRING	30	0.03	0	0.00	3	0.15	55	3	12	30	250	500	2.75	13.12	7.93	2.91	2 21.82
275F	ATRING	30	0.03	0	0.00	3	0.15	55	3	30	60	200	300	8.30	21.73	15.02	2.91	1 41.29
280C	ROSEHAVEN	100	0.03	48	0.29	3	0.24	55	5	3	12	400	600	0.43	4.27	2.35	3.03	2 6.20
286F	KLICKITAT	50	0.03	0	0.00	3	0.05	75	5	30	60	200	300	8.30	21.73	15.02	10.67	2 11.26
286F	HARRINGTON	35	0.03	0	0.00	3	0.20	75	3	30	60	200	300	8.30	21.73	15.02	1.60	1 75.08

303F	SVENSEN	40	0.03	48	0.36	3	0.28	100	4	35	75	200	300	10.01	26.03	18.02	1.14	1126.14
303F	MILLICOMA	30	0.03	48	0.48	3	0.20	100	3	35	75	200	300	10.01	26.03	18.02	1.20	1120.13
303F	REEDSPORT	20	0.03	48	0.72	3	0.10	100	2	35	75	200	300	10.01	26.03	18.02	1.60	1 90.10
305E	HONEYGROVE	100	0.03	38	0.23	3	0.10	75	5	3	30	400	500	0.43	13.12	6.77	5.33	2 10.16
305F	HONEYGROVE	100	0.03	38	0.23	3	0.10	75	5	30	60	200	300	8.30	21.73	15.02	5.33	1 22.52
306F	REEDSPORT	40	0.03	48	0.72	3	0.10	100	2	30	60	200	300	8.30	21.73	15.02	1.60	1 75.08
306G	MILLICOMA	50	0.03	48	0.48	3	0.20	100	3	60	90	100	300	12.55	29.22	20.88	1.20	1139.23
306F	MILLICOMA	35	0.03	48	0.48	3	0.20	100	3	30	60	200	300	8.30	21.73	15.02	1.20	1100.10
306G	REEDSPORT	30	0.03	48	0.72	3	0.10	100	2	60	90	100	300	12.55	29.22	20.88	1.60	1104.42
310E	HONEYGROVE	45	0.03	38	0.23	3	0.10	100	5	3	30	400	500	0.43	13.12	6.77	4.00	2 13.55
310F	HONEYGROVE	40	0.03	38	0.23	3	0.10	100	5	30	60	200	300	8.30	21.73	15.02	4.00	1 30.03
310E	PEAVINE	30	0.03	38	0.38	3	0.28	100	3	3	30	400	500	0.43	13.12	6.77	0.86	2 63.23
310F	PEAVINE	35	0.03	38	0.38	3	0.28	100	3	30	60	200	300	8.30	21.73	15.02	0.86	1140.14
311E	PREACHER	50	0.03	48	0.36	3	0.17	100	4	3	30	400	500	0.43	13.12	6.77	1.88	2 28.79
311F	PREACHER	30	0.03	48	0.36	3	0.17	100	4	30	60	200	300	8.30	21.73	15.02	1.88	1 63.81
311G	BOHANNON	30	0.03	48	0.48	3	0.10	100	3	60	90	100	300	12.55	29.22	20.88	2.40	1 69.62
311E	BOHANNON	30	0.03	48	0.48	3	0.10	100	3	3	30	400	500	0.43	13.12	6.77	2.40	2 22.58
311F	BOHANNON	25	0.03	48	0.48	3	0.10	100	3	30	60	200	300	8.30	21.73	15.02	2.40	1 50.05
311G	PREACHER	25	0.03	48	0.36	3	0.17	100	4	60	75	100	300	12.55	26.03	19.29	1.88	1 81.98
311F	XANADU	25	0.03	0	0.00	3	0.10	100	5	30	60	200	300	8.30	21.73	15.02	4.00	1 30.03
311G	DAMEWOOD	25	0.03	0	0.00	3	0.20	100	3	60	90	100	300	12.55	29.22	20.88	1.20	1139.23
313F	PREACHER	30	0.03	48	0.36	3	0.17	100	4	30	70	200	300	8.30	24.73	16.52	1.88	1 70.19
313F	BOHANNON	25	0.03	48	0.48	3	0.10	100	3	30	70	200	300	8.30	24.73	16.52	2.40	1 55.05
313F	BLACHLY	25	0.03	38	0.23	3	0.17	100	5	30	70	200	300	8.30	24.73	16.52	2.35	1 56.15
314E	PREACHER	50	0.03	48	0.36	3	0.17	100	4	12	30	250	500	2.75	13.12	7.93	1.88	1 33.72
314E	BLACHLY	35	0.03	38	0.23	3	0.17	100	5	12	30	250	500	2.75	13.12	7.93	2.35	1 26.98
316E	BLACHLY	100	0.03	38	0.23	3	0.17	100	5	3	30	400	500	0.43	13.12	6.77	2.35	2 23.04
316F	BLACHLY	100	0.03	38	0.23	3	0.17	100	5	30	60	200	300	8.30	21.73	15.02	2.35	1 51.05
322E	SVENSEN	100	0.03	48	0.36	3	0.28	100	4	3	30	400	500	0.43	13.12	6.77	1.14	2 47.42
322F	SVENSEN	100	0.03	48	0.36	3	0.28	100	4	30	60	200	300	8.30	21.73	15.02	1.14	1105.10
325E	ORFORD	100	0.03	48	0.29	3	0.24	100	5	3	30	400	500	0.43	13.12	6.77	1.67	2 32.52
325F	ORFORD	100	0.03	48	0.29	3	0.24	100	5	30	60	200	300	8.30	21.73	15.02	1.67	1 72.07
327E	ORFORD	100	0.03	38	0.23	3	0.10	75	5	3	30	400	500	0.43	13.12	6.77	5.33	2 10.16
327F	ORFORD	100	0.03	38	0.23	3	0.10	75	5	30	60	200	300	8.30	21.73	15.02	5.33	1 22.52
328F	ORFORD	55	0.03	38	0.23	3	0.10	75	5	30	60	200	300	8.30	21.73	15.02	5.33	1 22.52
328F	GUSTIN	30	0.03	38	0.57	3	0.24	75	2	30	45	200	300	8.30	16.33	12.31	0.89	1110.83
333E	TAHKENITCH VARIANT	100	0.03	56	0.42	3	0.17	100	4	3	30	400	500	0.43	13.12	6.77	1.88	2 28.79

333F	TAHKENITCH VARIANT	100	0.03	56	0.42	3	0.17	100	4	30	75	200	300	8.30	26.03	17.16	1.88	1 72.95
334E	TAHKENITCH	100	0.03	86	0.64	3	0.17	100	4	3	30	400	500	0.43	13.12	6.77	1.88	2 28.79
335E	PREACHER	100	0.03	48	0.36	3	0.17	100	4	0	30	400	500	0.09	13.12	6.60	1.88	2 28.07
335F	PREACHER	100	0.03	48	0.36	3	0.17	100	4	30	50	200	300	8.30	18.24	13.27	1.88	1 56.40
335G	PREACHER	100	0.03	48	0.36	3	0.17	100	4	50	75	100	300	10.53	26.03	18.28	1.88	1 77.69
345E	HONEYGROVE	55	0.03	38	0.23	3	0.10	75	5	3	30	400	500	0.43	13.12	6.77	5.33	2 10.16
345F	SHIVIGNY	45	0.03	0	0.00	3	0.15	75	5	30	60	200	300	8.30	21.73	15.02	3.56	1 33.78
345E	SHIVIGNY	35	0.03	0	0.00	3	0.15	75	5	3	30	400	500	0.43	13.12	6.77	3.56	2 15.24
345F	HONEYGROVE	30	0.03	38	0.23	3	0.10	75	5	30	60	200	300	8.30	21.73	15.02	5.33	1 22.52
370E	FERNHAVEN	100	0.03	48	0.36	3	0.20	100	4	3	30	400	500	0.43	13.12	6.77	1.60	2 33.88
370F	FERNHAVEN	100	0.03	48	0.36	3	0.20	100	4	30	50	200	300	8.30	18.24	13.27	1.60	1 66.35
370G	FERNHAVEN	100	0.03	48	0.36	3	0.20	100	4	50	75	100	300	10.53	26.03	18.28	1.60	1 91.40
375E	FERNHAVEN	40	0.03	48	0.36	3	0.20	100	4	3	30	400	500	0.43	13.12	6.77	1.60	2 33.88
375F	FERNHAVEN	40	0.03	48	0.36	3	0.20	100	4	30	60	200	300	8.30	21.73	15.02	1.60	1 75.08
375E	DIGGER	30	0.03	0	0.00	3	0.10	100	3	3	30	400	500	0.43	13.12	6.78	2.40	2 22.59
375F	DIGGER	30	0.03	0	0.00	3	0.10	100	3	30	60	200	300	8.30	21.73	15.02	2.40	1 50.05
376G	DIGGER	40	0.03	0	0.00	3	0.10	100	3	60	90	100	300	12.55	29.22	20.88	2.40	1 69.62
376G	PREACHER	30	0.03	48	0.36	3	0.17	100	4	60	75	100	300	12.55	26.03	19.29	1.88	1 81.98
377E	XANADU	100	0.03	0	0.00	3	0.10	100	5	3	30	400	500	0.43	13.12	6.77	4.00	2 13.55
377F	XANADU	100	0.03	0	0.00	3	0.10	100	5	30	60	200	300	8.30	21.73	15.02	4.00	1 30.03
437F	DIGGER	30	0.03	48	0.48	3	0.15	100	3	30	60	200	300	8.30	21.73	15.02	1.60	1 75.08
437G	DIGGER	30	0.03	48	0.48	3	0.15	100	3	60	90	100	300	12.55	29.22	20.88	1.60	1104.42
437F	UMPCOOS	25	0.03	0	0.00	3	0.10	100	1	30	60	200	300	8.30	21.73	15.02	0.80	1150.15
437G	UMPCOOS	25	0.03	0	0.00	3	0.10	100	1	60	90	100	300	12.55	29.22	20.88	0.80	1208.85
437F	ROCK OUTCROP	25	0.03	0	0.00	3	0.02	100	1	30	60	200	300	8.30	21.73	15.02	4.00	1 30.03
437G	ROCK OUTCROP	25	0.03	0	0.00	3	0.02	100	1	60	90	100	300	12.55	29.22	20.88	4.00	1 41.77
439F	UMPCOOS	30	0.03	0	0.00	3	0.10	100	1	30	60	200	300	8.30	21.73	15.02	0.80	1150.15
439G	UMPCOOS	30	0.03	0	0.00	3	0.10	100	1	60	90	100	300	12.55	29.22	20.88	0.80	1208.85
439F	ROCK OUTCROP	30	0.03	0	0.00	3	0.02	100	1	30	60	200	300	8.30	21.73	15.02	4.00	1 30.03
439G	ROCK OUTCROP	30	0.03	0	0.00	3	0.02	100	1	60	90	100	300	12.55	29.22	20.88	4.00	1 41.77
439F	DAMEWOOD	20	0.03	0	0.00	3	0.20	100	3	30	60	200	300	8.30	21.73	15.02	1.20	1100.10
439G	DAMEWOOD	20	0.03	0	0.00	3	0.20	100	3	60	90	100	300	12.55	29.22	20.88	1.20	1139.23
452E	SALANDER	100	0.03	56	0.34	3	0.28	100	5	12	30	250	500	2.75	13.12	7.93	1.43	1 44.44
452F	SALANDER	100	0.03	56	0.34	3	0.28	100	5	30	60	200	300	8.30	21.73	15.02	1.43	1 84.08
456F	TEMPLETON	40	0.03	48	0.29	3	0.32	100	5	30	50	200	300	8.30	18.24	13.27	1.25	1 84.93
456G	TEMPLETON	25	0.03	48	0.29	3	0.32	100	5	50	75	100	300	10.53	26.03	18.28	1.25	1116.99
456F	MILLICOMA	30	0.03	48	0.48	3	0.20	100	3	30	50	200	300	8.30	18.24	13.27	1.20	1 88.47

456G	MILLICOMA	60	0.03	48	0.48	3	0.20	100	3	50	75	100	300	10.53	26.03	18.28	1.20	1121.87
463F	KLICKITAT	100	0.03	0	0.00	3	0.05	100	5	30	60	200	300	8.30	21.73	15.02	8.00	1 15.02
464G	KLICKITAT	55	0.03	0	0.00	3	0.05	100	5	60	90	100	300	12.55	29.22	20.88	8.00	1 20.88
464G	HARRINGTON	35	0.03	0	0.00	3	0.20	100	3	60	90	100	300	12.55	29.22	20.88	1.20	1139.23
465F	LADERLY	100	0.03	0	0.00	3	0.20	100	2	30	60	200	300	8.30	21.73	15.02	0.80	1150.15
465G	LADERLY	45	0.03	0	0.00	3	0.20	100	2	60	90	100	300	12.55	29.22	20.88	0.80	1208.85
465G	LADERLY VARIANT	25	0.03	0	0.00	3	0.17	100	1	60	90	100	300	12.55	29.22	20.88	0.47	1355.04
466E	KLICKITAT	100	0.03	0	0.00	3	0.05	75	5	3	30	400	500	0.43	13.12	6.77	10.67	2 5.08
467E	CRUISER VARIANT	100	0.03	86	1.29	3	0.17	100	2	3	30	400	500	0.43	13.12	6.77	0.94	2 57.59
467F	CRUISER VARIANT	100	0.03	86	1.29	3	0.17	100	2	30	60	200	300	8.30	21.73	15.02	0.94	1127.63
468E	HEMCROSS	45	0.03	48	0.29	3	0.32	100	5	3	30	400	500	0.43	13.12	6.77	1.25	2 43.36
468F	KLISTAN	45	0.03	48	0.29	3	0.24	100	5	30	60	200	300	8.30	21.73	15.02	1.67	1 72.07
468E	KLISTAN	25	0.03	48	0.29	3	0.24	100	5	3	30	400	500	0.43	13.12	6.77	1.67	2 32.52
468F	HEMCROSS	25	0.03	48	0.29	3	0.32	100	5	30	60	200	300	8.30	21.73	15.02	1.25	1 96.10
469G	KLISTAN	40	0.03	48	0.29	3	0.24	100	5	60	90	100	300	12.55	29.22	20.88	1.67	1100.25
469G	HARSLOW	30	0.03	0	0.00	3	0.24	100	3	60	90	100	300	12.55	29.22	20.88	1.00	1167.08
500A	FOEHLIN	100	0.03	38	0.23	3	0.20	40	5	0	3	400	900	0.09	0.55	0.32	5.00	3 0.51
500B	FOEHLIN	100	0.03	38	0.23	3	0.20	40	5	3	12	400	600	0.43	4.27	2.35	5.00	3 3.76
501C	BANNING	100	0.03	48	0.29	3	0.24	55	5	3	12	400	600	0.43	4.27	2.35	3.03	2 6.20
501D	BANNING	100	0.03	48	0.29	3	0.24	55	5	12	20	250	550	2.75	8.16	5.46	3.03	2 14.40
502F	ZING	100	0.03	48	0.29	3	0.24	55	5	30	45	200	300	8.30	16.33	12.31	3.03	1 32.51
515E	PEEL	100	0.03	48	0.48	3	0.20	55	3	3	30	400	500	0.43	13.12	6.77	2.18	2 24.84
516E	PEARSOLL	100	0.03	0	0.00	3	0.20	55	1	3	30	400	500	0.43	13.12	6.77	0.73	2 74.52
516F	PEARSOLL	100	0.03	0	0.00	3	0.20	55	1	30	70	200	300	8.30	24.73	16.52	0.73	1181.66
517F	BUCKSHOT	100	0.03	86	0.64	3	0.24	75	4	30	60	200	300	8.30	21.73	15.02	1.78	1 67.57
520F	TISHAR	30	0.03	38	0.28	3	0.24	75	4	30	60	200	300	8.30	21.73	15.02	1.78	1 67.57
525F	BUCKSHOT	100	0.03	86	0.64	3	0.24	75	4	30	70	200	300	8.30	24.73	16.52	1.78	1 74.32
527G	BUCKSHOT	100	0.03	86	0.64	3	0.24	75	4	60	90	100	300	12.55	29.22	20.88	1.78	1 93.98
551E	ZING	100	0.03	48	0.29	3	0.24	55	5	0	30	400	500	0.09	13.12	6.60	3.03	2 17.44
551F	ZING	60	0.03	48	0.29	3	0.24	55	5	30	45	200	300	8.30	16.33	12.31	3.03	1 32.51
552E	LETTIA	100	0.03	56	0.42	3	0.24	55	4	3	30	400	500	0.43	13.12	6.77	2.42	2 22.36
552F	LETTIA	100	0.03	56	0.42	3	0.24	55	4	30	70	200	300	8.30	24.73	16.52	2.42	1 54.50
553F	LETTIA	100	0.03	56	0.42	3	0.24	55	4	30	70	200	300	8.30	24.73	16.52	2.42	1 54.50
553F	TISHAR	100	0.03	38	0.28	3	0.24	55	4	30	70	200	300	8.30	24.73	16.52	2.42	1 54.50
554E	ZING	100	0.03	48	0.29	3	0.24	55	5	3	30	400	500	0.43	13.12	6.77	3.03	2 17.88
554F	LETTIA	100	0.03	56	0.42	3	0.24	55	4	30	60	200	300	8.30	21.73	15.02	2.42	1 49.55
554E	LETTIA	100	0.03	56	0.42	3	0.24	55	4	3	30	400	500	0.43	13.12	6.77	2.42	2 22.36

554F	ZING	100	0.03	48	0.29	3	0.24	55	5	30	45	200	300	8.30	16.33	12.31	3.03	1 32.51
555E	ORFORD	40	0.03	48	0.36	3	0.32	100	4	3	30	400	500	0.43	13.12	6.77	1.00	2 54.20
555F	MCDUFF	35	0.03	38	0.38	3	0.24	100	3	30	60	200	300	8.30	21.73	15.02	1.00	1120.12
555E	HONEYGROVE	25	0.03	38	0.23	3	0.10	100	5	3	30	400	500	0.43	13.12	6.77	4.00	2 13.55
555F	ORFORD	25	0.03	48	0.36	3	0.32	100	4	30	60	200	300	8.30	21.73	15.02	1.00	1120.12
555E	MCDUFF	20	0.03	38	0.38	3	0.24	100	3	3	30	400	500	0.43	13.12	6.77	1.00	2 54.20
555F	HONEYGROVE	20	0.03	38	0.23	3	0.10	100	5	30	60	200	300	8.30	21.73	15.02	4.00	1 30.03
556E	ORFORD	40	0.03	48	0.36	3	0.32	100	4	3	30	400	500	0.43	13.12	6.77	1.00	2 54.20
556F	MCDUFF	35	0.03	38	0.38	3	0.24	100	3	30	60	200	300	8.30	21.73	15.02	1.00	1120.12
556E	BLACHLY	25	0.03	38	0.23	3	0.17	100	5	3	30	400	500	0.43	13.12	6.77	2.35	2 23.04
556F	ORFORD	25	0.03	48	0.36	3	0.32	100	4	30	60	200	300	8.30	21.73	15.02	1.00	1120.12
556E	MCDUFF	20	0.03	38	0.38	3	0.24	100	3	3	30	400	500	0.43	13.12	6.77	1.00	2 54.20
556F	BLACHLY	20	0.03	38	0.23	3	0.17	100	5	30	60	200	300	8.30	21.73	15.02	2.35	1 51.05
557F	LETTIA	100	0.03	56	0.42	3	0.24	100	4	40	60	200	300	11.70	21.73	16.71	1.33	1100.29
558E	HONEYGROVE	100	0.03	38	0.23	3	0.10	75	5	3	30	400	500	0.43	21.73	11.08	5.33	2 16.62
558F	HONEYGROVE	100	0.03	38	0.23	3	0.10	75	5	30	60	200	300	8.30	13.12	10.71	5.33	1 16.06
558E	GUSTIN	100	0.03	38	0.57	3	0.24	75	2	3	30	400	500	0.43	21.73	11.08	0.89	2 99.72
558F	SHIVIGNY	100	0.03	0	0.00	3	0.15	75	5	30	60	200	300	8.30	16.33	12.31	3.56	1 27.71
558F	GUSTIN	100	0.03	38	0.57	3	0.24	75	2	30	45	200	300	8.30	8.16	8.23	0.89	1 74.07
568D	ZING	100	0.03	48	0.29	3	0.24	55	5	2	20	400	550	0.30	13.12	6.71	3.03	2 17.71
581E	THISTLEBURN	100	0.03	38	0.23	3	0.24	75	5	3	30	400	500	0.43	13.12	6.77	2.22	2 24.39
582E	THISTLEBURN	35	0.03	38	0.23	3	0.24	75	5	3	30	400	500	0.43	21.73	11.08	2.22	2 39.89
582F	THISTLEBURN	30	0.03	38	0.23	3	0.24	75	5	30	60	200	300	8.30	13.12	10.71	2.22	1 38.56
582E	ILLAHEE	30	0.03	0	0.00	3	0.10	75	5	3	30	400	500	0.43	21.73	11.08	5.33	2 16.62
582F	ILLAHEE	40	0.03	0	0.00	3	0.10	75	5	30	60	200	300	8.30	13.12	10.71	5.33	1 16.06
582E	TELEMON	20	0.03	38	0.57	3	0.20	75	2	3	30	400	500	0.43	21.73	11.08	1.07	2 83.10
582F	TELEMON	15	0.03	38	0.57	3	0.20	75	2	30	60	200	300	8.30	21.73	15.02	1.07	1112.61
610F	RUCH	100	0.03	56	0.34	3	0.24	55	5	30	60	200	300	8.30	21.73	15.02	3.03	1 39.64
610F	VANNOY	100	0.03	56	0.56	3	0.24	55	3	30	60	200	300	8.30	8.16	8.23	1.82	1 36.21
680D	VANNOY	100	0.03	56	0.56	3	0.24	55	3	2	20	400	550	0.30	13.12	6.71	1.82	2 29.52
680E	VANNOY	100	0.03	56	0.56	3	0.24	55	3	20	30	250	500	5.50	21.73	13.62	1.82	1 59.90
680F	VANNOY	100	0.03	56	0.56	3	0.24	55	3	30	60	200	300	8.30	4.27	6.28	1.82	1 27.65
682C	RUCH	100	0.03	56	0.34	3	0.24	55	5	3	12	400	600	0.43	13.12	6.77	3.03	2 17.88
682E	RUCH	100	0.03	56	0.34	3	0.24	55	5	12	30	250	500	2.75	21.73	12.24	3.03	2 32.31
682F	RUCH	100	0.03	56	0.34	3	0.24	55	5	30	60	200	300	8.30	13.12	10.71	3.03	1 28.27
688E	VANNOY	100	0.03	56	0.56	3	0.24	55	3	3	30	400	500	0.43	21.73	11.08	1.82	2 48.75
688F	VANNOY	100	0.03	56	0.56	3	0.24	55	3	30	60	200	300	8.30	13.12	10.71	1.82	1 47.12

688E	MCMULLIN	100	0.03	48	1.44	3	0.20	55	1	3	30	400	500	0.43	13.12	6.77	0.73	2 74.52
688F	MCMULLIN	100	0.03	48	1.44	3	0.20	55	1	30	60	200	300	8.30	21.73	15.02	0.73	1165.16
900E	LEMPIRA	100	0.03	38	0.23	3	0.20	75	5	3	30	400	500	0.43	13.12	6.77	2.67	2 20.32
900F	LEMPIRA	55	0.03	38	0.23	3	0.20	75	5	30	60	200	300	8.30	21.73	15.02	2.67	1 45.04
900G	ILLAHEE	50	0.03	0	0.00	3	0.10	75	5	60	90	100	300	12.55	29.22	20.88	5.33	1 31.33
900F	ILLAHEE	35	0.03	0	0.00	3	0.10	75	5	30	60	200	300	8.30	21.73	15.02	5.33	1 22.52
900G	ROCK OUTCROP	25	0.03	0	0.00	3	0.02	75	1	60	90	100	300	12.55	29.22	20.88	5.33	1 31.33
901F	ILLAHEE	60	0.03	0	0.00	3	0.10	75	5	30	60	200	300	8.30	21.73	15.02	5.33	1 22.52
901G	ILLAHEE	55	0.03	0	0.00	3	0.10	75	5	60	90	100	300	12.55	29.22	20.88	5.33	1 31.33
901F	MELLOWMOON	30	0.03	48	0.29	3	0.15	75	5	30	60	200	300	8.30	21.73	15.02	3.56	1 33.78
901G	SCAREDMAN	30	0.03	56	0.84	3	0.05	75	2	60	90	100	300	12.55	29.22	20.88	4.27	1 39.16