


# South Carolina Longleaf Initiative Darlington County




Updated February 2012



## Legend

### Tiers

-  **1** Highly Suitable
-  **2** Moderately Suitable
-  **3** Slightly Suitable
-  **4** Unsuitable
-  Open Water



1:325,000



Map Unit Symbol	Map Unit Name	Tier
AeD	Ailey sand, 10 to 15 percent slopes	1
AeC	Ailey sand, 6 to 10 percent slopes	1
AaB	Ailey sand, moderately wet, 0 to 6 percent slopes	1
ApB	Alpin sand, 0 to 6 percent slopes	1
ApD	Alpin sand, 10 to 15 percent slopes	1
ApC	Alpin sand, 6 to 10 percent slopes	1
AuB	Autryville sand, 0 to 4 percent slopes	1
BfA	Bibb sandy loam, 0 to 2 percent slopes, frequently flooded	4
BnB	Blanton sand, 0 to 6 percent slopes	1
BoB	Bonneau sand, 0 to 6 percent slopes	1
CaB	Candor sand, 0 to 6 percent slopes	1
CaD	Candor sand, 10 to 15 percent slopes	1
CaC	Candor sand, 6 to 10 percent slopes	1
CeA	Chastain-Chewacla complex, 0 to 2 percent slopes, frequently flooded	4
CkA	Chewacla clay loam, 0 to 2 percent slopes, frequently flooded	4
CmA	Chewacla-Chastain complex, 0 to 2 percent slopes, frequently flooded	4
CoD	Cowarts-Vaucluse complex, 15 to 25 percent slopes	1
CoE	Cowarts-Vaucluse complex, 15 to 25 percent slopes	1
CoC	Cowarts-Vaucluse complex, 6 to 10 percent slopes	1
CxA	Coxville sandy loam, 0 to 2 percent slopes	3
DpA	Dorovan and Ponzer soils, 0 to 2 percent slopes, frequently flooded	4
EmB	Emporia loamy sand, 2 to 6 percent slopes	1
EmC	Emporia loamy sand, 6 to 10 percent slopes	1
EuA	Eunola loamy sand, 0 to 2 percent slopes	2
FaA	Faceville loamy sand, 0 to 2 percent slopes	1
FaB	Faceville loamy sand, 2 to 6 percent slopes	1
FcB2	Faceville sandy clay loam, 2 to 6 percent slopes, eroded	2
FxB	Foxworth sand, 0 to 6 percent slopes	1
GoA	Goldsboro sandy loam, 0 to 2 percent slopes	2
HnA	Hornsville loam, 0 to 2 percent slopes	2
HnB	Hornsville loam, 2 to 6 percent slopes	2
JnA	Johns loamy sand, 0 to 2 percent slopes, rarely flooded	3
JoA	Johnston sandy loam, 0 to 2 percent slopes, frequently flooded	4
KeB	Kenansville sand, 0 to 4 percent slopes	1
LaB	Lakeland sand, 0 to 6 percent slopes	1
LaC	Lakeland sand, 6 to 10 percent slopes	1
LeA	Leon sand, 0 to 2 percent slopes	3
LuB	Lucy sand, 0 to 4 percent slopes	1
LmA	Lumbee sandy loam, 0 to 2 percent slopes	3
LyA	Lynchburg sandy loam, 0 to 2 percent slopes	3
NbB2	Nankin sandy clay loam, 2 to 6 percent slopes, eroded	2
NbC2	Nankin sandy clay loam, 6 to 10 percent slopes, eroded	2
NcA	Noboco loamy sand, 0 to 2 percent slopes	1
NcB	Noboco loamy sand, 2 to 6 percent slopes	1
NoA	Norfolk loamy sand, 0 to 2 percent slopes	1
NoB	Norfolk loamy sand, 2 to 6 percent slopes	1

*Tier values reflect undrained conditions; if site is drained move up 1 tier (e.g., Tier 4 to Tier 3)*

Map Unit Symbol	Map Unit Name	Tier
OrA	Orangeburg loamy sand, 0 to 2 percent slopes	1
PaA	Pamlico muck, 0 to 2 percent slopes, frequently flooded	4
PnA	Pelion loamy sand, 0 to 2 percent slopes	2
PnB	Pelion loamy sand, 2 to 6 percent slopes	2
PrA	Persanti loam, 0 to 2 percent slopes	2
RaA	Rains sandy loam, 0 to 2 percent slopes	3
RvA	Riverview silt loam, 0 to 2 percent slopes, frequently flooded	4
SmA	Smithboro silt loam, 0 to 2 percent slopes	3
TbB	Tarboro sand, 0 to 6 percent slopes, rarely flooded	1
TrB	Troup sand, 0 to 6 percent slopes	1
TrC	Troup sand, 6 to 10 percent slopes	1
UcB	Uchee sand, 0 to 6 percent slopes	1
UcC	Uchee sand, 6 to 10 percent slopes	1
UdC	Udorthents, loamy, 0 to 10 percent slopes	4
Ur	Urban land	4
VaB	Vaucluse loamy sand, 2 to 6 percent slopes	1
VaC	Vaucluse loamy sand, 6 to 10 percent slopes	1
WaB	Wagram sand, 0 to 6 percent slopes	1
WcA	Wehadkee-Chastain complex, 0 to 2 percent slopes, frequently flooded	4
WkA	Wickham fine sandy loam, 0 to 2 percent slopes, rarely flooded	1
WkB	Wickham sandy loam, 2 to 6 percent slopes, rarely flooded	1

*Tier values reflect undrained conditions; if site is drained move up 1 tier (e.g., Tier 4 to Tier 3)*