

## Field Office Technical Guide Soils Information (SC)

Greenwood County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>AmB Alamance silt loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Alamance	85	2-6	All areas are prime farmland	Highly erodible land	Well drained	No	B	2e	4	.43
<i>ApB Appling loamy sand, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Appling	85	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>ApC Appling loamy sand, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Appling	85	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>Ca Cartecay and Toccoa soils</i>				136 Southern Piedmont						
Cartecay	45	0-2	Prime farmland if drained and eith	Not highly erodible land	Somewhat poorly drained	No	C	3w	5	.24
Toccoa	40	0-2	Prime farmland if drained and eith	Not highly erodible land	Moderately well drained	No	B	2w	4	.10
<i>CbB Cataula sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Cataula	85	2-6	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	3	.28
<i>CbC Cataula sandy loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Cataula	85	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
<i>CcB2 Cataula sandy clay loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Cataula	85	2-6	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.32
<i>CcC2 Cataula sandy clay loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Cataula	85	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.32
<i>CdB Cecil sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Cecil	85	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>CdC Cecil sandy loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Cecil	85	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>CdD Cecil sandy loam, 10 to 15 percent slopes</i>				136 Southern Piedmont						
Cecil	85	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>CeB2 Cecil sandy clay loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	85	2-6	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	B	3e	3	.28

## Field Office Technical Guide Soils Information (SC)

Greenwood County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>CeC2 Cecil sandy clay loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	85	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
<i>CmB Cecil-Urban land complex, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Cecil	45	2-6	Not prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
Urban land	40	2-6	Not prime farmland	Potentially highly erodible land		Unranked		8s		
<i>Cn Chewacla loam</i>				136 Southern Piedmont						
Chewacla	85	0-2	Prime farmland if protected from fl	Not highly erodible land	Somewhat poorly drained	No	C	3w	5	.28
<i>CoB Coronaca sandy clay loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Coronaca	85	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.24
<i>CoC Coronaca sandy clay loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Coronaca	85	6-10	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	B	3e	5	.24
<i>DaB Davidson sandy clay loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Davidson	85	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	3e	5	.28
<i>DaC Davidson sandy clay loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Davidson	85	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	4e	5	.28
<i>DuB Durham loamy sand, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Durham	85	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.17
<i>EnB Enon sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Enon	85	2-6	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	C	3e	3	.28
<i>EnC Enon sandy loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Enon	85	6-10	Not prime farmland	Highly erodible land	Well drained	No	C	4e	3	.28
<i>EnD Enon sandy loam, 10 to 15 percent slopes</i>				136 Southern Piedmont						
Enon	85	10-15	Not prime farmland	Highly erodible land	Well drained	No	C	4e	3	.28
<i>GaB Georgeville silt loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Georgeville	85	2-6	All areas are prime farmland	Highly erodible land	Well drained	No	B	2e	4	.49

## Field Office Technical Guide Soils Information (SC)

Greenwood County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>GaC Georgeville silt loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Georgeville	85	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.49
<i>GeB2 Georgeville silty clay loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Georgeville	85	2-6	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.49
<i>GeC2 Georgeville silty clay loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Georgeville	85	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.49
<i>GoD Goldston slaty silt loam, 6 to 15 percent slopes</i>				136 Southern Piedmont						
Goldston	85	6-15	Not prime farmland	Highly erodible land	Excessively drained	No	C	4s	1	.32
<i>GoF Goldston slaty silt loam, 15 to 40 percent slopes</i>				136 Southern Piedmont						
Goldston	85	15-40	Not prime farmland	Highly erodible land	Excessively drained	No	C	7s	1	.32
<i>HeB Helena loamy sand, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Helena	85	2-6	All areas are prime farmland	Potentially highly erodible land	Moderately well drained	No	C	2e	4	.15
<i>HeC Helena loamy sand, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Helena	85	2-6	Farmland of statewide importance	Potentially highly erodible land	Moderately well drained	No	C	2e	4	.15
<i>HrB Herndon silt loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Herndon	85	2-6	All areas are prime farmland	Highly erodible land	Well drained	No	B	2e	5	.43
<i>HrC Herndon silt loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Herndon	85	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	5	.43
<i>HwB Hiwassee sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Hiwassee	85	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.28
<i>HwC Hiwassee sandy loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Hiwassee	85	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	5	.28
<i>HwD Hiwassee sandy loam, 10 to 15 percent slopes</i>				136 Southern Piedmont						
Hiwassee	85	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.28

## Field Office Technical Guide Soils Information (SC)

Greenwood County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>HyB2 Hiwassee sandy clay loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Hiwassee	85	2-6	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	B	3e	5	.28
<i>HyC2 Hiwassee sandy clay loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Hiwassee	85	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.28
<i>leA Iredell sandy loam, 0 to 2 percent slopes</i>				136 Southern Piedmont						
Iredell	85	0-2	Farmland of statewide importance	Potentially highly erodible land	Somewhat poorly drained	No	C/D	2e	3	.28
<i>leB Iredell sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Iredell	85	2-6	Farmland of statewide importance	Potentially highly erodible land	Somewhat poorly drained	No	C/D	2e	3	.28
<i>KaB Kirksey silt loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Kirksey	85	2-6	All areas are prime farmland	Highly erodible land	Moderately well drained	No	C	2e	3	.43
<i>KaC Kirksey silt loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Kirksey	85	6-10	Farmland of statewide importance	Highly erodible land	Moderately well drained	No	C	3e	3	.43
<i>LoC Louisburg loamy sand, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Louisburg	85	6-10	Not prime farmland	Potentially highly erodible land	Well drained	No	B	4e	3	.15
<i>LoE Louisburg loamy sand, 10 to 25 percent slopes</i>				136 Southern Piedmont						
Louisburg	85	10-25	Not prime farmland	Highly erodible land	Well drained	No	B	7e	3	.15
<i>MeB Mecklenburg sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Mecklenburg	85	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	C	2e	4	.24
<i>MeC Mecklenburg sandy loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Mecklenburg	85	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	C	3e	4	.24
<i>NaD Nason silt loam, 10 to 15 percent slopes</i>				136 Southern Piedmont						
Nason	85	10-15	Not prime farmland	Highly erodible land	Well drained	No	C	3e	4	.49
<i>PaF Pacolet sandy loam, 15 to 40 percent slopes</i>				136 Southern Piedmont						
Pacolet	85	15-40	Not prime farmland	Highly erodible land	Well drained	No	B	7e	3	.20

## Field Office Technical Guide Soils Information (SC)

Greenwood County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>PcD2</i> <i>Pacolet sandy clay loam, 10 to 15 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Pacolet	85	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	6e	2	.24
<i>TaD</i> <i>Tatum silt loam, 10 to 15 percent slopes</i>				136 <i>Southern Piedmont</i>						
Tatum	85	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	3e	4	.43
<i>TaE</i> <i>Tatum silt loam, 15 to 25 percent slopes</i>				136 <i>Southern Piedmont</i>						
Tatum	85	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.43
<i>We</i> <i>Wehadkee soils</i>				136 <i>Southern Piedmont</i>						
Wehadkee	85	0-2	Not prime farmland	Not highly erodible land	Poorly drained	Yes	D	4w	5	.32
<i>WkD</i> <i>Wilkes fine sandy loam, 6 to 15 percent slopes</i>				136 <i>Southern Piedmont</i>						
Wilkes	85	6-15	Not prime farmland	Highly erodible land	Well drained	No	C	6e	1	.24
<i>WkF</i> <i>Wilkes fine sandy loam, 15 to 40 percent slopes</i>				136 <i>Southern Piedmont</i>						
Wilkes	85	15-40	Not prime farmland	Highly erodible land	Well drained	No	C	7e	1	.24
<i>WoB</i> <i>Worsham loam, 1 to 4 percent slopes</i>				136 <i>Southern Piedmont</i>						
Worsham	85	1-4	Not prime farmland	Potentially highly erodible land	Poorly drained	Yes	D	4w	4	.43