

## Field Office Technical Guide Soils Information (SC)

Jasper County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>Aa Albany loamy fine sand, 0 to 2 percent slopes</i>				<i>153A Atlantic Coast Flatwoods</i>						
Albany	90	0-2	Farmland of statewide importance	Not highly erodible land	Moderately well drained	No	C	3w	5	.10
<i>AB Albany-Blanton association</i>				<i>153A Atlantic Coast Flatwoods</i>						
Albany	60	0-2	Farmland of statewide importance	Not highly erodible land	Moderately well drained	No	C	3w	5	.10
Blanton	25	0-2	Farmland of statewide importance	Not highly erodible land	Somewhat excessively drained	No	A	3s	5	.10
<i>AC Albany-Pelham-Ocilla association</i>				<i>153A Atlantic Coast Flatwoods</i>						
Albany	40	0-2	Farmland of statewide importance	Not highly erodible land	Moderately well drained	No	C	3w	5	.10
Ocilla	15	0-2	Farmland of statewide importance	Not highly erodible land	Moderately well drained	No	C	3w	5	.10
Pelham	15	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	B/D	3w	5	.10
<i>Ae Argent fine sandy loam</i>				<i>153B Tidewater Area</i>						
Argent	100	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	D	3w	5	.24
<i>Ag Argent clay loam</i>				<i>153B Tidewater Area</i>						
Argent	100	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	D	3w	5	.24
<i>AN Argent association</i>				<i>153B Tidewater Area</i>						
Argent	100	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	D	3w	5	.24
<i>AO Argent-Okeetee association</i>				<i>153B Tidewater Area</i>						
Argent	50	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	D	3w	5	.24
Okeetee	35	0-2	Farmland of statewide importance	Not highly erodible land	Somewhat poorly drained	No	D	3w	5	.24
<i>Ba Baratari fine sand</i>				<i>153B Tidewater Area</i>						
Leon	100	0-2	Not prime farmland	Not highly erodible land	Poorly drained	Yes	B/D	4w	5	.10
<i>Bb Bertie loamy fine sand</i>				<i>153B Tidewater Area</i>						
Yauhannah	100	0-2	All areas are prime farmland	Not highly erodible land	Moderately well drained	No	B	2w	5	.17
<i>BC Bertie-Coosaw-Tomotley association</i>				<i>153B Tidewater Area</i>						
Coosaw	20	0-2	Farmland of statewide importance	Not highly erodible land	Moderately well drained	No	B	3w	5	.10

## Field Office Technical Guide Soils Information (SC)

Jasper County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
Ogeechee	15	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	B/D	3w	5	.10
Yauhannah	50	0-2	Farmland of statewide importance	Not highly erodible land	Moderately well drained	No	B	2w	5	.17
<i>Bd Bladen fine sandy loam</i>				<i>153B Tidewater Area</i>						
Bladen	100	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	D	3w	5	.24
<i>BeB Blanton fine sand, 0 to 6 percent slopes</i>				<i>153A Atlantic Coast Flatwoods</i>						
Blanton	100	0-6	Farmland of statewide importance	Potentially highly erodible land	Somewhat excessively drained	No	A	3s	5	.10
<i>BeC Blanton fine sand, 6 to 10 percent slopes</i>				<i>153A Atlantic Coast Flatwoods</i>						
Blanton	100	0-6	Not prime farmland	Potentially highly erodible land	Somewhat excessively drained	No	A	3s	5	.10
<i>BK Bohicket association</i>				<i>153B Tidewater Area</i>						
Bohicket	100	0-1	Not prime farmland	Not highly erodible land	Very poorly drained	Yes	D	8w	5	.28
<i>BnA Bonneau loamy sand, 0 to 2 percent slopes</i>				<i>153A Atlantic Coast Flatwoods</i>						
Bonneau	100	0-2	Farmland of statewide importance	Not highly erodible land	Well drained	No	A	2s	5	.10
<i>Bp Borrow pits</i>				<i>153B Tidewater Area</i>						
Udorthents	100	0-6	Not prime farmland	Potentially highly erodible land	Moderately well drained	Unranked	B	4e	5	.28
<i>BR Buncombe association</i>				<i>153B Tidewater Area</i>						
Buncombe	100	0-2	Not prime farmland	Not highly erodible land	Excessively drained	No	A	3s	5	.10
<i>BS Buncombe-Santee association</i>				<i>153B Tidewater Area</i>						
Buncombe	50	0-2	Not prime farmland	Not highly erodible land	Excessively drained	No	A	3s	5	.10
Santee	30	0-2	Not prime farmland	Not highly erodible land	Very poorly drained	Yes	D	3w	4	.24
<i>Ca Cape Fear loam</i>				<i>153B Tidewater Area</i>						
Cape Fear	100	0-2	Farmland of statewide importance	Not highly erodible land	Very poorly drained	Yes	D	3w	5	.15
<i>CE Capers association</i>				<i>153B Tidewater Area</i>						
Capers	100	0-2	Not prime farmland	Not highly erodible land	Very poorly drained	Yes	D	8w	5	.28

## Field Office Technical Guide Soils Information (SC)

Jasper County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>ChA Chipley fine sand, 0 to 2 percent slopes</i>				<i>153A Atlantic Coast Flatwoods</i>						
Chipley	100	0-2	Not prime farmland	Not highly erodible land	Somewhat poorly drained	No	C	3s	5	.10
<i>CK Chipley-Pelham-Echaw association</i>				<i>153A Atlantic Coast Flatwoods</i>						
Chipley	55	0-2	Not prime farmland	Not highly erodible land	Somewhat poorly drained	No	C	3s	5	.10
Echaw	30	0-2	Not prime farmland	Not highly erodible land	Moderately well drained	No	A	3s	5	.10
<i>CmB Chisolm loamy fine sand, 0 to 6 percent slopes</i>				<i>153B Tidewater Area</i>						
Chisolm	100	0-6	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	A	2s	5	.15
<i>Co Coastal beaches</i>				<i>153B Tidewater Area</i>						
Beaches	100	1-5	Not prime farmland	Not highly erodible land	Well drained	Yes	D	8w	5	.05
<i>Cs Coosaw loamy fine sand</i>				<i>153B Tidewater Area</i>						
Coosaw	100	0-2	Farmland of statewide importance	Not highly erodible land	Moderately well drained	No	B	3w	5	.10
<i>Cx Coxville fine sandy loam</i>				<i>153A Atlantic Coast Flatwoods</i>						
Coxville	100	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	D	3w	5	.24
<i>De Deloss fine sandy loam</i>				<i>153B Tidewater Area</i>						
Hobcaw	100	0-2	Farmland of statewide importance	Not highly erodible land	Very poorly drained	Yes	D	3w	5	.17
<i>Ec Echaw loamy fine sand</i>				<i>153B Tidewater Area</i>						
Echaw	80	0-2	Not prime farmland	Not highly erodible land	Moderately well drained	No	A	3s	5	.10
<i>EdB Eddings fine sand, 0 to 6 percent slopes</i>				<i>153B Tidewater Area</i>						
Eddings	100	0-6	Not prime farmland	Potentially highly erodible land	Somewhat excessively drained	No	B	3s	5	.10
<i>Ee Eulonia fine sandy loam</i>				<i>153B Tidewater Area</i>						
Eulonia	100	0-2	All areas are prime farmland	Not highly erodible land	Moderately well drained	No	C	2w	5	.24
<i>EU Eulonia association</i>				<i>153B Tidewater Area</i>						
Eulonia	100	0-2	All areas are prime farmland	Not highly erodible land	Moderately well drained	No	C	2w	5	.24
<i>FA Fluvaquents and Udipsamments</i>				<i>153B Tidewater Area</i>						
Fluvaquents	75	0-2	Not prime farmland	Not highly erodible land	Very poorly drained	Yes	D	4w	5	.28

## Field Office Technical Guide Soils Information (SC)

Jasper County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
Udipsamments	25	0-2	Not prime farmland	Not highly erodible land	Moderately well drained	Unranked	A	6s	5	.15
<i>Fb Fripp-Baratari complex</i>				<i>153B Tidewater Area</i>						
Fripp	55	6-15	Not prime farmland	Not highly erodible land	Excessively drained	No	A	7s	5	.10
Leon	35	0-2	Not prime farmland	Not highly erodible land	Poorly drained	Yes	B/D	4w	5	.10
<i>GoA Goldsboro loamy fine sand, 0 to 2 percent slopes</i>				<i>153A Atlantic Coast Flatwoods</i>						
Goldsboro	100	0-2	All areas are prime farmland	Not highly erodible land	Moderately well drained	No	B	2w	5	.17
<i>HA Handsboro soils</i>				<i>153B Tidewater Area</i>						
Handsboro	100	0-1	Not prime farmland	Not highly erodible land	Very poorly drained	Yes	D	8w	5	.37
<i>HB Hobonny soil</i>				<i>153B Tidewater Area</i>						
Hobonny	100	0-2	Not prime farmland	Not highly erodible land	Very poorly drained	Yes	D	7w	5	.28
<i>LaB Lakeland fine sand, 0 to 6 percent slopes</i>				<i>153A Atlantic Coast Flatwoods</i>						
Lakeland	100	0-6	Not prime farmland	Not highly erodible land	Excessively drained	No	A	4s	5	.10
<i>LE Levy soils</i>				<i>153B Tidewater Area</i>						
Levy	100	0-1	Not prime farmland	Not highly erodible land	Very poorly drained	Yes	D	7w	5	.32
<i>Ln Lynchburg loamy fine sand</i>				<i>153A Atlantic Coast Flatwoods</i>						
Lynchburg	90	0-2	Prime farmland if drained	Not highly erodible land	Somewhat poorly drained	No	C	2w	5	.15
<i>Ly Lynn Haven fine sand</i>				<i>153B Tidewater Area</i>						
Lynn Haven	100	0-2	Not prime farmland	Not highly erodible land	Poorly drained	Yes	B/D	4w	5	.10
<i>Mu Murad fine sand</i>				<i>153B Tidewater Area</i>						
Murad	100	0-2	Farmland of statewide importance	Not highly erodible land	Somewhat poorly drained	No	B	3w	5	.10
<i>NeA Nemours fine sandy loam, 0 to 2 percent slopes</i>				<i>153B Tidewater Area</i>						
Nemours	100	0-2	All areas are prime farmland	Not highly erodible land	Moderately well drained	No	C	2w	5	.20
<i>NeB Nemours fine sandy loam, 2 to 6 percent slopes</i>				<i>153B Tidewater Area</i>						
Nemours	100	2-6	All areas are prime farmland	Potentially highly erodible land	Moderately well drained	No	C	2e	5	.20

## Field Office Technical Guide Soils Information (SC)

Jasper County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>NoA Norfolk loamy fine sand, 0 to 2 percent slopes</i>				<i>153A Atlantic Coast Flatwoods</i>						
Noboco	100	0-2	All areas are prime farmland	Not highly erodible land	Well drained	No	B	1	5	.10
<i>NoB Norfolk loamy fine sand, 2 to 6 percent slopes</i>				<i>153A Atlantic Coast Flatwoods</i>						
Noboco	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.10
<i>Oc Ocilla loamy fine sand</i>				<i>153A Atlantic Coast Flatwoods</i>						
Ocilla	100	0-2	Farmland of statewide importance	Not highly erodible land	Moderately well drained	No	C	3w	5	.10
<i>Oe Okeetee fine sandy loam</i>				<i>153B Tidewater Area</i>						
Okeetee	90	0-2	Farmland of statewide importance	Not highly erodible land	Somewhat poorly drained	No	D	3w	5	.24
<i>OK Okeetee-Eulonia association</i>				<i>153B Tidewater Area</i>						
Eulonia	25	0-2	Farmland of statewide importance	Not highly erodible land	Moderately well drained	No	C	2w	5	.24
Okeetee	60	0-2	Farmland of statewide importance	Not highly erodible land	Somewhat poorly drained	No	D	3w	5	.24
<i>On Onslow loamy fine sand</i>				<i>153B Tidewater Area</i>						
Yemassee	90	0-2	All areas are prime farmland	Not highly erodible land	Somewhat poorly drained	No	C	2w	5	.15
<i>Os Osier loamy sand</i>				<i>153B Tidewater Area</i>						
Osier	100	0-2	Not prime farmland	Not highly erodible land	Poorly drained	Yes	A/D	5w	5	.10
<i>Pa Paxville fine sandy loam</i>				<i>153A Atlantic Coast Flatwoods</i>						
Paxville	100	0-2	Farmland of statewide importance	Not highly erodible land	Very poorly drained	Yes	B/D	3w	5	.20
<i>PB Paxville association</i>				<i>153A Atlantic Coast Flatwoods</i>						
Paxville	100	0-2	Farmland of statewide importance	Not highly erodible land	Very poorly drained	Yes	B/D	3w	5	.20
<i>Pe Pelham loamy sand</i>				<i>153A Atlantic Coast Flatwoods</i>						
Pelham	100	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	B/D	3w	5	.10
<i>Pk Pickney loamy fine sand</i>				<i>153B Tidewater Area</i>						
Pickney	100	0-2	Not prime farmland	Not highly erodible land	Very poorly drained	Yes	A/D	6w	5	.10
<i>Po Polawana loamy fine sand</i>				<i>153B Tidewater Area</i>						
Pickney	100	0-2	Not prime farmland	Not highly erodible land	Very poorly drained	Yes	A/D	6w	5	.10

## Field Office Technical Guide Soils Information (SC)

Jasper County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>Ra Rains fine sandy loam</i>				<i>153A Atlantic Coast Flatwoods</i>						
Rains	100	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	B/D	3w	5	.15
<i>RB Rains association</i>				<i>153A Atlantic Coast Flatwoods</i>						
Rains	100	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	B/D	3w	5	.15
<i>RC Rains-Lynchburg association</i>				<i>153A Atlantic Coast Flatwoods</i>						
Lynchburg	25	0-2	Farmland of statewide importance	Not highly erodible land	Somewhat poorly drained	No	C	2w	5	.15
Rains	45	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	B/D	3w	5	.15
<i>Rd Ridgeland fine sand</i>				<i>153B Tidewater Area</i>						
Ridgeland	90	0-2	Not prime farmland	Not highly erodible land	Somewhat poorly drained	No	B/D	3w	5	.10
<i>Sa Santee fine sandy loam</i>				<i>153B Tidewater Area</i>						
Santee	100	0-2	Not prime farmland	Not highly erodible land	Very poorly drained	Yes	D	3w	4	.24
<i>SE Santee association</i>				<i>153B Tidewater Area</i>						
Santee	100	0-2	Not prime farmland	Not highly erodible land	Very poorly drained	Yes	D	3w	4	.24
<i>Sk Seabrook fine sand</i>				<i>153B Tidewater Area</i>						
Chipley	90	0-2	Not prime farmland	Not highly erodible land	Somewhat poorly drained	No	C	3s	5	.10
<i>Sw Seewee fine sand</i>				<i>153B Tidewater Area</i>						
Seewee	95	0-2	Not prime farmland	Not highly erodible land	Somewhat poorly drained	No	B	3w	5	.10
<i>TC Tawcaw-Chastain association</i>				<i>153A Atlantic Coast Flatwoods</i>						
Chastain	40	0-2	Not prime farmland	Not highly erodible land	Poorly drained	Yes	D	6w	5	.28
Tawcaw	55	0-2	Not prime farmland	Not highly erodible land	Somewhat poorly drained	Yes	C	6w	5	.32
<i>To Tomotley loamy fine sand</i>				<i>153B Tidewater Area</i>						
Ogeechee	100	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	B/D	3w	5	.10
<i>UL Udorthents, loamy</i>				<i>153B Tidewater Area</i>						
Udorthents	100	3-5	Not prime farmland	Potentially highly erodible land	Moderately well drained	No	B	4e	5	.28

## Field Office Technical Guide Soils Information (SC)

Jasper County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>Wa</i> <i>Wahee fine sandy loam</i>				<i>153B Tidewater Area</i>						
Wahee	90	0-2	Farmland of statewide importance	Not highly erodible land	Somewhat poorly drained	No	D	2w	5	.24
<i>Wd</i> <i>Wando fine sand, 0 to 6 percent slopes</i>				<i>153B Tidewater Area</i>						
Lakeland	95	0-6	Not prime farmland	Not highly erodible land	Excessively drained	No	A	4s	5	.10
<i>Wn</i> <i>Williman loamy fine sand</i>				<i>153B Tidewater Area</i>						
Williman	100	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	B/D	3w	5	.15
<i>Ye</i> <i>Yemassee loamy fine sand</i>				<i>153B Tidewater Area</i>						
Yemassee	90	0-2	Prime farmland if drained	Not highly erodible land	Somewhat poorly drained	No	C	2w	5	.15
<i>Yo</i> <i>Yonges loamy fine sand</i>				<i>153B Tidewater Area</i>						
Yonges	100	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	D	3w	5	.28
<i>YR</i> <i>Yonges-Argent association</i>				<i>153B Tidewater Area</i>						
Argent	30	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	D	3w	5	.24
Yonges	60	0-2	Farmland of statewide importance	Not highly erodible land	Poorly drained	Yes	D	3w	5	.28