

Field Office Technical Guide Soils Information (SC)

Oconee County Area, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>AdB2 Altavista sandy loam, 0 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Altavista	100	2-6	All areas are prime farmland	Potentially highly erodible land	Moderately well drained	No	C	2e	5	.24
<i>ApB Appling sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Appling	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>ApB2 Appling sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Appling	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>ApC2 Appling sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Appling	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>ApD2 Appling sandy loam, 10 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Appling	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>ApE Appling sandy loam, 15 to 30 percent slopes</i>				136 Southern Piedmont						
Rion	100	15-30	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.24
<i>AsF Ashe sandy loam, 25 to 50 percent slopes</i>				130 Blue Ridge						
Ashe	100	25-50	Not prime farmland	Highly erodible land	Somewhat excessively drained	No	B	7e	2	.24
<i>Bu Buncombe loamy sand</i>				136 Southern Piedmont						
Toccoa	100	0-2	Not prime farmland	Not highly erodible land	Moderately well drained	No	B	2w	4	.17
<i>CcB3 Cecil clay loam, 2 to 6 percent slopes, severely eroded</i>				136 Southern Piedmont						
Cecil	100	2-6	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	B	3e	3	.28
<i>CcC3 Cecil clay loam, 6 to 10 percent slopes, severely eroded</i>				136 Southern Piedmont						
Cecil	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
<i>CcD3 Cecil clay loam, 10 to 15 percent slopes, severely eroded</i>				136 Southern Piedmont						
Cecil	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
<i>CcE3 Cecil clay loam, 15 to 25 percent slopes, severely eroded</i>				136 Southern Piedmont						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	7e	2	.28

Field Office Technical Guide Soils Information (SC)

Oconee County Area, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>CdB Cecil sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Cecil	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>CdB2 Cecil sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>CdC Cecil sandy loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Cecil	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>CdC2 Cecil sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>CdD Cecil sandy loam, 10 to 15 percent slopes</i>				136 Southern Piedmont						
Cecil	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>CdD2 Cecil sandy loam, 10 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>CdE Cecil sandy loam, 15 to 25 percent slopes</i>				136 Southern Piedmont						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.28
<i>CdE2 Cecil sandy loam, 15 to 25 percent slopes, eroded</i>				136 Southern Piedmont						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.28
<i>CdF Cecil sandy loam, 25 to 35 percent slopes</i>				136 Southern Piedmont						
Pacolet	100	25-35	Not prime farmland	Highly erodible land	Well drained	No	B	7e	3	.28
<i>CdF2 Cecil sandy loam, 25 to 35 percent slopes, eroded</i>				136 Southern Piedmont						
Pacolet	100	25-35	Not prime farmland	Highly erodible land	Well drained	No	B	7e	3	.28
<i>Ch Chewacla silt loam</i>				136 Southern Piedmont						
Congaree	100	0-2	Prime farmland if drained and eith	Not highly erodible land	Moderately well drained	No	B	2w	5	.37
<i>Co Congaree fine sandy loam</i>				136 Southern Piedmont						
Congaree	100	0-2	Prime farmland if protected from fl	Not highly erodible land	Moderately well drained	No	B	2w	5	.32

Field Office Technical Guide Soils Information (SC)

Oconee County Area, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>Cs Congaree silt loam</i>				<i>136 Southern Piedmont</i>						
Congaree	100	0-2	Prime farmland if protected from fl	Not highly erodible land	Moderately well drained	No	B	2w	5	.37
<i>DaC2 Davidson loam, 2 to 10 percent slopes, eroded</i>				<i>136 Southern Piedmont</i>						
Davidson	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	5	.28
<i>Gh Gullied land, hilly</i>				<i>136 Southern Piedmont</i>						
Cecil	50	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.28
Pacolet	50	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	7e	2	.28
<i>Gr Gullied land, rolling</i>				<i>136 Southern Piedmont</i>						
Cecil	50	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
Pacolet	50	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	6e	2	.28
<i>HaB Halewood fine sandy loam, 2 to 6 percent slopes</i>				<i>130 Blue Ridge</i>						
Edneytown	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.20
<i>HaC2 Halewood fine sandy loam, 6 to 10 percent slopes, eroded</i>				<i>130 Blue Ridge</i>						
Edneytown	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	5	.20
<i>HaD Halewood fine sandy loam, 10 to 15 percent slopes</i>				<i>130 Blue Ridge</i>						
Edneytown	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.20
<i>HaD2 Halewood fine sandy loam, 10 to 15 percent slopes, eroded</i>				<i>130 Blue Ridge</i>						
Edneytown	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.20
<i>HaE Halewood fine sandy loam, 15 to 25 percent slopes</i>				<i>130 Blue Ridge</i>						
Edneytown	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	5	.20
<i>HaE2 Halewood fine sandy loam, 15 to 25 percent slopes, eroded</i>				<i>130 Blue Ridge</i>						
Edneytown	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	5	.20
<i>HaF Halewood fine sandy loam, 25 to 45 percent slopes</i>				<i>130 Blue Ridge</i>						
Edneytown	100	25-45	Not prime farmland	Highly erodible land	Well drained	No	B	7e	5	.20

Field Office Technical Guide Soils Information (SC)

Oconee County Area, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>HcB Hayesville and Cecil fine sandy loams, 2 to 6 percent slopes</i>				130 Blue Ridge						
Cecil	45	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
Hayesville	55	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.20
<i>HcC Hayesville and Cecil fine sandy loams, 6 to 10 percent slopes</i>				130 Blue Ridge						
Cecil	40	6-10	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	B	3e	4	.28
Hayesville	60	6-10	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	B	3e	5	.20
<i>HcC2 Hayesville and Cecil fine sandy loams, 6 to 10 percent slopes, eroded</i>				130 Blue Ridge						
Cecil	45	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
Hayesville	55	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	5	.20
<i>HcD Hayesville and Cecil fine sandy loams, 10 to 15 percent slopes</i>				130 Blue Ridge						
Cecil	40	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
Hayesville	60	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.20
<i>HcD2 Hayesville and Cecil fine sandy loams, 10 to 15 percent slopes, eroded</i>				130 Blue Ridge						
Cecil	45	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
Hayesville	55	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.20
<i>HcE Hayesville and Cecil fine sandy loams, 15 to 25 percent slopes</i>				130 Blue Ridge						
Cecil	45	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	4	.28
Hayesville	55	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	5	.20
<i>HcE2 Hayesville and Cecil fine sandy loams, 15 to 25 percent slopes, eroded</i>				130 Blue Ridge						
Cecil	45	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	4	.28
Hayesville	55	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	5	.20
<i>HcF Hayesville and Cecil fine sandy loams, 25 to 45 percent slopes</i>				130 Blue Ridge						
Cecil	45	20-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	4	.28
Hayesville	55	25-45	Not prime farmland	Highly erodible land	Well drained	No	B	7e	5	.20

Field Office Technical Guide Soils Information (SC)

Oconee County Area, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>HcF2</i> <i>Hayesville and Cecil fine sandy loams, 25 to 45 percent slopes, eroded</i>				<i>130 Blue Ridge</i>						
Cecil	45	20-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	4	.28
Hayesville	55	25-45	Not prime farmland	Highly erodible land	Well drained	No	B	7e	5	.20
<i>HdC3</i> <i>Hayesville and Cecil loams, 6 to 10 percent slopes, severely eroded</i>				<i>130 Blue Ridge</i>						
Cecil	45	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
Hayesville	55	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.20
<i>HdD3</i> <i>Hayesville and Cecil loams, 10 to 15 percent slopes, severely eroded</i>				<i>130 Blue Ridge</i>						
Cecil	45	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
Hayesville	55	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.20
<i>HdF3</i> <i>Hayesville and Cecil loams, 15 to 45 percent slopes, severely eroded</i>				<i>130 Blue Ridge</i>						
Cecil	45	20-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.28
Hayesville	55	15-45	Not prime farmland	Highly erodible land	Well drained	No	B	7e	5	.20
<i>HhE</i> <i>Hayesville, Cecil, and Halewood sandy loams, shallow, 15 to 25 percent slopes</i>				<i>130 Blue Ridge</i>						
Edneytown	25	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	5	.20
Hayesville	40	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	5	.20
Pacolet	35	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.28
<i>HhF</i> <i>Hayesville, Cecil, and Halewood sandy loams, shallow, 25 to 60 percent slopes</i>				<i>130 Blue Ridge</i>						
Edneytown	25	25-60	Not prime farmland	Highly erodible land	Well drained	No	B	7e	5	.20
Hayesville	40	25-60	Not prime farmland	Highly erodible land	Well drained	No	B	7e	5	.20
Pacolet	35	25-60	Not prime farmland	Highly erodible land	Well drained	No	B	7e	3	.28
<i>HmD3</i> <i>Hiwassee clay loam, 10 to 15 percent slopes, severely eroded</i>				<i>136 Southern Piedmont</i>						
Hiwassee	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.28
<i>HsB2</i> <i>Hiwassee sandy loam, 2 to 6 percent slopes, eroded</i>				<i>136 Southern Piedmont</i>						
Hiwassee	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.28

Field Office Technical Guide Soils Information (SC)

Oconee County Area, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>HsC2 Hiwassee sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>HsE2 Hiwassee sandy loam, 15 to 25 percent slopes, eroded</i>				136 Southern Piedmont						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.28
<i>LcB3 Lloyd clay loam, 2 to 6 percent slopes, severely eroded</i>				136 Southern Piedmont						
Hiwassee	100	2-6	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	B	3e	5	.28
<i>LcC3 Lloyd clay loam, 6 to 10 percent slopes, severely eroded</i>				136 Southern Piedmont						
Hiwassee	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.28
<i>LcD3 Lloyd clay loam, 10 to 15 percent slopes, severely eroded</i>				136 Southern Piedmont						
Cecil	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
<i>LcE3 Lloyd clay loam, 15 to 35 percent slopes, severely eroded</i>				136 Southern Piedmont						
Pacolet	100	15-35	Not prime farmland	Highly erodible land	Well drained	No	B	7e	2	.28
<i>LdB2 Lloyd sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Hiwassee	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.28
<i>LdC Lloyd sandy loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Hiwassee	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	5	.28
<i>LdC2 Lloyd sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Hiwassee	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	5	.28
<i>LdD2 Lloyd sandy loam, 10 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>LdE2 Lloyd sandy loam, 15 to 25 percent slopes, eroded</i>				136 Southern Piedmont						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.28
<i>LdF Lloyd sandy loam, 25 to 35 percent slopes</i>				136 Southern Piedmont						
Pacolet	100	25-35	Not prime farmland	Highly erodible land	Well drained	No	B	7e	3	.28

Field Office Technical Guide Soils Information (SC)

Oconee County Area, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>LmE2</i> <i>Lloyd loam, moderately shallow, 15 to 25 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Evard	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	5	.28
<i>LmF</i> <i>Lloyd loam, moderately shallow, 25 to 40 percent slopes</i>				136 <i>Southern Piedmont</i>						
Evard	100	25-40	Not prime farmland	Highly erodible land	Well drained	No	B	7e	5	.28
<i>Lo</i> <i>Local alluvial land</i>				136 <i>Southern Piedmont</i>						
Ochlockonee	100	0-2	Prime farmland if protected from fl	Not highly erodible land	Well drained	No	B	2w	5	.24
<i>MaC2</i> <i>Madison sandy loam, 6 to 10 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Cecil	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>MaD2</i> <i>Madison sandy loam, 10 to 15 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Pacolet	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
<i>MaE2</i> <i>Madison sandy loam, 15 to 30 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Pacolet	100	15-30	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.28
<i>MfB</i> <i>Madison fine sandy loam, high, 2 to 6 percent slopes</i>				130 <i>Blue Ridge</i>						
Walhalla	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.24
<i>MfC</i> <i>Madison fine sandy loam, high, 6 to 10 percent slopes</i>				130 <i>Blue Ridge</i>						
Evard	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	5	.28
<i>MfC2</i> <i>Madison fine sandy loam, high, 6 to 10 percent slopes, eroded</i>				130 <i>Blue Ridge</i>						
Evard	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	5	.28
<i>MfD</i> <i>Madison fine sandy loam, high, 10 to 15 percent slopes</i>				130 <i>Blue Ridge</i>						
Evard	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.28
<i>MfD2</i> <i>Madison fine sandy loam, high, 10 to 15 percent slopes, eroded</i>				130 <i>Blue Ridge</i>						
Evard	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.28
<i>MfE</i> <i>Madison fine sandy loam, high, 15 to 25 percent slopes</i>				130 <i>Blue Ridge</i>						
Evard	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	5	.28

Field Office Technical Guide Soils Information (SC)

Oconee County Area, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>MFE2</i> <i>Madison fine sandy loam, high, 15 to 25 percent slopes, eroded</i>				130 <i>Blue Ridge</i>						
Evard	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	5	.28
<i>MfF</i> <i>Madison fine sandy loam, high, 25 to 40 percent slopes</i>				130 <i>Blue Ridge</i>						
Evard	100	25-40	Not prime farmland	Highly erodible land	Well drained	No	B	7e	5	.28
<i>MhE3</i> <i>Madison loam, high, 15 to 25 percent slopes, severely eroded</i>				130 <i>Blue Ridge</i>						
Evard	100	25-30	Not prime farmland	Highly erodible land	Well drained	No	B	7e	5	.28
<i>Mv</i> <i>Mixed alluvial land</i>				136 <i>Southern Piedmont</i>						
Toccoa	100	0-2	Prime farmland if protected from fl	Not highly erodible land	Moderately well drained	No	B	2w	4	.17
<i>Mw</i> <i>Mixed wet alluvial land</i>				136 <i>Southern Piedmont</i>						
Chewacla	50	0-2	Not prime farmland	Not highly erodible land	Somewhat poorly drained	Yes	C	4w	5	.24
Congaree	40	0-2	Not prime farmland	Not highly erodible land	Moderately well drained	No	B	3w	5	.32
<i>PoF</i> <i>Porters loam, 25 to 45 percent slopes</i>				130 <i>Blue Ridge</i>						
Porters	100	25-45	Not prime farmland	Highly erodible land	Well drained	No	B	7s	3	.24
<i>PsF</i> <i>Porters stony loam, 25 to 45 percent slopes</i>				130 <i>Blue Ridge</i>						
Porters	100	25-45	Not prime farmland	Highly erodible land	Well drained	No	B	7s	3	.24
<i>Sf</i> <i>State fine sandy loam</i>				136 <i>Southern Piedmont</i>						
State	100	0-2	All areas are prime farmland	Not highly erodible land	Well drained	No	B	1	5	.28
<i>St</i> <i>Stony land</i>				130 <i>Blue Ridge</i>						
Porters	100	25-45	Not prime farmland	Highly erodible land	Well drained	No	B	7s	3	.24
<i>TcE</i> <i>Talladega and Chandler loams, 10 to 25 percent slopes</i>				130 <i>Blue Ridge</i>						
Chandler	40	15-25	Not prime farmland	Highly erodible land	Somewhat excessively drained	No	B	6e	3	.32
Talladega	60	10-25	Not prime farmland	Highly erodible land	Well drained	No	C	7s	2	.32
<i>TcF</i> <i>Talladega and Chandler loams, 25 to 60 percent slopes</i>				130 <i>Blue Ridge</i>						
Chandler	40	25-60	Not prime farmland	Highly erodible land	Somewhat excessively drained	No	B	7e	3	.32

Field Office Technical Guide Soils Information (SC)

Oconee County Area, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
Talladega	60	25-60	Not prime farmland	Highly erodible land	Well drained	No	C	7s	2	.32
WaB2 <i>Watauga fine sandy loam, 2 to 6 percent slopes, eroded</i>				130 Blue Ridge						
Watauga	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	3	.24
WaC2 <i>Watauga fine sandy loam, 6 to 10 percent slopes, eroded</i>				130 Blue Ridge						
Watauga	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	3	.24
WaE2 <i>Watauga fine sandy loam, 10 to 25 percent slopes, eroded</i>				130 Blue Ridge						
Watauga	100	10-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.24
WaF <i>Watauga fine sandy loam, 25 to 40 percent slopes</i>				130 Blue Ridge						
Watauga	100	25-40	Not prime farmland	Highly erodible land	Well drained	No	B	7e	3	.24
WcC3 <i>Wickham clay loam, 6 to 10 percent slopes, severely eroded</i>				136 Southern Piedmont						
Cecil	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
WkB <i>Wickham sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Wickham	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.24
WkB2 <i>Wickham sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
WkC2 <i>Wickham sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	3e	4	.28
WkD2 <i>Wickham sandy loam, 10 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
WkE2 <i>Wickham sandy loam, 15 to 25 percent slopes, eroded</i>				136 Southern Piedmont						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.28
WoB <i>Worsham sandy loam, 0 to 6 percent slopes</i>				136 Southern Piedmont						
Cartecay	40	0-2	Farmland of statewide importance	Potentially highly erodible land	Somewhat poorly drained	No	C	3w	5	.24
Toccoa	45	0-4	Farmland of statewide importance	Potentially highly erodible land	Moderately well drained	No	B	2w	4	.17

Field Office Technical Guide Soils Information (SC)

Oconee County Area, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
WoD2	<i>Worsham sandy loam, 6 to 15 percent slopes, eroded</i>			<i>136 Southern Piedmont</i>						
Cartecay	45	0-2	Not prime farmland	Highly erodible land	Somewhat poorly drained	No	C	3w	5	.24
Pacolet	50	6-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28