

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>AaB Altavista fine sandy loam, 0 to 6 percent slopes</i>				136 Southern Piedmont						
Altavista	100	0-6	All areas are prime farmland	Potentially highly erodible land	Moderately well drained	No	C	2e	5	.24
<i>AcB Appling coarse sandy loam, thin solum, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Wedowee	100	2-6	All areas are prime farmland	Highly erodible land	Well drained	No	B	2e	3	.24
<i>AcB2 Appling coarse sandy loam, thin solum, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Wedowee	100	2-6	All areas are prime farmland	Highly erodible land	Well drained	No	B	2e	3	.24
<i>AcC Appling coarse sandy loam, thin solum, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Wedowee	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	3	.24
<i>AcC2 Appling coarse sandy loam, thin solum, 6 to 10 percent slopes eroded</i>				136 Southern Piedmont						
Wedowee	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	3	.24
<i>AcD Appling coarse sandy loam, thin solum, 10 to 15 percent slopes</i>				136 Southern Piedmont						
Wedowee	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.24
<i>AcD2 Appling coarse sandy loam, thin solum, 10 to 15 percent eroded</i>				136 Southern Piedmont						
Wedowee	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.24
<i>AcE2 Appling coarse sandy loam, thin solum, 15 to 25 percent eroded</i>				136 Southern Piedmont						
Wedowee	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.24
<i>ApB Appling sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Appling	100	2-6	All areas are prime farmland	Highly erodible land	Well drained	No	B	2e	4	.28
<i>ApB2 Appling sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Appling	100	2-6	All areas are prime farmland	Highly erodible land	Well drained	No	B	2e	4	.28
<i>ApC Appling sandy loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Appling	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>ApC2 Appling sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Appling	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>ApD Appling sandy loam, 10 to 15 percent slopes</i>				136 Southern Piedmont						
Appling	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>ApD2 Appling sandy loam, 10 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Appling	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>ApE Appling sandy loam, 15 to 25 percent slopes</i>				136 Southern Piedmont						
Wedowee	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.24
<i>ApE2 Appling sandy loam, 15 to 25 percent slopes, eroded</i>				136 Southern Piedmont						
Wedowee	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.24
<i>Bu Buncombe loamy sand, 0 to 4 percent slopes</i>				136 Southern Piedmont						
Buncombe	100	0-4	Not prime farmland	Not highly erodible land	Excessively drained	No	A	3s	5	.10
<i>CaB3 Cataula clay loam, 2 to 6 percent slopes, severely eroded</i>				136 Southern Piedmont						
Cecil	100	2-6	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	3	.28
<i>CaC3 Cataula clay loam, 6 to 10 percent slopes, severely eroded</i>				136 Southern Piedmont						
Cecil	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
<i>CaD3 Cataula clay loam, 10 to 15 percent slopes, severely eroded</i>				136 Southern Piedmont						
Cecil	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
<i>CaE3 Cataula clay loam, 15 to 25 percent slopes, severely eroded</i>				136 Southern Piedmont						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	7e	2	.28
<i>CbB2 Cataula sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	2-6	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>CbC2 Cataula sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>CcB3 Cecil clay loam, 2 to 6 percent slopes, severely eroded</i>				136 Southern Piedmont						
Cecil	100	2-6	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	B	3e	3	.28

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>CcC3 Cecil clay loam, 6 to 10 percent slopes, severely eroded</i>				136 Southern Piedmont						
Cecil	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
<i>CcD3 Cecil clay loam, 10 to 15 percent slopes, severely eroded</i>				136 Southern Piedmont						
Pacolet	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	6e	2	.28
<i>CcE3 Cecil clay loam, 15 to 25 percent slopes, severely eroded</i>				136 Southern Piedmont						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	7e	2	.28
<i>CdB2 Cecil sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	2-6	All areas are prime farmland	Highly erodible land	Well drained	No	B	2e	4	.28
<i>CdC2 Cecil sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>CdD2 Cecil sandy loam, 10 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>CdE Cecil sandy loam, 15 to 30 percent slopes</i>				136 Southern Piedmont						
Pacolet	100	15-30	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.20
<i>CdE2 Cecil sandy loam, 15 to 25 percent slopes, eroded</i>				136 Southern Piedmont						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.20
<i>Ch Chewacla silt loam</i>				136 Southern Piedmont						
Chewacla	100	0-2	Prime farmland if drained and eith	Not highly erodible land	Somewhat poorly drained	No	C	3w	5	.28
<i>Cn Congaree fine sandy loam</i>				136 Southern Piedmont						
Congaree	90	0-2	Prime farmland if protected from fl	Not highly erodible land	Moderately well drained	No	B	2w	5	.24
<i>CoB Colfax sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Helena	100	2-6	Not prime farmland	Potentially highly erodible land	Moderately well drained	No	C	2e	4	.24
<i>DaB2 Davidson clay loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Davidson	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	3e	5	.28

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>DaC3 Davidson clay loam, 6 to 10 percent slopes, severely eroded</i>				136 Southern Piedmont						
Davidson	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.28
<i>DuB Durham sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Durham	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.24
<i>DuC Durham sandy loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Durham	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	3e	5	.24
<i>Eb Elbert loam</i>				136 Southern Piedmont						
Armenia	100	0-2	Not prime farmland	Not highly erodible land	Poorly drained	Yes	D	3w	5	.37
<i>EnB3 Enon clay loam, 2 to 6 percent slopes, severely eroded</i>				136 Southern Piedmont						
Enon	100	2-6	Not prime farmland	Highly erodible land	Well drained	No	C	4e	2	.24
<i>EnC3 Enon clay loam, 6 to 10 percent slopes, severely eroded</i>				136 Southern Piedmont						
Enon	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	C	6e	2	.24
<i>EnD3 Enon clay loam, 10 to 15 percent slopes, severely erode d</i>				136 Southern Piedmont						
Enon	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	C	6e	2	.24
<i>EsB2 Enon sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Enon	100	2-6	Not prime farmland	Potentially highly erodible land	Well drained	No	C	3e	3	.28
<i>EsC2 Enon sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Enon	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	C	4e	3	.28
<i>EsD2 Enon sandy loam, 10 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Enon	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	C	4e	3	.28
<i>EsE2 Enon sandy loam, 15 to 25 percent slopes, eroded</i>				136 Southern Piedmont						
Enon	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	C	6e	3	.28
<i>Gf Gullied land, firm materials</i>				136 Southern Piedmont						
Arents	50	6-25	Not prime farmland	Highly erodible land	Well drained	Unranked	B	7e	5	.28
Pacolet	50	6-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	2	.28

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>GuC Gullied land, friable materials, rolling</i>				136 Southern Piedmont						
Arents	50	2-10	Not prime farmland	Potentially highly erodible land	Well drained	Unranked	B	6e	5	.28
Cecil	50	2-10	Not prime farmland	Potentially highly erodible land	Well drained	No	B	4e	3	.28
<i>GuD Gullied land, friable materials, hilly</i>				136 Southern Piedmont						
Arents	50	10-30	Not prime farmland	Highly erodible land	Well drained	Unranked	B	7e	5	.28
Pacolet	50	10-30	Not prime farmland	Highly erodible land	Well drained	No	B	6e	2	.28
<i>HaB Helena sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Helena	100	2-6	All areas are prime farmland	Potentially highly erodible land	Moderately well drained	No	C	2e	4	.24
<i>HaB2 Helena sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Helena	100	2-6	All areas are prime farmland	Potentially highly erodible land	Moderately well drained	No	C	2e	4	.24
<i>HaC Helena sandy loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Helena	100	6-10	Farmland of statewide importance	Highly erodible land	Moderately well drained	No	C	3e	4	.24
<i>HaC2 Helena sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Helena	100	6-10	Not prime farmland	Highly erodible land	Moderately well drained	No	C	3e	4	.24
<i>HaD2 Helena sandy loam, 10 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Helena	100	10-15	Not prime farmland	Highly erodible land	Moderately well drained	No	C	4e	4	.24
<i>HwB2 Hiwassee sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Hiwassee	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	5	.28
<i>HwC2 Hiwassee sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Hiwassee	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	3e	5	.28
<i>HwD2 Hiwassee sandy loam, 10 to 18 percent slopes, eroded</i>				136 Southern Piedmont						
Hiwassee	100	10-18	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.28
<i>IdA Iredell loam, 0 to 2 percent slopes</i>				136 Southern Piedmont						
Iredell	100	0-2	Farmland of statewide importance	Potentially highly erodible land	Somewhat poorly drained	No	C/D	2e	3	.32

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>IdB Iredell loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Iredell	100	2-6	Farmland of statewide importance	Highly erodible land	Somewhat poorly drained	No	C/D	2e	3	.32
<i>IdB2 Iredell loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Iredell	100	2-6	Farmland of statewide importance	Highly erodible land	Somewhat poorly drained	No	C/D	2e	3	.32
<i>IdC2 Iredell loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Iredell	100	6-10	Not prime farmland	Highly erodible land	Somewhat poorly drained	No	C/D	3e	3	.32
<i>IrA Iredell loam, thin solum, 0 to 2 percent slopes</i>				136 Southern Piedmont						
Iredell	100	0-2	Farmland of statewide importance	Potentially highly erodible land	Somewhat poorly drained	No	C/D	2e	3	.32
<i>IrB Iredell loam, thin solum, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Iredell	100	2-6	Farmland of statewide importance	Highly erodible land	Somewhat poorly drained	No	C/D	2e	3	.32
<i>IsA Iredell sandy loam, 0 to 2 percent slopes</i>				136 Southern Piedmont						
Iredell	100	0-2	Farmland of statewide importance	Potentially highly erodible land	Somewhat poorly drained	No	C/D	2e	3	.32
<i>IsB Iredell sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Iredell	100	2-6	Farmland of statewide importance	Highly erodible land	Somewhat poorly drained	No	C/D	2e	3	.32
<i>IsB2 Iredell sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Iredell	100	2-6	Not prime farmland	Highly erodible land	Somewhat poorly drained	No	C/D	2e	3	.32
<i>IsC Iredell sandy loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Iredell	100	6-10	Not prime farmland	Highly erodible land	Somewhat poorly drained	No	C/D	3e	3	.32
<i>IsC2 Iredell sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Iredell	100	6-10	Not prime farmland	Highly erodible land	Somewhat poorly drained	No	C/D	3e	3	.32
<i>IvB Iredell very stony loam, 0 to 6 percent slopes</i>				136 Southern Piedmont						
Iredell	100	2-6	Not prime farmland	Potentially highly erodible land	Somewhat poorly drained	No	C/D	7s	3	.32
<i>LaB3 Lloyd clay loam, 2 to 6 percent slopes, severely eroded</i>				136 Southern Piedmont						
Hiwassee	100	2-6	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	5	.28

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>LaC3</i> <i>Lloyd clay loam, 6 to 10 percent slopes, severely eroded</i>				136 <i>Southern Piedmont</i>						
Hiwassee	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	5	.28
<i>LaD3</i> <i>Lloyd clay loam, 10 to 15 percent slopes, severely eroded</i>				136 <i>Southern Piedmont</i>						
Hiwassee	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	6e	5	.28
<i>LaE3</i> <i>Lloyd clay loam, 15 to 25 percent slopes, severely eroded</i>				136 <i>Southern Piedmont</i>						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	7e	2	.28
<i>LcB3</i> <i>Lloyd clay loam, compact subsoil, 2 to 6 percent slopes, severely eroded</i>				136 <i>Southern Piedmont</i>						
Cecil	100	2-6	Not prime farmland	Highly erodible land	Well drained	No	B	3e	3	.28
<i>LcC3</i> <i>Lloyd clay loam, compact subsoil, 6 to 10 percent slopes severely eroded</i>				136 <i>Southern Piedmont</i>						
Cecil	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.28
<i>LcD3</i> <i>Lloyd clay loam, compact subsoil, 10 to 20 percent slopes severely eroded</i>				136 <i>Southern Piedmont</i>						
Cecil	100	15-20	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.28
<i>LdB</i> <i>Lloyd loam, 2 to 6 percent slopes</i>				136 <i>Southern Piedmont</i>						
Cecil	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>LdB2</i> <i>Lloyd loam, 2 to 6 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Cecil	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>LdC</i> <i>Lloyd loam, 6 to 10 percent slopes</i>				136 <i>Southern Piedmont</i>						
Cecil	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>LdC2</i> <i>Lloyd loam, 6 to 10 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Hiwassee	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	5	.28
<i>LdD2</i> <i>Lloyd loam, 10 to 15 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Cecil	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>LmB2</i> <i>Lloyd sandy loam, 2 to 6 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Cecil	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>LmC2</i> <i>Lloyd sandy loam, 6 to 10 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Cecil	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	B	3e	4	.28
<i>LmD2</i> <i>Lloyd sandy loam, 10 to 15 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Cecil	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>LmE</i> <i>Lloyd sandy loam, 15 to 25 percent slopes</i>				136 <i>Southern Piedmont</i>						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.20
<i>LmE2</i> <i>Lloyd sandy loam, 15 to 25 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.20
<i>LnB2</i> <i>Lloyd sandy loam, compact subsoil, 2 to 6 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Cecil	100	2-6	Farmland of statewide importance	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>Lo</i> <i>Local alluvial land</i>				136 <i>Southern Piedmont</i>						
Starr	100	0-2	Farmland of statewide importance	Not highly erodible land	Well drained	No	C	2w	5	.24
<i>LsB</i> <i>Louisburg sandy loam, 2 to 6 percent slopes</i>				136 <i>Southern Piedmont</i>						
Durham	100	2-6	Not prime farmland	Highly erodible land	Well drained	No	B	2e	5	.24
<i>LsC</i> <i>Louisburg sandy loam, 6 to 10 percent slopes</i>				136 <i>Southern Piedmont</i>						
Durham	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	3e	5	.24
<i>LsD</i> <i>Louisburg sandy loam, 10 to 15 percent slopes</i>				136 <i>Southern Piedmont</i>						
Louisburg	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.24
<i>LsE</i> <i>Louisburg sandy loam, 15 to 25 percent slopes</i>				136 <i>Southern Piedmont</i>						
Louisburg	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	7e	3	.24
<i>MaD2</i> <i>Manteo channery silt loam, 10 to 15 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Nason	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	3e	4	.43
<i>MaE</i> <i>Manteo channery silt loam, 15 to 35 percent slopes</i>				136 <i>Southern Piedmont</i>						
Manteo	100	15-35	Not prime farmland	Highly erodible land	Somewhat excessively drained	No	C/D	7e	1	.43

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>MbB3</i> <i>Mecklenburg clay loam, 2 to 6 percent slopes, severely eroded</i>				136 <i>Southern Piedmont</i>						
Mecklenburg	100	2-6	Farmland of statewide importance	Highly erodible land	Well drained	No	C	3e	2	.28
<i>MbC3</i> <i>Mecklenburg clay loam, 6 to 10 percent slopes, severely eroded</i>				136 <i>Southern Piedmont</i>						
Mecklenburg	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	C	4e	2	.28
<i>MbD3</i> <i>Mecklenburg clay loam, 10 to 15 percent slopes, severely eroded</i>				136 <i>Southern Piedmont</i>						
Mecklenburg	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	C	6e	2	.28
<i>MbE3</i> <i>Mecklenburg clay loam, 15 to 25 percent slopes, severely eroded</i>				136 <i>Southern Piedmont</i>						
Mecklenburg	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	C	6e	2	.28
<i>McA</i> <i>Mecklenburg loam, 0 to 2 percent slopes</i>				136 <i>Southern Piedmont</i>						
Mecklenburg	100	2-3	All areas are prime farmland	Not highly erodible land	Well drained	No	C	2e	4	.24
<i>McB2</i> <i>Mecklenburg loam, 2 to 6 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Mecklenburg	100	2-6	All areas are prime farmland	Highly erodible land	Well drained	No	C	2e	4	.24
<i>McC2</i> <i>Mecklenburg loam, 6 to 10 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Mecklenburg	100	6-10	Farmland of statewide importance	Highly erodible land	Well drained	No	C	3e	4	.24
<i>McD2</i> <i>Mecklenburg loam, 10 to 15 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Mecklenburg	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	C	4e	4	.24
<i>McE2</i> <i>Mecklenburg loam, 15 to 25 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Mecklenburg	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	C	6e	4	.24
<i>Md</i> <i>Mine pits and dumps</i>				136 <i>Southern Piedmont</i>						
Udorthents	100	0-2	Not prime farmland	Not highly erodible land	Well drained	Unranked	B	4e	5	.28
<i>Mn</i> <i>Mixed alluvial land</i>				136 <i>Southern Piedmont</i>						
Cartecay	30	0-2	Farmland of statewide importance	Not highly erodible land	Somewhat poorly drained	No	C	3w	5	.24
Toccoa	50	0-2	Farmland of statewide importance	Not highly erodible land	Moderately well drained	No	B	2w	4	.10
<i>Mw</i> <i>Mixed alluvial land, wet</i>				136 <i>Southern Piedmont</i>						
Wehadkee	100	0-2	Not prime farmland	Not highly erodible land	Poorly drained	Yes	D	4w	5	.24

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>MyB</i> <i>Molena loamy sand, 2 to 8 percent slopes</i>				136 <i>Southern Piedmont</i>						
Molena	100	2-8	Not prime farmland	Potentially highly erodible land	Somewhat excessively drained	No	A	3s	5	.10
<i>NaB2</i> <i>Nason silt loam, 2 to 6 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Herndon	100	2-6	Farmland of statewide importance	Highly erodible land	Well drained	No	B	2e	5	.43
<i>NaC2</i> <i>Nason silt loam, 6 to 10 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Herndon	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	3e	5	.43
<i>NaD2</i> <i>Nason silt loam, 10 to 15 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Nason	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	C	3e	4	.43
<i>NaE</i> <i>Nason silt loam, 15 to 25 percent slopes</i>				136 <i>Southern Piedmont</i>						
Nason	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	C	4e	4	.43
<i>NaE2</i> <i>Nason silt loam, 15 to 25 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Nason	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	C	4e	4	.43
<i>Rk</i> <i>Roanoke silt loam</i>				136 <i>Southern Piedmont</i>						
Roanoke	100	0-2	Not prime farmland	Not highly erodible land	Poorly drained	Yes	D	3w	4	.37
<i>Ro</i> <i>Rock outcrop</i>				136 <i>Southern Piedmont</i>						
Rock outcrop	100	10-30	Not prime farmland			Unranked	D	8s		
<i>TaB2</i> <i>Tatum gravelly silt loam, 2 to 6 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Georgeville	100	2-6	Not prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.43
<i>TaC2</i> <i>Tatum gravelly silt loam, 6 to 10 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Georgeville	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	3e	4	.43
<i>TaD2</i> <i>Tatum gravelly silt loam, 10 to 15 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Georgeville	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.43
<i>TaE2</i> <i>Tatum gravelly silt loam, 15 to 25 percent slopes, eroded</i>				136 <i>Southern Piedmont</i>						
Tatum	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.43

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>TmB Tatum silt loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Georgeville	100	2-6	Farmland of statewide importance	Highly erodible land	Well drained	No	B	2e	4	.49
<i>TmB2 Tatum silt loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Georgeville	100	2-6	Not prime farmland	Highly erodible land	Well drained	No	B	2e	4	.49
<i>TmC Tatum silt loam, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Georgeville	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	3e	4	.49
<i>TmC2 Tatum silt loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Georgeville	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	3e	4	.49
<i>TmD2 Tatum silt loam, 10 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Tatum	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	3e	4	.43
<i>TmE Tatum silt loam, 15 to 25 percent slopes</i>				136 Southern Piedmont						
Tatum	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.43
<i>TmE2 Tatum silt loam, 15 to 25 percent slopes, eroded</i>				136 Southern Piedmont						
Tatum	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.43
<i>TtB3 Tatum silty clay loam, 2 to 6 percent slopes, severely eroded</i>				136 Southern Piedmont						
Georgeville	100	2-6	Not prime farmland	Highly erodible land	Well drained	No	B	3e	4	.49
<i>TtC3 Tatum silty clay loam, 6 to 10 percent slopes, severely eroded</i>				136 Southern Piedmont						
Georgeville	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	3e	4	.49
<i>TtD3 Tatum silty clay loam, 10 to 15 percent slopes, severely eroded</i>				136 Southern Piedmont						
Tatum	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	3e	3	.43
<i>TtE3 Tatum silty clay loam, 15 to 25 percent slopes, severely eroded</i>				136 Southern Piedmont						
Tatum	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	4e	3	.43
<i>VaC3 Vance clay loam, 2 to 10 percent slopes, severely eroded</i>				136 Southern Piedmont						
Appling	100	2-10	Not prime farmland	Potentially highly erodible land	Well drained	No	B	3e	3	.28

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>VaD3 Vance clay loam, 10 to 25 percent slopes, severely eroded</i>				136 Southern Piedmont						
Cecil	100	10-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.28
<i>VcB2 Vance sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>VcC2 Vance sandy loam, 6 to 10 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	B	3e	4	.28
<i>VcD2 Vance sandy loam, 10 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Appling	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>VcE2 Vance sandy loam, 15 to 25 percent slopes, eroded</i>				136 Southern Piedmont						
Pacolet	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	B	6e	3	.20
<i>WcB2 Wickham sandy loam, 2 to 6 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	2-6	All areas are prime farmland	Potentially highly erodible land	Well drained	No	B	2e	4	.28
<i>WcD2 Wickham sandy loam, 6 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Cecil	100	6-15	Not prime farmland	Highly erodible land	Well drained	No	B	4e	4	.28
<i>WkB Wilkes complex, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Iredell	100	2-6	Not prime farmland	Highly erodible land	Somewhat poorly drained	No	C/D	2e	3	.32
<i>WkC Wilkes complex, 6 to 10 percent slopes</i>				136 Southern Piedmont						
Enon	100	6-10	Not prime farmland	Highly erodible land	Well drained	No	C	4e	3	.28
<i>WkD Wilkes complex, 10 to 15 percent slopes</i>				136 Southern Piedmont						
Enon	100	10-15	Not prime farmland	Highly erodible land	Well drained	No	C	4e	3	.28
<i>WkD2 Wilkes complex, 6 to 15 percent slopes, eroded</i>				136 Southern Piedmont						
Enon	100	6-15	Not prime farmland	Highly erodible land	Well drained	No	C	4e	3	.28
<i>WkE Wilkes complex, 15 to 35 percent slopes</i>				136 Southern Piedmont						
Enon	100	15-25	Not prime farmland	Highly erodible land	Well drained	No	C	6e	3	.28

## Field Office Technical Guide Soils Information (SC)

York County, South Carolina

Mapunit Symbol and Soil Name	% of Unit	Slope %	Important Farmland Class	Highly Erodible Land*	Drainage Class	Hydric Rating	Hydrologic Soil Group	Land Capability Class	T factor*	Kf*
<i>WkE2 Wilkes complex, 15 to 35 percent slopes, eroded</i>				136 Southern Piedmont						
Wilkes	100	15-35	Not prime farmland	Highly erodible land	Well drained	No	C	7e	1	.24
<i>WoB Worsham sandy loam, 2 to 6 percent slopes</i>				136 Southern Piedmont						
Cartecay	90	0-2	Farmland of statewide importance	Potentially highly erodible land	Somewhat poorly drained	No	C	3w	5	.24
<i>WoC Worsham sandy loam, 6 to 15 percent slopes</i>				136 Southern Piedmont						
Helena	90	6-15	Not prime farmland	Highly erodible land	Moderately well drained	No	C	4e	4	.24