

	Clay Subsoil	Clay pan	Droughty Loam	Limy Upland	Loam	Over- flow	Saline	Sand	Shallow	Steep Loam	Subirri- gated	Very Droughty Loam	Wet
Cool season grasses													
Creeping foxtail													G
Crested wheatgrass	G		G	G	F			F				F	
Green needlegrass	G		G	F	G			F				F	
Intermediate wheatgrass	G		F	F	G			F				F	
Meadow brome	F		F		F								
Mountain brome	G		G		G								
Newhy hybrid wheatgrass				F									
Pubescent wheatgrass	G		F	F	F			F				F	
Reed canarygrass													G
Smooth brome	G		F		G								
Tall wheatgrass	F				F								
Timothy	G		F		G								
Western wheatgrass	G		G	G	G			F				F	F
Warm season grasses													
Big bluestem	F			F	F								
Little bluestem	F		F	G	F								
Sideoats grama			F	G									
Switchgrass													F
Legumes													
Alsike clover	G		F		G								G
Canada milkvetch	G		G		G								
Cicer milkvetch	G		G	G	G			F				F	F
Illinois bundleflower	G		F		G								
Purple prairieclover	G		G	F	G								
Red clover	G		F		G								G
Sainfoin	G		G	F	G			F				F	F
White prairieclover	G		G	F	G			G				G	

G - Good adaptation for forage production on this group of soils in this MLRA
F - Fair adaptation but will not produce at its highest potential