Seasonal Type 3 & 4

| Common Name | Scientific Name | Indicator | references | page |
|---|---|---|---|---|
| arrowhead, arumleaf or northern | Saggitaria cuneata | OBL | p.59 Van Bruggen 1983, p.74 Common marsh plants | 39-40 |
| bladderwort, common | Utricularia macrorhiza | OBL | p.45 Underwater & floating-leaved plants | 49 |
| burreed, giant | Sparganium eurycarpum | OBL | p.6 Van Bruggen 1983 | 44 |
| buttercup, celery-leaf or cursed | Ranunculus sceleratus | OBL | | 34 |
| buttercup, seaside | Ranunculus cymbalaria | OBL | | 32 |
| canarygrass, reed | Phalaris arundinacea | OBL | p.9 Van Bruggen 1983 | 71 |
| duckweed, common or lesser | Lemna minor | OBL | p.115 Underwater & floating-leaved plants | 54 |
| duckweed, star | Lemna trisulca | OBL | p.115 Underwater & floating-leaved plants | 54 |
| foxtail, shortawn | Alopecurus aequalis | OBL | p.38 Key to the native perennial grasses | 57 |
| liverwort, aquatic | Riccia fluitans | OBL | p.117 Underwater & floating-leaved plants | 55 |
| mannagrass, tall | Glyceria maxima | OBL | p.25 Common marsh plants, p.60 Key to the perennial native grasses | 64 |
| moss, aquatic | Drepanocladus spp. | OBL | | |
| parsnip, water | Sium suave | OBL | p.88 Common marsh plants | 42 |
| pondweed, grassleaf or small | Potamogeton pusillus | OBL | p.75 Underwater & floating-leaved plants | 28 |
| pondweed, variable-leaf | Potamogeton gramineus | OBL | p.82 Underwater & floating-leaved plants | 26 |
| reed canarygrass | Phalaris arundinacea | OBL | p.9 Van Bruggen 1983 | 71 |
| rivergrass | Scolochloa festucacea | OBL | p.92 Key to the native perennial grasses | 74 |
| sedge, slough | Carex atherodes | OBL | p.39 Common marsh plants | 77 |
| sloughgrass, American | Beckmannia syzigachne | OBL | p.32 Common marsh plants | 58 |
| smartweed, marsh or water | Polygonum amphibium (P. coccineum) | OBL | p.80 Van Bruggen 1983 | 23-24 |
| spikerush, common or creeping | Eleocharis palustris | OBL | p.15 Common marsh plants | 87 |
| spikerush, needle or slender | Eleocharis acicularis | OBL | p.14 Common marsh plants | 85-86 |
| threesquare, common or American | Scirpus americanus | OBL | p.9 Van Bruggen 1983 | 92 |
| watercrowfoot, white | Ranunculus tricophyllus | NC - OBL | p.53 Underwater & floating-leaved plants | 35 |
| waterplantain, narrowleaf | Alisma gramineum | OBL | p.81 Common marsh plants | 1 |
| waterplantain, western or common | Alisma plantago-aquatica | OBL | p.80 Common marsh plants | 2 |

Seasonal (continued)

| | | | | |
|---|---|---|---|---|
| waterstarwort, common | Callitriche verna | OBL | p.61,62 Underwater & floating-leaved plants | 10-11 |
| whitetop | Scholochloa festucacea | OBL | p.92 Key to the native perennial grasses | 74 |

Semipermanent Drawdown

| Common Name | Scientific Name | indicator | references | page |
|---|---|---|---|---|
| aster, rayless | Aster brachyactis | FACW | | |
| barley, wild or foxtail | Hordeum jubatum | FACW | p.55 SD Weeds, p.63 Key to the native perennial grasses | 67 |
| dock, golden | Rumex maritimus | NR - DRA, FACW | | 36 |
| goosefoot, oakleaf | Chenopodium salinum | | | |
| goosefoot, red | Chenopodium rubrum | OBL | | |
| kochia | Kochia scoparia | FAC, DRA | p.85 SD Weeds | 17 |
| ragwort, marsh | Senecio congestus | NR - DRA, FACW | | |
| spikerush, needle or slender | Eleocharis acicularis | OBL | p.14 Common marsh plants | 85-86 |
| witchgrass | Panicum capillare | FAC | p.70 SD Weeds | 69-70 |

Semipermanent Type 3, 4, & 5

| Common Name | Scientific Name | indicator | references | page |
|---|---|---|---|---|
| alkaligrass, nuttall | Puccinellia nuttalliana | OBL | p.90 Key to native perennial grasses | 73 |
| arrowgrass, common or seaside | Triglochin maritimum | OBL | p. 11 Common marsh plants | 46 |
| barley, wild or foxtail | Hordeum jubatum | FACW | p.55 SD Weeds, p.63 Key to the native perennial grasses | 67 |
| bladderwort, common | Utricularia macrorhiza (vulgaris) | OBL | p.45 Underwater & floating-leaved plants | 49 |
| bulrush, alkali | Scirpus robustus (paludosus) | OBL | p.42-43 Common marsh plants | 95 |
| bulrush, hardstem | Scirpus acutus | OBL | p.6 Common marsh plants | 91 |
| bulrush, river | Scirpus fluviatilis | OBL | p.8 Van Bruggen 1983 | 94 |
| bulrush, slender | Scirpus heterochaetus | OBL | p.7 Common marsh plants | 95 |
| bulrush, softstem | Scirpus validus | OBL | p.8 Van Bruggen 1983 | 96 |
| cattails, common | Typha latifolia | OBL | p.5 Van Bruggen 1983 | 48 |
| cattails, narrowleaf | Typha angustifolia | OBL | p.5 Van Bruggen 1983 | 47 |
| coontail | Ceratophyllum demersum | OBL | p.55 Underwater & floating-leaved plants | 12 |
| cordgrass, alkali | Spartina gracilis | FACW | p.513 Manual of the grasses of the US | 75 |
| duckweed, common or lesser | Lemna minor | OBL | p.115 Underwater & floating leaved plants | 54 |
| duckweed, star | Lemna trisulca | OBL | p.115 Underwater & floating-leaved plants | 54 |
| liverwort, aquatic | Riccia fluitans | OBL | p.117 Underwater & floating-leaved plants | 55 |
| moss, aquatic | Drepanocladus spp. | OBL | | |
| orach | Atriplex patula | FACW | | 6 |
| pondweed, claspingleaf | Potamogeton richardsonii | OBL | p.84 Underwater & floating-leaved plants | 29 |
| pondweed, grassleaf or small | Potamogeton pusillus | OBL | p.75 Underwater & floating-leaved plants | 28 |
| pondweed, horned | Zannicheilia palustris | OBL | p.63 Undewrwater & floating-leaved plants | 53 |
| pondweed, sago | Potamogeton pectinatus | OBL | p.72 Underwater & floating-leaved plants | 27 |
| prickley lettuce | Lactuca serriola | FACU, DRA | p.170 SD Weeds | 18 |
| pursh seepweed | Sueda depressa | FACW | | |
| rush, baltic | Juncus balticus | OBL | p.8 Common marsh plants | 88 |
| saltgrass, inland | Distichilis spicata (stricta) | FACW | p.54 Key to native perennial grasses | 62 |

Semipermanent (continued)

| | | | | |
|---|---|---|---|---|
| samphire | Salicornia rubra | OBL, DRA | | |
| scratch grass | Muhlenbergia asperifolia | FACW | p.69 Key to native perennial grasses | 68 |
| seablight, western | Sueda depressa | FACW | | |
| silverweed | Potentilla anserina | OBL | | 30 |
| spikerush, common or creeping | Eleocharis palustris | OBL | p.15 Common marsh plants | 87 |
| threesquare, common or American | Scirpus americanus | OBL | p.9 Van Bruggen 1983 | 92 |
| watercrowfoot, white | Ranunculus trichophyllus | NC, OBL | p.53 Underwater & floating-leaved plants | 35 |
| watermilfoil, common | Myriophyllum spicatum | OBL | p.38 Underwater & floating-leaved plants | 22 |
| waterstarwort, northern or secret | Callitriche hermaphroditica | OBL | p.61,62 Underwater & floating-leaved plants | 10-11 |
| widgeongrass | Ruppia maritima | OBL | p. 73 Underwater & floating-leaved plants | 38 |

INDEX

| sname | cname | indicator | page |
|---|---|---|---|
| Agropyron repens | quackgrass | NO, FACU | 56 |
| Alisma gramineum | waterplantain, narrowleaf | OBL | 1 |
| Alisma plantago-aquatica | waterplantain, western or common | OBL | 2 |
| Alopecurus aequalis | foxtail, shortawn | OBL | 57 |
| Amaranthus retroflexus | amaranth, redroot | FACU | |
| Anemone canadensis | anemone, Canada or meadow | FACW | |
| Apocynum sibiricum | dogbane, prairie or classpingleaf | FAC | |
| Artemisia biennis | wormwood, biennial | FAC, DRA | 3 |
| Asclepias incarnata | milkweed, swamp | OBL | 4 |
| Asclepias speciosa | milkweed, showy | FAC | |
| Aster brachyactis | aster, rayless or shortray | FACW | |
| Aster ericoides | aster, smallflower or heath | FACU | |
| Aster junciformis | aster, rush | OBL | |
| Aster simplex | aster, lowland white or whitefield | FACW | 5 |
| Atriplex patula | orach | FACW | 6 |
| Atriplex patula | saltbush, fathen | FACW | 6 |
| Bacopa rotundifolia | waterhyssop, disk | OBL | 7 |
| Beckmannia syzigachne | sloughgrass, American | OBL | 58 |
| Bidens frondosa | beggarticks, common or devils | FACW | 8 |
| Boltonia asteroides | aster, false- | FACW | 9 |
| Boltonia asteroides | boltonia, marsh | FACW | 9 |
| Calamagrostis canadensis | bluejoint | FACW | 59 |
| Calamagrostis canadensis | reedgrass, bluejoint | FACW | 59 |
| Calamagrostis inexpansa | reedgrass, northern | FACW | 60 |
| Callitriche hermaphroditica | waterstarwort, northern | OBL | 10-11 |
| Callitriche verna | waterstarwort, common | OBL | 10-11 |
| Carex aquatilis | sedge, water | OBL | 77 |
| Carex atherodes | sedge, slough | OBL | 77 |
| Carex aurea | sedge, golden | FACW | |
| Carex interior | sedge, inland | OBL | |
| Carex laeviconica | sedge, smoothcone | OBL | 77 |
| Carex lanuginosa | sedge, bull or woolly | OBL | 78 |
| Carex praegracilis | sedge, clustered field | FACW | 79-80 |
| Carex rostrata | sedge, beaked | OBL | 81 |
| Carex sartwellii | sedge, Sartwell | FACW | 82 |
| Carex vulpinoidea | sedge, fox | OBL | 82 |
| Ceratophyllum demersum | coontail | OBL | 12 |
| Chenopodium rubrum | goosefoot, red | OBL | |
| Cicuta maculata | waterhemlock, common or spotted | OBL | 13 |
| Cirsium arvense | thistle, Canadian | FACU, DRA | 14 |
| Conyza canadensis | horseweed | FACW | |
| Cyperus acuminatus | cyperus | OBL | 84 |
| Cyperus acuminatus | flatsedge, taperleaf | OBL | 84 |
| Deschampsia cespitosa | hairgrass, tufted | FACW | 61 |
| Distichlis spicata | saltgrass, inland | FACW | 62 |
| Echinochloa crusgalli | barnyard grass | FACW | 63 |
| Echinochloa crusgalli | millet, wild | FACW | 63 |
| Eleocharis acicularis | spikerush, needle | OBL | 85-86 |
| Eleocharis engelmanni | spikerush, Engelmann's | FACW | 87 |
| Eleocharis erythropoda | spikerush, slender or creeping | OBL | |
| Eleocharis palustris | spikerush, common or creeping | OBL | 87 |
| Epilobium ciliatum | willowherb, northern or hairy | NO, FACU, FACW | |
| Epilobium leptophyllum | willowherb | OBL | |
| Epilobium leptophyllum | willowweed | OBL | |
| Eriophorum polystachion | cottongrass, tall | OBL | |
| Eupatorium maculatus | joe-pye weed | FACW | |
| Gentiana virgata | gentian, small flower | | |
| Glaux maritima | milkwort, sea | | |
| Glyceria maxima | mannagrass, tall | OBL | 64 |
| Glyceria striata | mannagrass, fowl | OBL | 65 |
| Gratiola neglecta | hedge hyssop, clamp | OBL, DRA | 15 |
| Helenium autumnale | sneezeweed | FACW | 16 |
| Hierochloe odorata | sweetgrass, common | FACW | 66 |

| | | | |
|---|---|---|---|
| Hordeum jubatum | barley, wild or foxtail | FACW | 67 |
| Hypoxis hirsuta | stargrass, yellow | FACW | 15 |
| Hypoxis hirsuta | goldstargrass, common | FACW | 15 |
| Iva xanthifolia | ragweed, false | FACU | |
| Iva xanthifolia | sumpweed, rag | FACU | |
| Juncus balticus | rush, baltic | OBL | 88 |
| Juncus interior | rush, inland | FACW | |
| Juncus tenuis | rush, dudley's or slenderrush | FAC | 89 |
| Juncus torreyi | rush, torrey's | FACW | 90 |
| Kochia scoparia | cypress, summer | FAC, DRA | 17 |
| Kochia scoparia | kochia | FAC, DRA | 17 |
| Lactuca serriola | lettuce, prirly | FACU, DRA | 18 |
| Lemna minor | duckweed, common or lesser | OBL | 54 |
| Lemna trisulca | duckweed, star | OBL | 54 |
| Lindernia dubia | pimpernel, false or moistbank | OBL | 19 |
| Lycopus asper | bugleweed, rough | OBL | 19 |
| Lycopus asper | waterhorehound, western | OBL | 19 |
| Marsilea vestita | fern, water | OBL | 20 |
| Marsilea vestita | pepperwort, hairy | OBL | 20 |
| Mentha arvensis | mint, wild or field | FACW | 21 |
| Muhlenbergia asperifolia | scratchgrass | FACW | 68 |
| Muhlenbergia racemosa | muhly, marsh | FACW | 68 |
| Myriophyllum spicatum | watermilfoil, common or eurasian | OBL | 22 |
| Panicum capillare | witchgrass | FAC, DRA | 69-70 |
| Phalaris arundinatea | canarygrass, reed | FACW | 71 |
| Phragmites australis | phragmites | FACW | 72 |
| Phragmites australis | reed, common | FACW | 72 |
| Plagiobothrys scouleri | popcornflower, scouler | NC-FACW, OBL | |
| Plagiobothrys scouleri | purslane, false | NC-FACW, OBL | |
| Poa palustris | bluegrass, fowl | FACW | 73 |
| Polygonum amphibium | smartweed, marsh | OBL | 23-24 |
| Polygonum amphibium | smartweed, water | OBL | 23-24 |
| Polygonum lapathifolium | smartweed, nodding or willowweed | OBL | 25 |
| Potamogeton gramineus | pondweed, variableleaf or variable | OBL | 26 |
| Potamogeton pectinatus | pondweed, sago | OBL | 27 |
| Potamogeton pusillus | pondweed, grassleaf or small | OBL | 28 |
| Potamogeton richardsonii | pondweed, clasping leaf or richarson | OBL | 29 |
| Potentilla anserina | silverweed | OBL | 30 |
| Potentilla norvegica | cinquefoil, rough or Norwegian | FAC | 31 |
| Puccinellia nuttalliana | alkaligrass, nuttall | OBL | 73 |
| Ranunculus cymbalaria | buttercup, seaside | OBL | 32 |
| Ranunculus cymbalaria | crowfoot, seaside | OBL | 32 |
| Ranunculus gmelini | watercrowfoot, bog | | |
| Ranunculus macounii | buttercup, Macoun's | OBL | 33 |
| Ranunculus sceleratus | buttercup, cursed or celeryleaf | OBL | 34 |
| Ranunculus septentrionalis | buttercup, swamp | OBL | |
| Ranunculus trichophyllus | watercrowfoot, white | NC-OBL | 35 |
| Rorippa palustris | cress, marsh or marsh yellowcress | OBL | |
| Rumex maritimus | dock, golden | NR, DRA-FACW | 36 |
| Rumex mexicanus | dock, narrowleaf or Mexican | FACW | 37 |
| Rumex occidentalis | dock, western | OBL | |
| Ruppia maritima | widgeongrass, saltwater | OBL | 38 |
| Ruppia maritima | widgeongrass, western | OBL | 38 |
| Sagittaria cuneata | arrowhead, arumleaf or northern | OBL | 39-40 |
| Salicornia rubra | glasswort, rocky mountain | OBL, DRA | |
| Salicornia rubra | samphire | OBL, DRA | |
| Salix candida | willow, hoary | OBL | |
| Salix exigua | willow, sandbar | FACW | 87 |
| Scirpus acutus | bulrush, hardstem | OBL | 91 |
| Scirpus americanus | bulrush, olney's | OBL | 92 |
| Scirpus americanus | threesquare, common | OBL | 92 |
| Scirpus atrovirens | bulrush, dark-green or green | OBL | 93 |
| Scirpus fluviatilis | bulrush, river | OBL | 94 |
| Scirpus heterochaetus | bulrush, slender | OBL | 94 |
| Scirpus robustus | bulrush, alkali | OBL | 95 |
| Scirpus validus | bulrush, softstem | OBL | 96 |

| | | | |
|---|---|---|---|
| Scolochloa festucacea | sprangle-top, rivergrass | OBL | 74 |
| Scolochloa festucacea | whitetop | OBL | 74 |
| Scutellaria galericulata | skullcap, marsh | OBL | 41 |
| Senecio congestus | ragwort, marsh | NR-DRA-FACW | |
| Setaria glauca | foxtail, yellow | FACU-DRA | |
| Sium suave | water-parsnip | OBL | 42 |
| Sonchus arvensis | sow-thistle, field | FAC | 43 |
| Sparganium eurycarpum | burreed, giant | OBL | 44 |
| Spartina gracilis | cordgrass, alkali | FACW | 75 |
| Spartina pectinata | cordgrass, prairie | FACW | 76 |
| Stachys palustris | hedgenettle, marsh or woundwort | OBL | |
| Suaeda depressa | seablite, western | FACW | |
| Suaeda depressa | seepweed, pursh | FACW | |
| Teucrium canadense | germander, Canada | FACW | 45 |
| Triglochin maritimum | arrowgrass, common or seaside | OBL | 46 |
| Typha angustifolia | cattail, narrowleaf | OBL | 47 |
| Typha latifolia | cattail, common | OBL | 48 |
| Utricularia macrorhiza | bladderwort, common | OBL | 49 |
| Vernonia fasciculata | ironweed, western | FACW | 50 |
| Veronica peregrina | speedwell, purslane | NC-FACW, OBL | 51 |
| Xanthium italicum | cocklebur | FAC, DRA | 52 |
| Zannichellia palustris | pondweed, horned | OBL | 53 |

# INDEX

| cname | sname | indicator | page |
|---|---|---|---|
| alkaligrass, nuttall | Puccinellia nuttalliana | OBL | 73 |
| amaranth, redroot | Amaranthus retroflexus | FACU | |
| anemone, Canada or meadow | Anemone canadensis | FACW | |
| arrowgrass, common or seaside | Triglochin maritimum | OBL | 46 |
| arrowhead, arumleaf or northern | Sagittaria cuneata | OBL | 39-40 |
| aster, false- | Boltonia asteroides | FACW | 9 |
| aster, lowland white or whitefield | Aster simplex | FACW | 5 |
| aster, rayless or shortray | Aster brachyactis | FACW | |
| aster, rush | Aster junciformis | OBL | |
| aster, smallflower or heath | Aster ericoides | FACU | |
| barley, wild or foxtail | Hordeum jubatum | FACW | 67 |
| barnyard grass | Echinochloa crusgalli | FACW | 63 |
| beggarticks, common or devils | Bidens frondosa | FACW | 8 |
| bladderwort, common | Utricularia macrorhiza | OBL | 49 |
| bluegrass, fowl | Poa palustris | FACW | 73 |
| bluejoint | Calamagrostis canadensis | FACW | 59 |
| boltonia, marsh | Boltonia asteroides | FACW | 9 |
| bugleweed, rough | Lycopus asper | OBL | 19 |
| bulrush, alkalia | Scirpus robustus | OBL | 95 |
| bulrush, dark-green or green | Scirpus atrovirens | OBL | 93 |
| bulrush, hardstem | Scirpus acutus | OBL | 91 |
| bulrush, olney's | Scirpus americanus | OBL | 92 |
| bulrush, river | Scirpus fluviatilis | OBL | 94 |
| bulrush, slender | Scirpus heterochaetus | OBL | 95 |
| bulrush, softstem | Scirpus validus | OBL | 96 |
| burreed, giant | Sparganium eurycarpum | OBL | 44 |
| buttercup, Macoun's | Ranunculus macounii | OBL | 33 |
| buttercup, cursed or celeryleaf | Ranunculus sceleratus | OBL | 34 |
| buttercup, seaside | Ranunculus cymbalaria | OBL | 32 |
| buttercup, swamp | Ranunculus septentrionalis | OBL | |
| canarygrass, reed | Phalaris arundinacea | FACW | 71 |
| cattail, common | Typha latifolia | OBL | 48 |
| cattail, narrowleaf | Typha angustifolia | OBL | 47 |
| cinquefoil, rough or Norwegian | Potentilla norvegica | FAC | 31 |
| cocklebur | Xanthium italicum | FAC, DRA | 52 |
| coontail | Ceratophyllum demersum | OBL | 12 |
| cordgrass, alkali | Spartina gracilis | FACW | 75 |
| cordgrass, prairie | Spartina pectinata | FACW | 76 |
| cottongrass, tall | Eriophorum polystachion | OBL | |
| cress, marsh or marsh yellowcress | Rorippa palustris | OBL | |
| crowfoot, seaside | Ranunculus cymbalaria | OBL | 32 |
| cyperus | Cyperus acuminatus | OBL | 34 |
| cypress, summer | Kochia scoparia | FAC, DRA | 17 |
| dock, golden | Rumex maritimus | NR, DRA-FACW | 36 |
| dock, narrowleaf or Mexican | Rumex mexicanus | FACW | 37 |
| dock, western | Rumex occidentalis | OBL | |
| dogbane, prairie or clasping leaf | Apocynum sibiricum | FAC | |
| duckweed, common or lesser | Lemna minor | OBL | 54 |
| duckweed, star | Lemna trisulca | OBL | 54 |
| fern, water | Marsilea vestita | OBL | 20 |
| flatsedge, taperleaf | Cyperus acuminatus | OBL | 34 |
| foxtail, shortawn | Alopecurus aequalis | OBL | 67 |
| foxtail, yellow | Setaria glauca | FACU-DRA | |
| gentian, small fringed | Gentiana virgata | | |
| germander, Canada | Teucrium canadense | FACW | 45 |
| glasswort, rocky mountain | Salicornia rubra | OBL, DRA | |
| goldstargrass, common | Hypoxis hirsuta | FACW | 15 |
| goosefoot, red | Chenopodium rubrum | OBL | |
| hairgrass, tufted | Deschampsia cespitosa | FACW | 61 |
| hedge hyssop, clammy | Gratiola negiecta | OBL, DRA | 15 |
| hedgenettle, marsh or woundwort | Stachys palustris | OBL | |
| horseweed | Conyza canadensis | FACW | |
| ironweed, western | Vernonia fasciculata | FACW | 50 |

| | | | |
|---|---|---|---|
| joe-pye weed | [illegible] | FACW | |
| lornia | [illegible] | [illegible] | [illegible] |
| lettuce, prickly | Lactuca serriola | [illegible] | [illegible] |
| mannagrass, fowl | Glyceria striata | OBL | [illegible] |
| mannagrass, tall | Glyceria maxima | OBL | [illegible] |
| milkweed, showy | Asclepias speciosa | [illegible] | |
| milkweed, swamp | Asclepias incarnata | OBL | [illegible] |
| milkwort, sea | Glaux maritima | | |
| millet, wild | Echinochloa crusgalli | FACW | [illegible] |
| mint, wild or field | Mentha arvensis | FACW | [illegible] |
| muhly, marsh | Muhlenbergia racemosa | FACW | [illegible] |
| orach | Atriplex patula | FACW | [illegible] |
| pepperwort, hairy | Marsilea vestita | OBL | [illegible] |
| phragmites | Phragmites australis | FACW | [illegible] |
| pimpernel, false or moistbank | Lindernia dubia | OBL | [illegible] |
| pondweed, clasping-leaf or richardson | Potamogeton richardsonii | OBL | [illegible] |
| pondweed, grassleaf or small | Potamogeton pusillus | OBL | [illegible] |
| pondweed, horned | Zannichellia palustris | OBL | [illegible] |
| pondweed, sago | Potamogeton pectinatus | OBL | [illegible] |
| pondweed, variable-leaf or variable | Potamogeton gramineus | OBL | [illegible] |
| popcornflower, scouler | Plagiobothrys scouleri | NI-FACW, OBL | |
| purslane, false | Plagiobothrys scouleri | NI-FACW, OBL | |
| quackgrass | Agropyron repens | NI, FACU | [illegible] |
| ragweed, false | Iva xanthifolia | FACU | |
| ragwort, marsh | Senecio congestus | NI-FACW-FACW | |
| reed, common | Phragmites australis | FACW | [illegible] |
| reedgrass, bluejoint | Calamagrostis canadensis | FACW | [illegible] |
| reedgrass, northern | Calamagrostis inexpansa | FACW | [illegible] |
| rush, baltic | Juncus balticus | OBL | [illegible] |
| rush, dudley's or slenderrush | Juncus tenuis | FAC | [illegible] |
| rush, inland | Juncus interior | FACW | [illegible] |
| rush, torrey's | Juncus torreyi | FACW | [illegible] |
| saltbush, fathen | Atriplex patula | FACW | [illegible] |
| saltgrass, inland | Distichlis spicata | FACW | [illegible] |
| samphire | Salicornia rubra | OBL, FACW | |
| scratchgrass | Muhlenbergia asperifolia | FACW | [illegible] |
| seablite, western | Suaeda depressa | FACW | |
| sedge, Sartwell | Carex sartwellii | FACW | [illegible] |
| sedge, beaked | Carex rostrata | OBL | 81 |
| sedge, bu l or wooly | Carex lanuginosa | OBL | 78 |
| sedge, clustered field | Carex praegracilis | FACW | 79-80 |
| sedge, fox | Carex vulpinoidea | OBL | [illegible] |
| sedge, golden | Carex aurea | FACW | |
| sedge, inland | Carex interior | OBL | |
| sedge, slough | Carex atherodes | OBL | 77 |
| sedge, smoothcone | Carex laeviconica | OBL | 77 |
| sedge, water | Carex aquatilis | OBL | 77 |
| seepweed, pursh | Suaeda depressa | FACW | |
| silverweed | Potentilla anserina | OBL | [illegible] |
| skullcap, marsh | Scutellaria galericulata | OBL | 41 |
| slougngrass, American | Beckmannia syzigachne | OBL | 53 |
| smartweed, marsh | Polygonum amphibium | OBL | [illegible] |
| smartweed, nodding or willowweed | Polygonum lapathifolium | OBL | [illegible] |
| smartweed, water | Polygonum amphibium | OBL | [illegible] |
| sneezeweed | Helenium autumnale | FACW | 16 |
| sow-thistle, field | Sonchus arvensis | FAC | 45 |
| speedwell, purslane | Veronica peregrina | NI-FACW, OBL | [illegible] |
| spikerush, Engelmann's | Eleocharis engelmanni | FACW | 87 |
| spikerush, common or creeping | Eleocharis palustris | OBL | [illegible] |
| spikerush, needle | Eleocharis acicularis | OBL | [illegible] |
| spikerush, slender or creeping | Eleocharis erythropoda | OBL | |
| spangle-top, rivergrass | Scolochloa festucacea | OBL | 74 |
| stargrass, yellow | Hypoxis hirsuta | FACU | [illegible] |
| sumpweed, rag | Iva xanthifolia | FACU | |
| sweetgrass, common | Hierochloe odorata | FACW | [illegible] |
| thistle, Canadian | Cirsium arvense | FACU-UPL | 14 |

| | | | |
|---|---|---|---|
| threesquare, common | Scirpus americanus | OBL | 92 |
| water-parsnip | Sium suave | OBL | 42 |
| watercrowfoot, bog | Ranunculus gmelini | | |
| watercrowfoot, white | Ranunculus trichophyllus | NC-OBL | 35 |
| waterhemlock, common or spotted | Cicuta maculata | OBL | 13 |
| waterhorehound, western | Lycopus asper | OBL | 19 |
| waterhyssop, disl | Bacopa rotundifolia | OBL | 7 |
| watermilfoil, common or eurasian | Myriophyllum spicatum | OBL | 22 |
| waterplantain, narrowleaf | Alisma gramineum | OBL | 1 |
| waterplantain, western or common | Alisma plantago-aquatica | OBL | 2 |
| waterstarwort, common | Callitriche verna | OBL | 10-11 |
| waterstarwort, northern | Callitriche hermaphroditica | OBL | 10-11 |
| whitetop | Scolochloa festucacea | OBL | 74 |
| widgeongrass, saltwater | Ruppia maritima | OBL | 38 |
| widgeongrass, western | Ruppia maritima | OBL | 38 |
| willow, hoary | Salix candida | OBL | |
| willow, sandbar | Salix exigua | FACW | 97 |
| willowherb | Epilobium leptophyllum | OBL | |
| willowherb, northern or hairy | Epilobium ciliatum | NC - FACU, FACW | |
| willowweed | Epilobium leptophyllum | OBL | |
| witchgrass | Panicum capillare | FAC, DRA | 69-70 |
| wormwood, biennial | Artemisia biennis | FAC, DRA | 3 |