HIGHLY ERODIBLE LAND REPORT JANUARY, 1990

Survey Area- SCOTT COUNTY, VIRGINIA SOIL SURVEY

Map Symbol	Mapunit Name	Seq. Num.	Name	Subcl.	Farm	Soil	Fact.	. Fact.
2B								
2C	FREDERICK SILT LOAM, 2 TO 7 PERCENT SLOPES FREDERICK SILT LOAM, 7 TO 15 PERCENT SLOPES	1	FREDERICK			PHEL PHEL	.32	4
2D	FREDERICK SILT LOAM, 15 TO 25 PERCENT SLOPES	1	FREDERICK			HEL		4
2E	FREDERICK SILT LOAM, 25 TO 35 PERCENT SLOPES	1	FREDERICK			HEL	.32	4
2F	FREDERICK SILT LOAM, 35 TO 60 PERCENT SLOPES	1	FREDERICK			HEL	.32	4
4B	FREDERICK GRAVELLY SILT LOAM, 2 TO 7 PERCENT SLOPES	1	FREDERICK			PHEL	.28	4
4C	FREDERICK GRAVELLY SILT LOAM, 7 TO 15 PERCENT SLOPES	1	FREDERICK			PHEL	.28	4
4D	FREDERICK GRAVELLY SILT LOAM, 15 TO 25 PERCENT SLOPES	1	FREDERICK			HEL	.28	4
4E	FREDERICK GRAVELLY SILT LOAM, 25 TO 35 PERCENT SLOPES	1	FREDERICK			HEL	.28	4
4F	FREDERICK GRAVELLY SILT LOAM, 35 TO 60 PERCENT SLOPES	1	FREDERICK			HEL	.28	4
5A	ALLEGHENY LOAM, 0 TO 2 PERCENT SLOPES	1	ALLEGHENY			NHEL	.32	4
5B		1				PHEL		4
5C	ALLEGHENY LOAM, 7 TO 15 PERCENT SLOPES		ALLEGHENY			HEL	.32	4
60	WURNO SILT LOAM, 7 TO 15 PERCENT SLOPES	1	MIDNO			HEL	. 28	2
6C	WURNO SILI LOAM, / 10 15 PERCENT SLOPES WURNO SILT LOAM, 15 TO 25 PERCENT SLOPES	1	WURNO WURNO			HEL	. 28	2
6D 6E	WURNO SILT LOAM, 15 TO 25 PERCENT SLOPES WURNO SILT LOAM, 25 TO 70 PERCENT SLOPES		WURNO			HEL	. 28	2
07A	COTACO SILT LOAM, 0 TO 2 PERCENT SLOPES	1	COTACO			NHEL		3
07B 07C	COTACO SILT LOAM, 2 TO 7 PERCENT SLOPES	1	COTACO COTACO			PHEL HEL	.37 .37	3 3
070	COTACO SILT LOAM, 7 TO 15 PERCENT SLOPES	1	COTACO			пеп	. 3 /	3
A8	LOBDELL-ORRVILLE LOAMS COMPLEX, 0 TO 2 PERCENT COMPLEX	1	LOBDELL			NHEL	.37	5
16A	CHAGRIN LOAM, 0 TO 2 PERCENT COMPLEX	1	CHAGRIN			NHEL	.32	5
20B	SHOTTOWER LOAM, 2 TO 7 PERCENT SLOPES	1	SHOTTOWER			PHEL	.32	5
20C	SHOTTOWER LOAM, 7 TO 15 PERCENT SLOPES	1	SHOTTOWER			PHEL	.32	5
20D	SHOTTOWER LOAM, 15 TO 25 PERCENT SLOPES	1	SHOTTOWER			HEL	.32	5
20E	SHOTTOWER LOAM, 25 TO 35 PERCENT SLOPES		SHOTTOWER			HEL	.32	5
22B	BOLTON LOAM, 2 TO 7 PERCENT SLOPES	1	BOLTON			PHEL	.37	4
22C	BOLTON LOAM, 7 TO 15 PERCENT SLOPES	1	BOLTON			HEL		4
22D	BOLTON LOAM, 15 TO 25 PERCENT SLOPES	1	BOLTON			HEL	.37	4
22E	BOLTON LOAM, 25 TO 35 PERCENT SLOPES	1	BOLTON			HEL	.37	4
27A	POPE GRAVELLY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES,	1	POPE			NHEL	. 28	5
29B	CARBO SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES	1	CARBO			PHEL	.37	2
29C	CARBO SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	1	CARBO			HEL	.37	2
29D	CARBO SILTY CLAY LOAM, 15 TO 25 PERCENT SLOPES	S 1	CARBO			HEL	.37	2
29E	CARBO SILTY CLAY LOAM, 25 TO 65 PERCENT SLOPES	S 1	CARBO			HEL	.37	2
30A	TIMBERVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES	1	TIMBERVILLE			NHEL	.32	4
30B	TIMBERVILLE SILT LOAM, 2 TO 7 PERCENT SLOPES	1	TIMBERVILLE			PHEL	.32	4
32C	GRIMSLEY COBBLY LOAM, 7 TO 15 PERCENT SLOPES	1	GRIMSLEY			PHEL	.20	4
32D	GRIMSLEY COBBLY LOAM, 7 TO 13 PERCENT SLOPES		GRIMSLEY			HEL	.20	4
32E	GRIMSLEY COBBLY LOAM, 25 TO 70 PERCENT SLOPES		GRIMSLEY			HEL	. 20	4
33A	ATKINS LOAM, 0 TO 2 PERCENT SLOPES	1	ATKINS			NHEL	. 28	5
40B	LITZ-GROSECLOSE SILT LOAMS COMPLEX, 2 TO 7	1	LITZ			PHEL	.37	3
40C	PERCENT SLOPES LITZ-GROSECLOSE SILT LOAMS COMPLEX, 7 TO 15	1	LITZ			HEL	.37	3
40D	PERCENT SLOPES LITZ-GROSECLOSE SILT LOAMS COMPLEX, 15 TO 25 PERCENT SLOPES	1	LITZ			HEL	.37	3

HIGHLY ERODIBLE LAND REPORT JANUARY, 1990

Survey Area- SCOTT COUNTY, VIRGINIA SOIL SURVEY

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	HEL Soil	Fact.	T Fact.
40E	LITZ-GROSECLOSE SILT LOAMS COMPLEX, 25 TO 70 PERCENT SLOPES	1	LITZ		 HEL	.37	3
43B	LILY LOAM, 2 TO 7 PERCENT SLOPES	1	LILY		PHEL	.28	3
43C	LILY LOAM, 7 TO 15 PERCENT SLOPES	1	LILY		HEL	.28	3
43D	LILY LOAM, 15 TO 25 PERCENT SLOPES	1	LILY		HEL	.28	3
46B	CLARKSVILLE CHERTY SILT LOAM, 2 TO 7 PERCENT SLOPES	1	CLARKSVILLE		PHEL	.20	2
46C	CLARKSVILLE CHERTY SILT LOAM, 7 TO 15 PERCENT SLOPES	1	CLARKSVILLE		HEL	.20	2
46D	CLARKSVILLE CHERTY SILT LOAM, 15 TO 25 PERCENT SLOPES	1	CLARKSVILLE		HEL	.20	2
46E	CLARKSVILLE CHERTY SILT LOAM, 25 TO 70 PERCENT SLOPES	1	CLARKSVILLE		HEL	.20	2
48C	CARBO-ROCK OUTCROP COMPLEX, 7 TO 15 PERCENT SLOPES, KARST	1	CARBO		HEL	.37	2
48D	CARBO-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES, KARST	1	CARBO		HEL	.37	2
48E	CARBO-ROCK OUTCROP COMPLEX, 25 TO 65 PERCENT SLOPES, KARST	1	CARBO		HEL	.37	2
49C	CARBO-ROCK OUTCROP COMPLEX, 7 TO 15 PERCENT SLOPES	1	CARBO		HEL	.37	2
49D	CARBO-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES	1	CARBO		HEL	.37	2
49E	CARBO-ROCK OUTCROP COMPLEX, 25 TO 35 PERCENT SLOPES	1	CARBO		HEL	.37	2
50C	FREDERICK SILT LOAM, KARST, 7 TO 15 PERCENT SLOPES	1	FREDERICK		HEL	.32	4
50D	FREDERICK SILT LOAM, KARST, 15 TO 25 PERCENT SLOPES	1	FREDERICK		HEL	.32	4
50E	FREDERICK SILT LOAM, KARST, 25 TO 60 PERCENT SLOPES	1	FREDERICK		HEL	.32	4
53A	NOLIN SILT LOAM, 0 TO 2 PERCENT SLOPES	1	NOLIN		NHEL	.43	5
60C	JEFFERSON LOAM, 7 TO 15 PERCENT SLOPES, VERY STONY	1	JEFFERSON		PHEL	.10	4
60D	JEFFERSON LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1	JEFFERSON		HEL	.10	4
60E	JEFFERSON LOAM, 25 TO 70 PERCENT SLOPES, VERY STONY	1	JEFFERSON		HEL	.10	4
63B	SHELOCTA SILT LOAM, 2 TO 7 PERCENT SLOPES	1	SHELOCTA		PHEL	.32	4
63C	SHELOCTA SILT LOAM, 7 TO 15 PERCENT SLOPES	1	SHELOCTA		HEL	.32	4
63D	SHELOCTA SILT LOAM, 15 TO 25 PERCENT SLOPES	1	SHELOCTA		HEL	.32	4
63E	SHELOCTA SILT LOAM, 25 TO 35 PERCENT SLOPES	1	SHELOCTA		HEL	.32	4
63F	SHELOCTA SILT LOAM, 35 TO 70 PERCENT SLOPES	1	SHELOCTA		HEL	.32	4
69A	LINDSIDE-NEWARK SILT LOAMS COMPLEX, 0 TO 2 PERCENT SLOPES	1	LINDSIDE		NHEL	.37	4
70A	MELVIN SILT LOAM, 0 TO 2 PERCENT SLOPES	1	MELVIN		NHEL	.43	5
73C	WESTMORELAND LOAM, 7 TO 15 PERCENT SLOPES	1	WESTMORELAND)	HEL	.37	3
73D	WESTMORELAND LOAM, 15 TO 25 PERCENT SLOPES	1	WESTMORELAND)	HEL	.37	3
73E	WESTMORELAND LOAM, 25 TO 35 PERCENT SLOPES	1	WESTMORELAND)	HEL	.37	3
73F	WESTMORELAND LOAM, 35 TO 70 PERCENT SLOPES	1	WESTMORELAND)	HEL	.37	3

01/1990 ______

HIGHLY ERODIBLE LAND REPORT JANUARY, 1990

Survey Area- SCOTT COUNTY, VIRGINIA SOIL SURVEY

	Mapunit Name	Seq.	Name	Subcl.	Farm	Soil	Fact	. Fact.
90B						PHEL	.17	-
90C	JEFFERSON LOAM, 2 TO 7 PERCENT SLOPES JEFFERSON LOAM, 7 TO 15 PERCENT SLOPES	1	JEFFERSON			PHEL	.17	4
90D	JEFFERSON LOAM, 15 TO 25 PERCENT SLOPES					HEL		4
114C	LAIDIG VERY STONY LOAM, 7 TO 15 PERCENT SLOPES	S 1	LAIDIG			PHEL		4
114D	LAIDIG VERY STONY LOAM, 15 TO 25 PERCENT SLOPE		LAIDIG			HEL	.28	4
114E	LAIDIG VERY STONY LOAM, 25 TO 50 PERCENT SLOPE	ES I	LAIDIG			HEL	.28	4
115B	LAIDIG CHANNERY LOAM, 2 TO 7 PERCENT SLOPES	1	LAIDIG			PHEL	.28	4
115C	LAIDIG CHANNERY LOAM, 7 TO 15 PERCENT SLOPES					PHEL		4
115D	LAIDIG CHANNERY LOAM, 15 TO 25 PERCENT SLOPES	1	LAIDIG			HEL	.28	4
135B	GILPIN SILT LOAM, 2 TO 7 PERCENT SLOPES	1	GILPIN			PHEL		3
135C	GIBIIN BIBI BOAM, / TO IS TERCENT BEGIES	_	GILPIN			HEL	.32	3
135D	GILPIN SILT LOAM, 15 TO 25 PERCENT SLOPES	1	GILPIN			HEL	.32	3
141B	WYRICK-MARBIE SILT LOAMS COMPLEX, 2 TO 7 PERCENT SLOPES	1	WYRICK			PHEL	.32	5
141C	WYRICK-MARBIE SILT LOAMS COMPLEX, 7 TO 15 PERCENT SLOPES	1	WYRICK			PHEL	.32	5
150A	CRAIGSVILLE COBBLY SANDY LOAM, 0 TO 5 PERCENT SLOPES	1	CRAIGSVILLE			NHEL	.17	3
152A	ZOAR SILT LOAM, 0 TO 2 PERCENT SLOPES	1	ZOAR			NHEL	.43	3
152B	ZOAR SILT LOAM, 2 TO 7 PERCENT SLOPES	1	ZOAR			PHEL		3
152C	ZOAR SILT LOAM, 7 TO 15 PERCENT SLOPES	1	ZOAR			HEL	.43	3
0153	DUDDU GELEV GELV 1014 0 E0 0 DED GEVE GEODEG	-					4.2	2
215A	PURDY SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES		PURDY			NHEL		3
215B	PURDY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES	1	PURDY			PHEL	.43	3
220B	SHOTTOWER COBBLY LOAM, 2 TO 7 PERCENT SLOPES	1	SHOTTOWER			PHEL	.24	5
220C	SHOTTOWER COBBLY LOAM, 7 TO 15 PERCENT SLOPES	1	SHOTTOWER			PHEL		5
220D	SHOTTOWER COBBLY LOAM, 15 TO 25 PERCENT SLOPES		SHOTTOWER			HEL	.24	5
220E	SHOTTOWER COBBLY LOAM, 25 TO 35 PERCENT SLOPES	S 1	SHOTTOWER			HEL	.24	5
222B	TUMBLING VERY STONY LOAM, 2 TO 7 PERCENT SLOPES	1	TUMBLING			PHEL	.24	5
222C	TUMBLING VERY STONY LOAM, 7 TO 15 PERCENT SLOPES	1	TUMBLING			PHEL	.24	5
222D	TUMBLING VERY STONY LOAM, 15 TO 25 PERCENT SLOPES	1	TUMBLING			HEL	.24	5
222E	TUMBLING VERY STONY LOAM, 25 TO 45 PERCENT SLOPES	1	TUMBLING			HEL	.24	5
223B	TUMBLING LOAM, 2 TO 7 PERCENT SLOPES	1	TUMBLING			PHEL	.32	5
223B 223C	TUMBLING LOAM, 7 TO 15 PERCENT SLOPES	1	TUMBLING			PHEL	.32	5
223D	TUMBLING LOAM, 15 TO 25 PERCENT SLOPES	1	TUMBLING			HEL	.32	5
223E	TUMBLING LOAM, 25 TO 45 PERCENT SLOPES	1	TUMBLING			HEL	.32	5
271C	BERKS VERY STONY SILT LOAM, 7 TO 15	1	BERKS			PHEL	.17	3
271D	PERCENT SLOPES BERKS VERY STONY SILT LOAM, 15 TO 25	1	BERKS			HEL	.17	3
	PERCENT SLOPES							
271E	BERKS VERY STONY SILT LOAM, 25 TO 70 PERCENT SLOPES	1	BERKS			HEL	.17	3
298C	DEKALB VERY STONY SANDY LOAM, 7 TO 15 PERCENT SLOPES	1	DEKALB			HEL	.17	2
298D	DEKALB VERY STONY SANDY LOAM, 15 TO 25 PERCENT SLOPES	1	DEKALB			HEL	.17	2
298E	DEKALB VERY STONY SANDY LOAM, 25 TO 70 PERCENT SLOPES	1	DEKALB			HEL	.17	2

HIGHLY ERODIBLE LAND REPORT JANUARY, 1990

Survey Area- SCOTT COUNTY, VIRGINIA SOIL SURVEY

Map Seq. Component Cap. Prime HEL K T
Symbol Mapunit Name Subcl. Farm Soil Fact. Fact.

HEL Terms

NHEL - Not Highly Erodible Land

PHEL - Potentially Highly Erodible Land

HEL - Highly Erodible Land

Prime Farmland Codes

- 0 Not prime farmland.
- 1 All areas are prime farmland.
- 2 Prime farmland if drained.
- 3 Prime farmland if protected from flooding or not frequently flooded during the growing season.
- 4 Prime farmland if irrigated.
- 5 Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season.
- 6 Prime farmland if irrigated and drained.
- 7 Prime farmland if irrigated and either protected from flooding or not frequently flooded during the growing season.
- 8 Prime farmland if subsoiled, completely removed the root inhibiting soil layer.