



Natural Resources Conservation Service  
1606 Santa Rosa Road, Suite 209  
Richmond, VA 23229  
Telephone: 804/287-1691  
Fax: 804/287-1737

TECH DEV APPL 450-15-ISSUE- 396

January 27, 2011

**SUBJECT:** VIRGINIA FIELD OFFICE TECHNICAL GUIDE – SECTION IV –  
Virginia Conservation Practice Standards

**Purpose:** To transmit VA Conservation Practice Standards, dated September 2010\*\*,  
O&M Requirements and Major Changes.

<u>Code</u>	<u>O&amp;M Req.</u>	<u>Major Changes</u>
#362, Diversion	X	
#412, Grassed Waterway	X	
#430, Irrigation Pipeline	X	X
#436, Irrigation Reservoir	X	X
#558, Roof Runoff Structure	X	
#600, Terrace	X	
#620, Underground Outlet ** dated October 2010	X	X
#638, Water and Sediment Control Basin	X	X

**Effective Date:** Upon receipt.

**Filing Instructions:** These standards, O&M Req. and Major Changes are accessible electronically in Section IV of the VA EFOTG at:  
<http://efotg.nrcs.usda.gov>.

If you maintain hard copies, replace the old standards with updated standards in Section IV of the Virginia Field Office Technical Guide. File O&M Requirements behind the pertinent standard.

**Explanation:** These Virginia Conservation Practice Standards have been updated.

Irrigation Pipeline (430) replaces Irrigation Pipeline, High Pressure, Underground, Plastic (430DD).

Irrigation Reservoir (436) combines Irrigation Regulating Reservoir (552) and Irrigation Storage Reservoir (436).

JOHN A. BRICKER  
State Conservationist

Acting for