HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- ORANGE COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
Ab	ALBANO SILT LOAM	1	ALBANO	5W	0	NHEL	.37	3
AlA	ALTAVISTA LOAM, 0 TO 2 PERCENT SLOPES	1	ALTAVISTA	2W	1	NHEL	.24	5
AlB	ALTAVISTA LOAM, 2 TO 7 PERCENT SLOPES	1	ALTAVISTA	2E	1	PHEL	.24	5
AlC2	ALTAVISTA LOAM, 2 TO 12 PERCENT SLOPES, ERODED	1	ALTAVISTA	2E	0	PHEL	.24	5
ApB	APPLING SANDY LOAM, 2 TO 7 PERCENT SLOPES	1	APPLING	2E	1	PHEL	.24	4
ApB2	APPLING SANDY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	APPLING	2E	1	PHEL	.24	4
ApC2	APPLING SANDY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	APPLING	4E	0	HEL	.24	4
AuA	AUGUSTA SILT LOAM, 0 TO 2 PERCENT SLOPES	1	AUGUSTA	3W	0	NHEL	.20	4
AuB	AUGUSTA SILT LOAM, 2 TO 7 PERCENT SLOPES	1	AUGUSTA	3W	0	NHEL	.20	4
Be	BERMUDIAN SILT LOAM	1	BERMUDIAN	1	0	NHEL	.37	4
Bo	BOWMANSVILLE SILT LOAM	1	BOWMANSVILLE	3W	0	NHEL	.32	4
BrC	BREMO SILT LOAM, 4 TO 15 PERCENT SLOPES	1	BREMO	4E	0	HEL	.28	2
BrD	BREMO SILT LOAM, 15 TO 25 PERCENT SLOPES	1	BREMO	6E	0	HEL	.28	2
BsB2	BUCKS SILT LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	BUCKS	2E	1	PHEL	.32	4
BsC2	BUCKS SILT LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	BUCKS	3E	0	HEL	.32	4
BtB2	BUCKS SILT LOAM, CONGLOMERATE SUBSTRATUM, 2 TO 7 PERCENT SLOPES, ERODED	1	BUCKS	2E	0	PHEL	.32	4
BtC2	BUCKS SILT LOAM, CONGLOMERATE SUBSTRATUM, 7 TO 15 PERCENT SLOPES, ERODED	1	BUCKS	3E	1	HEL	.32	4
BuC3	BUCKS SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES, SEVERELY ERODED	1	BUCKS	3E	0	HEL	.37	4
Bw	BUNCOMBE LOAMY FINE SAND	1	BUNCOMBE	4W	0	NHEL	.10	5
CaB	CALVERTON LOAM, 2 TO 7 PERCENT SLOPES	1	CALVERTON	3W	0	PHEL	.43	3
CbB	CALVERTON-CREEDMOOR COMPLEX, 2 TO 7 PERCENT SLOPES	1	CALVERTON	3W	0	PHEL	.43	3
CcC	CATOCTIN SILT LOAM, 5 TO 15 PERCENT SLOPES	1	CATOCTIN	3E	0	HEL	.32	2
CcD	CATOCTIN SILT LOAM, 15 TO 25 PERCENT SLOPES	1	CATOCTIN	4E	0	HEL	.32	2
CdD	CATOCTIN STONY SILT LOAM, 10 TO 25 PERCENT SLOPES	1	CATOCTIN	4E	0	HEL	.24	2
CdE	CATOCTIN STONY SILT LOAM, 25 TO 45 PERCENT SLOPES	1	CATOCTIN	7E	0	HEL	.24	2
CeB2	CECIL FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	CECIL	2E	1	PHEL	.28	4
CeC2	CECIL FINE SANDY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	CECIL	4E	0	HEL	.28	4
CmB2	CECIL LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	CECIL	2E	1	PHEL	.28	4
CmC2	CECIL LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	CECIL	4E	0	HEL	.28	4
CsC3	CECIL CLAY LOAM, 4 TO 15 PERCENT SLOPES, SEVERELY ERODED	1	CECIL	4E	0	HEL	.15	4
Cw	CHEWACLA SILT LOAM	1	CHEWACLA	4W	0	NHEL	.32	5
CxB	COLFAX LOAM, 2 TO 7 PERCENT SLOPES	1	COLFAX	3W	0	PHEL	.37	3
Cy	COMUS FINE SANDY LOAM	1	COMUS	2W	1	NHEL	.43	3
Cz	COMUS SILT LOAM	1	COMUS	2W	1	NHEL	.43	3
DaB2	DAVIDSON CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	DAVIDSON	3E	1	PHEL	.28	5
DaC2	DAVIDSON CLAY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	DAVIDSON	6E	0	HEL	.28	5
DaD2	DAVIDSON CLAY LOAM, 15 TO 25 PERCENT SLOPES, ERODED	1	DAVIDSON	6E	0	HEL	.28	5
DcC	DAVIDSON STONY CLAY LOAM, 7 TO 15 PERCENT SLOPES	1	DAVIDSON	7E	0	HEL	.24	4
DcD	DAVIDSON STONY CLAY LOAM, 15 TO 25 PERCENT SLOPES	1	DAVIDSON	7E	0	HEL	.24	4
DcE	DAVIDSON STONY CLAY LOAM, 25 TO 45 PERCENT SLOPES	1	DAVIDSON	7S	0	HEL	.24	4
DdB3	DAVIDSON CLAY, 2 TO 7 PERCENT SLOPES, SEVERELY ERODED	1	DAVIDSON	3E	0	PHEL	.24	4
DdC3	DAVIDSON CLAY, 7 TO 15 PERCENT SLOPES, SEVERELY ERODED	1	DAVIDSON	6E	0	HEL	.24	4

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- ORANGE COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
DdD3	DAVIDSON CLAY, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	1	DAVIDSON		0	HEL	.24	4
DkB2	DYKE LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	DYKE	2E	1	PHEL	.37	4
DkC2	DYKE LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	DYKE	3E	0	HEL	.37	4
Eb	ELBERT SILT LOAM	1	ELBERT	4W	0	NHEL	.49	3
Ee	ELBERT SILT LOAM, OVERWASH	1	ELBERT	4W	0	PHEL	.49	3
ElB2	ELIOAK FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES ERODED	1	ELIOAK	2E	1	PHEL	.32	4
ElC2	ELIOAK FINE SANDY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	ELIOK	3E	0	HEL	.32	4
EmB3	ELIOAK CLAY LOAM, 2 TO 7 PERCENT SLOPES, SEVERELY ERODED	1	ELIOK	2E	0	PHEL	.32	4
EmC3	ELIOAK CLAY LOAM, 7 TO 15 PERCENT SLOPES, SEVERELY ERODED	1	ELIOAK	3E	0	HEL	.32	4
EsB	ELSINBORO LOAM, 2 TO 7 PERCENT SLOPES	1	ELSINBORO	2E	1	PHEL	.37	4
EsB2	ELSINBORO LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	ELSINBORO	2E	1	PHEL	.37	4
EsC2	ELSINBORO LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	ELSINBORO	3E	0	HEL	.37	4
FaB2	FAUQUIER SILT LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	FAUQUIER	2E	1	PHEL	.32	3
FaC2	FAUQUIER SILT LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	FAUQUIER	3E	0	HEL	.32	3
FcC3	FAUQUIER SILTY CLAY LOAM, 4 TO 20 PERCENT SLOPES, SEVERELY ERODED	1	FAUQUIER	3E	0	HEL	.32	3
FlB	FLUVANNA SILT LOAM, 2 TO 7 PERCENT SLOPES	1	FLUVANNA	2E	1	PHEL	.37	4
FlB2	FLUVANNA SILT LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	FLUVANNA	2E	1	PHEL	.37	4
FlC2	FLUVANNA SILT LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	FLUVANNA	3E	0	HEL	.37	4
GlB2	GLENELG LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	GLENELG	2E	1	PHEL	.32	3
GlC2	GLENELG LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	GLENELG	3E	0	HEL	.32	3
GrB2	GROVER SANDY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	GROVER	2E	1	PHEL	.28	3
GrC2	GROVER SANDY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	GROVER	4E	0	HEL	.28	3
GsC3	GROVER SANDY CLAY LOAM, 7 TO 15 PERCENT SLOPES, SEVERELY ERODED	1	GROVER	4E	0	HEL	.28	3
HaC	HAZEL LOAM, 7 TO 15 PERCENT SLOPES	1	HAZEL	3E	0	HEL	.32	2
HaD	HAZEL LOAM, 15 TO 30 PERCENT SLOPES	1	HAZEL	4E	0	HEL	.32	2
HeB	HELENA FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES	1	HELENA	2E	1	PHEL	.15	3
HeC2	HELENA FINE SANDY LOAM, 2 TO 10 PERCENT SLOPES, ERODED	1	HELENA	3E	0	HEL	.15	3
HsB	HIWASSEE LOAM, 2 TO 7 PERCENT SLOPES	1	HIWASSEE	2E	1	PHEL	.28	5
HsB2	HIWASSEE LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	HIWASSEE	2E	1	PHEL	.28	5
HsC2	HIWASSEE LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	HIWASSEE	4E	0	HEL	.28	5
HwC3	HIWASSEE CLAY LOAM, 4 TO 15 PERCENT SLOPES, SEVERELY ERODED	1	HIWASSEE	3E	0	HEL	.28	5
KlD	KLINESVILLE SILT LOAM, 15 TO 25 PERCENT SLOPES	1	KLINESVILLE	6E	0	HEL	.20	2
KlE	KLINESVILLE SILT LOAM, 25 TO 45 PERCENT SLOPES	1	KLINESVILLE	7E	0	HEL	.20	2
LgB	LIGNUM SILT LOAM, 2 TO 7 PERCENT SLOPES	1	LIGNUM	2E	0	PHEL	.43	3
LlB2	LLOYD LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	LLOYD	2E	1	PHEL	.37	4
LlC2	LLOYD LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	LLOYD	4E	0	HEL	.37	4
LmB3	LLOYD CLAY LOAM, 2 TO 7 PERCENT SLOPES, SEVERELY ERODED	1	LLOYD	3E	0	PHEL	.37	3
LmC3	LLOYD CLAY LOAM, 7 TO 15 PERCENT SLOPES, SEVERELY ERODED	1	LLOYD	4E	0	HEL	.37	3
LmD3	LLOYD CLAY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	1	LLOYD	6E	0	HEL	.37	3
LoC	LOUISBURG SANDY LOAM, 5 TO 15 PERCENT SLOPES	1	LOUISBURG	6E	0	HEL	.24	2
LoC2	LOUISBURG SANDY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	LOUISBURG	6E	0	HEL	.24	2
LoD	LOUISBURG SANDY LOAM, 15 TO 25 PERCENT SLOPES	1	LOUISBURG	7E	0	HEL	.24	2
LoD2	LOUISBURG SANDY LOAM, 15 TO 25 PERCENT SLOPES, ERODED	1	LOUISBURG	7E	0	HEL	.24	2

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- ORANGE COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
MaB2	MADISON SANDY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	MADISON	2E	1	PHEL	.24	4
MaC2	MADISON SANDY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	MADISON	4E	0	HEL	.24	4
MdC3	MADISON CLAY LOAM,, 7 TO 15 PERCENT SLOPES, SEVERELY ERODED	1	MADISON	4E	0	HEL	.28	4
MnB	MANASSAS SILT LOAM, 2 TO 7 PERCENT SLOPES	1	MANASSAS	2E	1	PHEL	.37	4
MoD	MANOR SILT LOAM, 10 TO 25 PERCENT SLOPES	1	MANOR	4E	0	HEL	.37	3
MrB	MANTEO SILT LOAM, 2 TO 7 PERCENT SLOPES	1	MANTEO		0	PHEL	.28	1
MrC	MANTEO SILT LOAM, 7 TO 15 PERCENT SLOPES	1	MANTEO		0	HEL	.28	1
MrD	MANTEO SILT LOAM, 15 TO 25 PERCENT SLOPES	1	MANTEO		0	HEL	.28	1
MrE	MANTEO SILT LOAM, 25 TO 45 PERCENT SLOPES	1	MANTEO		0	HEL	.28	1
MsB	MASADA LOAM, 2 TO 7 PERCENT SLOPES	1	MASADA	2E	1	PHEL	.32	4
MsB2	MASADA LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	MASADA	2E	1	PHEL	.32	4
MsC2	MASADA LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	MASADA	3E	0	HEL	.32	4
MtC3	MASADA SANDY CLAY LOAM, 7 TO 15 PERCENT SLOPES, SEVERELY ERODED	1	MASADA	3E	0	HEL	.24	4
MuB	MAYODAN FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES	1	MAYODAN	2E	1	PHEL	.24	4
MuB2	MAYODAN FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	MAYODAN	2E	1	PHEL	.24	4
MuC2	MAYODAN FINE SANDY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	MAYODAN	4E	0	HEL	.24	4
MvB2	MECKLENBURG SILT LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	MECKLENBURG	2E	1	PHEL	.24	4
MvC2	MECKLENBURG SILT LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	MECKLENBURG	4E	0	HEL	.24	4
MyB2	MYERSVILLE SILT LOAM, 2 TO 7 PERCENT SLOPES ERODED	1	MYERSVILLE	2E	1	PHEL	.37	4
MyC2	MYERSVILLE SILT LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	MYERSVILLE	3E	0	HEL	.37	4
NaB2	NASON LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	NASON	2E	0	PHEL	.37	4
NaC2	NASON LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	NASON	3E	0	HEL	.37	4
NsB	NASON SILT LOAM, 2 TO 7 PERCENT SLOPES	1	NASON	2E	0	PHEL	.37	4
NsB2	NASON SILT LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	NASON	2E	0	PHEL	.37	4
NsC	NASON SILT LOAM, 7 TO 15 PERCENT SLOPES	1	NASON	3E	0	HEL	.37	4
NsC2	NASON SILT LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	NASON	3E	0	HEL	.37	4
NsD2	NASON SILT LOAM, 15 TO 25 PERCENT SLOPES, ERODED	1	NASON	6E	0	HEL	.37	4
NtC3	NASON SILTY CLAY LOAM, 5 TO 15 PERCENT SLOPES SEVERELY ERODED	1	NASON	3E	0	HEL	.37	3
OgA	ORANGE SILT LOAM, CONCRETIONARY VARIANT, 0 TO 2 PERCENT SLOPES	1	ORANGE VARIANT	4W	0	NHEL	.43	3
OgB	ORANGE SILT LOAM, CONCRETIONARY VARIANT, 2 TO 7 PERCENT SLOPES	1	ORANGE VARIANT	3E	0	PHEL	.43	3
OgB2	ORANGE SILT LOAM, CONCRETIONARY VARIANT, 2 TO 7 PERCENT SLOPES, ERODED	1	ORANGE VARIANT	3E	0	PHEL	.43	3
OgC2	ORANGE SILT LOAM, CONCRETIONARY VARIANT, 7 TO 15 PERCENT SLOPES, ERODED	1	ORANGE VARIANT	4E	0	HEL	.43	3
OrA	ORANGE-IREDELL SILT LOAMS, 0 TO 2 PERCENT SLOPES	1	ORANGE	4W	0	NHEL	.43	3
OrB	ORANGE-IREDELL SILT LOAMS, 2 TO 7 PERCENT SLOPES	1	ORANGE	3E	0	PHEL	.43	3
OrB2	ORANGE-IREDELL SILT LOAMS, 2 TO 7 PERCENT SLOPES, ERODED	1	ORAGNE	3E	0	PHEL	.43	3
PeB	PENN SILT LOAM, 2 TO 7 PERCENT SLOPES	1	PENN	2E	1	PHEL	.32	3
PeC	PENN SILT LOAM, 7 TO 15 PERCENT SLOPES	1	PENN	3E	0	HEL	.32	3
PkC	PINKSTON FINE SANDY LOAM, 7 TO 15 PERCENT SLOPES	1	PINKSTON	4E	0	HEL	.32	2
PkD	PINKSTON FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1	PINKSTON	6E	0	HEL	.32	2
RaB2	RABUN CLAY LOAM, 2 TO 7 PERCENT SLOPES,	1	RABUN	2E	1	PHEL	.32	4

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- ORANGE COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
	ERODED							
RaC2	RABUN CLAY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	RABUN	6E	0	HEL	.32	4
RaD2	RABUN CLAY LOAM, 15 TO 25 PERCENT SLOPES, ERODED	1	RABUN	6E	0	HEL	.32	4
RaE2	RABUN CLAY LOAM, 25 TO 45 PERCENT SLOPES, ERODED	1	RABUN	7E	0	HEL	.32	4
RcD3	RABUN CLAY, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	1	RABUN	6E	0	HEL	.28	4
RdB2	RAPIDAN SILT LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	RAPIDAN	2E	1	PHEL	.37	4
RdC2	RAPIDAN SILT LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	RAPIDAN	3E	0	HEL	.37	4
ReC3	RAPIDAN SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES, SEVERELY ERODED	1	RAPIDAN	3E	0	HEL	.37	3
Rk	ROANOKE SILT LOAM	1	ROANOKE	4W	0	NHEL	.37	4
RnC	ROCK LAND, ACIDIC, SLOPING	1	ROCK LAND		0	HEL		
RnD	ROCK LAND, ACIDIC, MODERATELY STEEP	1	ROCK LAND		0	HEL		
RoC	ROCK LAND, BASIC SLOPING	1	ROCK LAND		0	HEL		
RoE	ROCK LAND, BASIC, STEEP	1	ROCK LAND		0	HEL		
Rw	ROWLAND SILT LOAM	1	ROWLAND	2W	0	NHEL	.43	4
SeB	SENECA FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES	1	SENECA	2E	1	PHEL	.28	4
SrC	STARR SILT LOAM, 2 TO 10 PERCENT SLOPES	1	STARR	2E	0	PHEL	.24	5
StA	STATE LOAM, 0 TO 4 PERCENT SLOPES	1	STATE	2E	1	PHEL	.37	5
TaB2	TATUM LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	TATUM	2E	0	PHEL	.43	4
TaC2	TATUM LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	TATUM	3E	0	HEL	.43	4
TsB	TATUM SILT LOAM, 2 TO 7 PERCENT SLOPES	1	TATUM	2E	0	PHEL	.43	4
TsB2	TATUM SILT LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	TATUM	2E	0	PHEL	.43	4
TsC	TATUM SILT LOAM, 7 TO 15 PERCENT SLOPES	1	TATUM	3E	0	HEL	.43	4
TsC2	TATUM SILT LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	TATUM	3E	0	HEL	.43	4
TtB3	TATUM SILTY CLAY LOAM 2 TO 7 PERCENT SLOPES, SEVERELY ERODED	1	TATUM	2E	0	PHEL	.32	3
TtC3	TATUM SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES, SEVERELY ERODED	1	TATUM	3E	0	HEL	.32	3
TuB	TURBEVILLE LOAM, 2 TO 7 PERCENT SLOPES	1	TURBEVILLE	2E	1	PHEL	.32	3
TuB2	TURBEVILLE LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	TURBEVILLE	2E	1	PHEL	.32	3
TuC2	TURBEVILLE LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	TURBEVILLE	3E	0	HEL	.32	3
VaB	VANCE FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES	1	VANCE	3E	1	PHEL	.24	4
VaB2	VANCE FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	VANCE	3E	1	PHEL	.24	4
WaB2	WADESBORO FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	1	WADESBORO	2E	1	PHEL	.32	5
WaC2	WADESBORO FINE SANDY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	WADESBORO	4E	0	HEL	.32	5
WaD2	WADESBORO FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, ERODED	1	WADESBORO	6E	0	HEL	.32	5
WbB	WATT SILT LOAM, 2 TO 7 PERCENT SLOPES	1	WATT	3E	0	PHEL	.32	2
WbC	WATT SILT LOAM, 7 TO 15 PERCENT SLOPES	1	WATT	4E	0	HEL	.32	2
WbD	WATT SILT LOAM, 15 TO 30 PERCENT SLOPES	1	WATT	6E	0	HEL	.32	2
We	WEHADKEE SILT LOAM	1	WEHADKEE	6W	0	NHEL	.32	5
WkC	WILKES SANDY LOAM, 7 TO 15 PERCENT SLOPES	1	WILKES	6E	0	HEL	.28	2
WkD	WILKES SANDY LOAM, 15 TO 25 PERCENT SLOPES	1	WILKES	7E	0	HEL	.28	2
WoB	WORSHAM SILT LOAM, 2 TO 7 PERCENT SLOPES	1	WORSHAM	4W	0	PHEL	.37	4
X	QUARRIES	1	QUARRIES	8S	0	NHEL		
YoB	YORK SILT LOAM, 2 TO 7 PERCENT SLOPES	1	YORK	2E	0	PHEL	.43	4
ZoB	ZION SILT LOAM, 2 TO 7 PERCENT SLOPES	1	ZION	2E	0	PHEL	.37	2
ZoC2	ZION SILT LOAM, 7 TO 15 PERCENT SLOPES, ERODED	1	ZION	3E	0	HEL	.37	2

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- ORANGE COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
								5-

HEL Terms

NHEL – Not Highly Erodible Land
PHEL – Potentially Highly Erodible Land
HEL – Highly Erodible Land

Prime Farmland Codes

0 - Not prime farmland.
1 - All areas are prime farmland.
2 - Prime farmland if drained.
3 - Prime farmland if protected from flooding or not frequently flooded during the growing season.
4 - Prime farmland if irrigated.
5 - Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season.
6 - Prime farmland if irrigated and drained.
7 - Prime farmland if irrigated and either protected from flooding or not frequently flooded during the growing season.
8 - Prime farmland if subsoiled, completely removed the root inhibiting soil layer.