



Natural Resources Conservation Service
CONSERVATION PRACTICE STANDARD
FOREST STAND IMPROVEMENT

Code 666

(Ac.)

DEFINITION

The manipulation of species composition, stand structure, or stand density by cutting or killing selected trees or understory vegetation to achieve desired forest conditions or obtain ecosystem services.

PURPOSE

- Improve and sustain forest health and productivity
- Reduce damage from pests and moisture stress
- Initiate forest stand regeneration
- Reduce wildfire risk and hazard and facilitate prescribed burning
- Restore or maintain natural plant communities
- Improve wildlife and pollinator habitat
- Alter quantity, quality, and timing of water yield
- Increase or maintain carbon storage

CONDITIONS WHERE PRACTICE APPLIES

All land where the quantity and quality of trees can be enhanced.

CRITERIA

General Criteria Applicable to All Purposes

Identify the harvest-regeneration strategy for all planned forest improvement harvesting:

- Uneven-aged management systems (e.g., single-tree selection, group selection, patch clear-cut, and coppice selection)
- Even-aged management (e.g., clear-cut, seed- tree, shelterwood, thinning, and coppice)

Describe the extent or size and orientation of treatment area(s).

Identify and retain preferred tree and understory species to achieve all planned purposes and landowner objectives.

Use the Virginia Plant Establishment Guide for species and species groups to determine spacing, density, size-class distribution, number of trees, and amount of understory species to be retained. Schedule treatments to avoid overstocked conditions using approved silvicultural/ stocking guides. Stocking guidelines shall contain stocking in terms of basal area, spacing or trees per acre by species and size class distribution.

Describe the current and desired future condition of each stand that will be treated. Include the species, cover type, and size-class distribution. Stocking will be described in terms of crop trees per acre, basal

area per acre, trees per acre, between-tree spacing, or by any other appropriate and professionally accepted density or stocking protocol.

Refer to WIN-PST criteria in Virginia Conservation Practice Standard (CPS) Integrated Pest Management, (Code 595), and comply with applicable State and local laws if an herbicide will be used. Specific pesticide recommendations will be obtained from personnel who are licensed by the Virginia Department of Agricultural and Consumer Services in one of the forest pest management categories in accordance with Virginia's Pesticide Laws and Regulations.

If chemical herbicides or pesticides are used, follow all instructions for the particular chemical as outlined in the Virginia Pest Management Guide (2016 edition and subsequent revisions) as maintained by the Virginia Cooperative Extension Service. The specific pesticide container label addressing instructions and safety precautions shall be strictly followed as it applies to handling, applying in proximity to water resources, and storage.

Protect site resources, e.g., residual trees, wetlands, cultural resources, improvements and utilities by selecting the appropriate method, felling direction and tree harvest timing. Time tree felling to avoid buildup of insect or disease populations. The method, felling direction and timing of tree cutting for harvesting shall protect site resources, e.g., residual trees, wetlands, cultural resources, improvements and utilities. Felling direction must be compatible with trail layout as specified by Virginia Conservation Practice Standard *Forest Trails and Landings* (Code 655).

Implement forest stand improvement activities in ways that avoid or minimize soil erosion, compaction, rutting, and damage to remaining vegetation, and that maintain hydrologic conditions. Protect site resources by selecting the method, felling direction and timing of tree felling, and heavy equipment operation. For temporary access use Virginia Conservation Practice Standard Forest Trails and Landings (Code 655) to protect soil and site resources from vehicle impacts. Refer to "Forestry Best Management Practices for Water Quality" in the Virginia Field Office Technical Guide, Section I.

Use Virginia Conservation Practice Standard *Access Road* (Code 560) for more heavily used roads associated with forest stand improvement activities.

Where slash and debris will be generated, use Virginia Conservation Practice Standard Woody Residue Treatment (Code 384), to appropriately treat slash and debris, as necessary, to assure that it will not present an unacceptable fire, safety, environmental, or pest hazard. Remaining woody material will be placed so that it does not interfere with the intended purpose or other management activities. Do not burn vegetative residues except where fire hazard or threats from diseases and insects are of concern or when other management objectives are best achieved through burning. When slash and other debris will be burned onsite use Virginia Conservation Practice Standard (CPS) Prescribed Burning (Code 338).

Comply with applicable federal, state and local laws and regulations during the installation, operation and maintenance of this practice and include best management practices for water quality.

Additional Criteria to Improve and Sustain Forest Health and Productivity

Treatments, including woody biomass removal, will be sustainable and will not compromise soil organic matter, the recruitment and retention of coarse woody debris, or wildlife habitat. If needed, use NRCS CPS 384, Woody Residue Treatment. If applicable, use biomass harvesting guidelines (The Forest Guild, 2010) and/or State guidance.

Manipulate stand characteristics to mitigate risk of insects and disease. Examples of stand manipulations include creating a diversity of tree species and a mosaic of age classes.

Additional Criteria to Develop Renewable Energy Systems

Bioenergy intensity and frequency of energy biomass removals will be managed to prevent long-term negative impacts on the stand.

The harvesting of energy biomass shall be accomplished in a manner that will not compromise the other intended purpose(s) and functions. If applicable, refer to state woody biomass Best Management

Practices (BMPs).

Additional Criteria to Reduce Wildfire Risk and Hazard and Facilitate Prescribed Burning

Reduce stocking rates and alter spatial arrangement of trees to minimize crown-to-crown spread of fire. Use criteria for wildfire risk and damage reduction, including reduction of ladder fuels, in NRCS CPS Codes 383, Fuel Break; 384, Woody Residue Treatment; or 394, Firebreak, as appropriate.

Further treat or eliminate slash accumulations next to roads and trails.

Minimize improvement actions that disturb seasonal wildlife activities.

Additional Criteria to Improve Wildlife and Pollinator Habitat

Manage for specific or a variety of cover types, tree species, size-classes, and stocking rates at the appropriate scale that meet desired wildlife habitat requirements.

Create, recruit, and maintain sufficient snags, nest, cavity, and den trees, and down woody material to meet requirements of desired wildlife species in balance with conditions needed to achieve other intended purposes.

Minimize improvement actions that disturb seasonal wildlife activities.

Further treat or eliminate slash accumulations next to roads and trails.

Use habitat creation and maintenance criteria in NRCS CPS Codes 647, Early Successional Habitat Development/Management; Code 643, Restoration and Management of Rare and Declining Habitats; Code 645, Upland Wildlife Habitat Management; or Code 644, Wetland Wildlife Habitat Management, as appropriate, to manage wildlife-related activities.

Additional Criteria to Alter Quantity, Quality and Timing of Water Yield

Create a mosaic of age classes to increase water yield and stabilize seasonal water yield from watersheds.

Create openings in the forest canopy to allow more light to reach the ground, stimulating understory vegetation and diversifying plant species composition and vertical structure. These improvements will increase rainfall infiltration and reduce runoff thereby reducing soil erosion and improving water quality.

Additional Criteria to Increase Carbon Storage in Selected Trees

Manage for tree species and stocking rates that have higher rates of growth and potential for carbon sequestration.

CONSIDERATIONS

Considerations for Wildlife and Pollinator Habitat

State Wildlife Habitat Guidelines, Wildlife Habitat Evaluation Procedure, and Forestland Assessment Scorecard are useful tools in planning forest stand Improvement.

Consider removing vines from crop trees but retaining vines with wildlife value (e.g., grape and poison ivy) on non-crop trees.

Increase quantity and quality of important mast (seeds, catkins, fruits, and nuts) sources for wildlife through crop tree management and other techniques.

Improve horizontal diversity or patchiness (of different age class units) across the forest for a variety of wildlife.

Improve or maintain vertical structure or vegetative layering in treated stands.

Favor declining wildlife species by providing appropriately sized treatment areas or blocks of habitat.

Time forest stand improvement activities to minimize disturbance of seasonal pollinator and wildlife activities, such as nesting, movement, etc.

Considerations for Improving and Sustaining Forest Health and Productivity

Consider crop tree management when making decisions about which trees to retain and which to cut, kill cut, or kill.

If available use sanitation-salvage and risk-rating criteria to determine trees to remove during forest stand improvement operations.

Silvicultural objectives and harvest-regeneration strategies may change over time and may be limited by prior management.

Consider enlisting the assistance of a professional forester when seeking to rehabilitate degraded stands that have been repeatedly subjected to exploitative harvesting (high-grading). Often a complex site-specific treatment plan must be developed to overcome repeated exploitative timber harvest.

Successful regeneration of desirable species is usually dependent upon timely application of forest stand improvement and other practices, such as prescribed burning, site preparation, tree and shrub establishment, prescribed grazing, and access control.

The extent, timing, size of treatment area, or intensity of the practice application, should be adjusted to minimize cumulative effects (onsite and offsite), such as hydrologic and stream alteration, habitat fragmentation, nutrient cycling, biodiversity, and visual resources.

Consider retaining at least 1/4 to 1/3 of the slash, tops, and limbs after harvest to protect site productivity. When using whole-tree harvesting systems minimize the removal of needles or leaves by harvesting in the dormant season, retaining fine woody materials onsite, or leaving felled trees onsite to allow for needle or leaf drop.

Consider controlling invasive plants if they are encountered while conducting forest stand improvement. Use to Virginia Conservation Practice Standards Brush Management (Codes 314); or, Herbaceous Weed control (Code 315), as appropriate.

When available, report the minimum criteria (diameter at breast height, log length, etc.) for commercial forest products (sawtimber, pulpwood, etc.) in order to know when to direct a client to a professional forester.

Invasive plant species or noxious woody vegetation should be controlled.

Clients should be advised of responsibilities of wildfire control and consider the development of a wildfire control plan including “defensible” space, access routes, fire-season water source, and location of wildfire control facilities.

Consider advising landowners to secure a written contract with a service provider that specifically describes the extent of activity, duration of activity, liability and responsibilities of each party, and amount and timing of payments for services provided.

Slash, debris and other vegetation (biomass) removed during stand improvement may be used to produce energy. Management alternatives should consider the amount of energy required to produce and convert the biomass into energy with the amount produced by the biomass. Wildlife and sustainability

requirements should also be considered.

Considerations for Increasing Carbon Storage

To increase carbon storage, consider shifting from even-aged to uneven-aged management to increase the retention of carbon onsite. Use regeneration methods that encourage advanced regeneration and retention of mature trees, such as shelterwood, to retain carbon onsite for longer periods. Consider retaining snags and downed woody debris for additional onsite carbon storage, and adopt techniques for maintaining soil quality, including organic carbon retention.

To grow trees that can store carbon in durable manufactured products, consider lengthening rotations to retain mature trees longer and grow to larger sizes; also consider using crop tree management techniques to concentrate growth on suitable long-lived species.

Considerations for Visual Quality

When forest stand improvement is being used to improve visual quality consider leaving trees that are attractive in shape and structure or flower and are appropriate to the site, especially around structures, roads, and home sites.

PLANS AND SPECIFICATIONS

Plans and specifications for applying this practice shall be prepared for each site and recorded using an approved forest management plan, job sheets, implementation requirements (job sheets), technical notes, and narrative statements in the conservation plan, or other acceptable documentation. Clearly state the goals and objectives of the forest stand improvement. Specific stand-stocking guidelines will clearly document both the pre- and post-treatment stand condition.

Use the practice job sheet to plan and certify this practice.

OPERATION AND MAINTENANCE

Prepare an Operation and Maintenance plan for the site and review it with the operator. The plan will describe actions that must be taken to ensure that the practice is applied correctly during its design life. As a minimum, include periodic inspections for assessment of insects, disease, and other pests, storm damage, and damage by trespass. Use NRCS CPS Code 655, Forest Trails and Landings, to control erosion on forest roads, skid trails, landings, and adjacent areas by installing/maintaining vegetative and structural practices. Treatments needed for pests—see Additional Criteria to Improve and Sustain Forest Health and Productivity section in this document. Treatments needed for storm damage—use NRCS CPS Code 384, Woody Residue Treatment, to appropriately treat slash and debris. Treatments for damage by trespass: use NRCS CPS Code 472, Access Control, to prevent future damage.

Periodic inspections during and after treatment activities are necessary to ensure that purposes are achieved and resource damage is minimized, e.g., assessment of insects, disease and other pests, storm damage, and damage by trespass. The results of inspections shall determine the need for additional treatment under this practice.

REFERENCES

Clatterbuck, W.K. 2006. Treatments for Improving Degraded Hardwood Stands. Univ. of KY CES pub. FOR-104. Available at: http://www2.ca.uky.edu/forestryextension/Publications/FOR_FORFS/for104.pdf (verified January 21, 2015).

Donaldson, S., and S.J. Seybold. 1998. Thinning and Sanitation: Tools for the Management of Bark Beetles in the Lake Tahoe Basin. NV Cooperative Extension Service Fact Sheet 98-42. Available at: <http://www.unce.unr.edu/publications/files/ho/other/fs9842.pdf> (verified January 21, 2015).

Firewise Communities. Available at: <http://www.firewise.org/> (verified January 21, 2015).

Gartner, T., J. Mulligan, S. Rowan, and J. Gunn, eds. 2013. Natural Infrastructure: Investing in Forested Landscapes for Source Water Protection in the United States. World Resources Institute. Available at: <http://www.wri.org/publication/natural-infrastructure> (verified 21 January 2015).

Heiligmann, R.B. 1998. Controlling Undesirable Trees, Shrubs and Vines in your Woodland. Ohio St. Univ. Exten. Pub. F-45-97. Available at: <http://ohioline.osu.edu/for-fact/0045.html> (verified January, 21, 2015).

Kenefic, L.S., and R.D. Nyland. 2005. Proceedings of the Conference on Diameter-Limit Cutting in Northeastern Forests. Gen. Tech. Report NE-342, USFS, NE Res. Sta. Available at: http://www.fs.fed.us/ne/newtown_square/publications/technical_reports/pdfs/2006/ne_gtr342.pdf (verified January 21, 2015).

Perkey, A.W., B.L. Wilkins, and H.C. Smith. 1994. Crop Tree Management in Eastern Hardwoods. USDA-Forest Service, NE Area S&PF, Pub. NA-TP-19-93. Available at: http://www.na.fs.fed.us/pubs/ctm/ctm_index.html (verified January 21, 2015).

The Forest Guild. 2010. Forest Biomass Retention and Harvesting Guidelines for the Northeast. Available at: http://www.forestguild.org/publications/research/2010/FG_Biomass_Guidelines_NE.pdf (verified January 21, 2015).

USDA-NRCS. National Biology Manual, National Forestry Handbook, and National Forestry Manual. Available on the NRCS eDirectives system: <http://directives.sc.egov.usda.gov/default.aspx>.

Miller, James H. and Larry M. Bishop, 1989, "Optimum Timing for Ground- Applied Forestry Herbicides in the South", USDA, Forest Service Management Bulletin R8-MB-28.

Willistorn, Hamlin L.; Balmer, William E.; and Daniel H. Sims, 1992, "Managing the Family Forest in the South", USDA, Forest Service Southern Region Management Bulletin R8-MB 1.

Puckett, K. Marc; Keyser, Patrick D.; Haney, Harry L.; Godfrey, Cale L.; Warner, Stanley, and Stephen W. Capel. 1998. "Managing Pines For Profit and Wildlife", Wildlife Information Publication No. 98-1. Virginia Department of Game and Inland Fisheries.

National Agroforestry Center, 2000, "Working Trees for Carbon Cycle Balance", USDA, National Agroforestry Center, East Campus – UNL, Lincoln, NE.

Virginia Pest Management Guide, published by the Virginia Cooperative Extension Service (Most current publication, i.e., current year).

Virginia Technical Note, Forestry #1,
Forestry Definitions.

Virginia Technical Note, Forestry #2, *Forest Stand Improvement Methods.*

USDA is an equal opportunity provider, employer, and lender