

Hydric Soils

Bennington County, Vermont

[This report lists only those map unit components that are rated as hydric. Dashes (---) in any column indicate that the data were not included in the database. Definitions of hydric criteria codes are included at the end of the report] Dominant components that are hydric are highlighted.

Map symbol and map unit name	Component	Percent of map unit	Landform	Hydric rating	Hydric criteria
21A:					
Limerick silt loam, 0 to 3 percent slopes	Limerick	80	Flood plains	Yes	2
	Rippowam	7	Flood plains	Yes	2
	Saco	6	Depressions, Flood plains	Yes	2
23A:					
Adrian and Saco soils, 0 to 2 percent slopes	Adrian, undrained	45	Bogs, Swamps	Yes	1, 3
	Saco	30	Flood plains	Yes	2
	Carlisle, undrained	9	Bogs, Swamps	Yes	1, 3
	Cabot	8	Bogs, Rises, Swamps	Yes	2
	Limerick	8	Flood plains	Yes	2
24A:					
Carlisle mucky peat, 0 to 2 percent slopes	Carlisle, undrained	80	Bogs, Swamps	Yes	1, 3
	Adrian, undrained	5	Bogs, Swamps	Yes	1, 3
	Cabot	5	Bogs, Rises, Swamps	Yes	2
	Saco	5	Flood plains	Yes	2
	Wilmington	5	Bogs, Rises, Swamps	Yes	2
25B:					
Belgrade silt loam, 0 to 8 percent slopes	Raynham	5	Depressions, Lake terraces	Yes	2
26A:					
Raynham silt loam, 0 to 3 percent slopes	Raynham	85	Lake terraces	Yes	2
	Grange	5	Lake terraces	Yes	2
	Limerick	5	Flood plains, Lake terraces	Yes	2
29A:					
Occum fine sandy loam, 0 to 3 percent slopes	Limerick	5	Depressions, Flood plains	Yes	2

Hydric Soils

Bennington County, Vermont

Map symbol and map unit name	Component	Percent of map unit	Landform	Hydric rating	Hydric criteria
34A: Pootatuck fine sandy loam, 0 to 3 percent slopes	Limerick	8	Depressions, Flood plains	Yes	2
44B: Dutchess channery loam, 3 to 8 percent slopes	Brayton	4	Depressions, Drainageways, Hills	Yes	2
44C: Dutchess channery loam, 8 to 15 percent slopes	Brayton	4	Depressions, Drainageways, Hills	Yes	2
44D: Dutchess channery loam, 15 to 25 percent slopes	Brayton	4	Depressions, Drainageways, Hills	Yes	2
47C: Dutchess channery loam, 8 to 15 percent slopes, very stony	Brayton	4	Depressions, Drainageways, Hills	Yes	2
47D: Dutchess channery loam, 15 to 25 percent slopes, very stony	Brayton	4	Depressions, Drainageways, Hills	Yes	2
47E: Dutchess channery loam, 25 to 60 percent slopes, very stony	Brayton	4	Depressions, Drainageways, Hills	Yes	2
48B: Pittstown loam, 3 to 8 percent slopes	Brayton	4	Depressions, Drainageways, Hills	Yes	2
48C: Pittstown loam, 8 to 15 percent slopes	Brayton	4	Depressions, Drainageways, Hills	Yes	2
48D: Pittstown loam, 15 to 25 percent slopes	Brayton	4	Depressions, Drainageways, Hills	Yes	2
49C: Pittstown loam, 8 to 15 percent slopes, very stony	Brayton	4	Depressions, Drainageways, Hills	Yes	2
49D: Pittstown loam, 15 to 25 percent slopes, very stony	Brayton	4	Depressions, Drainageways, Hills	Yes	2

Hydric Soils

Bennington County, Vermont

Map symbol and map unit name	Component	Percent of map unit	Landform	Hydric rating	Hydric criteria
50B: Brayton loam, 0 to 5 percent slopes	Brayton	85	Depressions, Drainageways, Hills	Yes	2
	Mansfield	4	Depressions, Hills	Yes	2, 3
51B: Brayton loam, 0 to 5 percent slopes, very stony	Brayton	85	Depressions, Drainageways, Hills	Yes	2
	Mansfield	4	Depressions, Hills	Yes	2, 3
52A: Mansfield mucky silt loam, 0 to 3 percent slopes, very stony	Mansfield	85	Depressions, Drainageways, Hills	Yes	2, 3
	Brayton	5	Depressions, Drainageways, Hills	Yes	2
68A: Massena silt loam, 0 to 3 percent slopes	Mansfield	5	Depressions	Yes	2, 3
68B: Massena silt loam, 3 to 8 percent slopes	Mansfield	5	Depressions	Yes	2, 3
69A: Massena silt loam, 0 to 3 percent slopes, very stony	Mansfield	5	Depressions	Yes	2, 3
69B: Massena silt loam, 3 to 8 percent slopes, very stony	Mansfield	5	Depressions	Yes	2, 3
72A: Fredon fine sandy loam, 0 to 3 percent slopes	Adrian, undrained	3	Bogs, Outwash terraces, Swamps	Yes	1, 3
	Raynham	3	Depressions, Drainageways, Outwash terraces	Yes	2
	Saco	3	Flood plains	Yes	2
100B: Wilmington sandy loam, 0 to 8 percent slopes, very stony	Wilmington, very stony	85	Hills, Mountains	Yes	2
	Pondicherry, very stony	5	Hills, Mountains	Yes	1, 3
	Buckspport, very stony	3	Hills, Mountains	Yes	1, 3

Hydric Soils

Bennington County, Vermont

Map symbol and map unit name	Component	Percent of map unit	Landform	Hydric rating	Hydric criteria
102B: Mundal fine sandy loam, 3 to 8 percent slopes	Wilmington	4	Depressions, Drainageways, Hills, Mountains	Yes	2
102C: Mundal fine sandy loam, 8 to 15 percent slopes	Wilmington	4	Depressions, Drainageways, Hills, Mountains	Yes	2
108B: Peru fine sandy loam, 0 to 8 percent slopes, very stony	Pillsbury, very stony	4	Hills, Mountains	Yes	2
108C: Peru fine sandy loam, 8 to 15 percent slopes, very stony	Cabot, very stony	4	Hills, Mountains	Yes	2
108D: Peru fine sandy loam, 15 to 25 percent slopes, very stony	Cabot, very stony	4	Hills, Mountains	Yes	2
113B: Cabot silt loam, 0 to 8 percent slopes, very stony	Cabot, very stony	80	Hills, Mountains	Yes	2
	Peacham, very stony	6	Hills, Mountains	Yes	2, 3
	Wonsqueak, very stony	2	Hills, Mountains	Yes	1, 3
114B: Mundal fine sandy loam, 3 to 8 percent slopes, very stony	Wilmington	4	Depressions, Drainageways, Hills, Mountains	Yes	2
114C: Mundal fine sandy loam, 8 to 15 percent slopes, very stony	Wilmington	4	Depressions, Drainageways, Hills, Mountains	Yes	2
114D: Mundal fine sandy loam, 15 to 25 percent slopes, very stony	Wilmington	4	Depressions, Drainageways, Hills, Mountains	Yes	2
115B: Peru fine sandy loam, 3 to 8 percent slopes	Cabot	4	Hills, Mountains	Yes	2
115C: Peru fine sandy loam, 8 to 15 percent slopes	Cabot	4	Hills, Mountains	Yes	2

Hydric Soils

Bennington County, Vermont

Map symbol and map unit name	Component	Percent of map unit	Landform	Hydric rating	Hydric criteria
115D: Peru fine sandy loam, 15 to 25 percent slopes	Cabot	3	Hills, Mountains	Yes	2
116D: Lyman-Tunbridge-Rock outcrop complex, 15 to 25 percent slopes	Cabot, very stony	4	Hills, Mountains	Yes	2
116F: Lyman-Tunbridge-Rock outcrop complex, 25 to 60 percent slopes	Cabot, very stony	2	Hills, Mountains	Yes	2
118C: Tunbridge-Lyman complex, 8 to 15 percent slopes, very rocky	Cabot, very rocky	5	Hills, Mountains	Yes	2
118D: Tunbridge-Lyman complex, 15 to 25 percent slopes, very rocky	Cabot, very rocky	4	Hills, Mountains	Yes	2
118E: Tunbridge-Lyman complex, 25 to 60 percent slopes, very rocky	Cabot, very rocky	1	Hills, Mountains	Yes	2
403B: Cabot-Carlisle association, undulating, very stony	Cabot	70	Depressions, Hills, Mountains	Yes	2
	Carlisle, undrained	15	Bogs, Hills, Mountains, Swamps	Yes	1, 3
	Adrian, undrained	3	Bogs, Hills, Mountains, Swamps	Yes	1, 3
	Lyme	3	Depressions, Hills, Mountains	Yes	2
405D: Berkshire-Tunbridge association, hilly, very stony	Cabot	3	Depressions, Drainageways, Hills	Yes	2
413D: Peru-Berkshire-Cabot association, hilly, very stony	Cabot	15	Depressions, Drainageways, Hills, Mountains	Yes	2
	Carlisle, undrained	3	Bogs, Hills, Swamps	Yes	1, 3

Hydric Soils

Bennington County, Vermont

Map symbol and map unit name	Component	Percent of map unit	Landform	Hydric rating	Hydric criteria
703C:					
Mundal-Houghtonville association, rolling, very stony	Cabot	2	Depressions, Drainageways, Hills, Mountains	Yes	2
	Wilmington	1	Depressions, Drainageways, Hills, Mountains	Yes	2
705D:					
Rawsonville-Houghtonville-Mundal association, hilly, rocky	Wilmington	2	Depressions, Drainageways, Hills, Mountains	Yes	2
715D:					
Houghtonville-Rawsonville association, hilly, rocky	Wilmington	3	Depressions, Drainageways, Hills, Mountains	Yes	2
903C:					
Mundal-Wilmington association, rolling, very stony	Wilmington	15	Depressions, Hills, Mountains	Yes	2
	Cabot	4	Depressions, Drainageways, Hills, Mountains	Yes	2
	Carlisle, undrained	4	Bogs, Depressions, Hills, Mountains, Swamps	Yes	1, 3
923B:					
Wilmington-Mundal association, undulating, very stony	Wilmington	45	Depressions, Drainageways, Hills, Mountains	Yes	2
	Adrian, undrained	2	Bogs, Hills, Mountains, Swamps	Yes	1, 3
	Cabot	2	Depressions, Drainageways, Hills, Mountains	Yes	2
	Carlisle, undrained	2	Bogs, Hills, Mountains, Swamps	Yes	1, 3

Hydric Soils

This table lists the map unit components that are rated as hydric soils in the survey area. This list can help in planning land uses; however, onsite investigation is recommended to determine the hydric soils on a specific site (National Research Council, 1995; Hurt and others, 2002).

The three essential characteristics of wetlands are hydrophytic vegetation, hydric soils, and wetland hydrology (Cowardin and others, 1979; U.S. Army Corps of Engineers, 1987; National Research Council, 1995; Tiner, 1985). Criteria for all of the characteristics must be met for areas to be identified as wetlands. Undrained hydric soils that have natural vegetation should support a dominant population of ecological wetland plant species. Hydric soils that have been converted to other uses should be capable of being restored to wetlands.

Hydric soils are defined by the National Technical Committee for Hydric Soils (NTCHS) as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part (Federal Register, 1994). These soils, under natural conditions, are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic vegetation.

The NTCHS definition identifies general soil properties that are associated with wetness. In order to determine whether a specific soil is a hydric soil or nonhydric soil, however, more specific information, such as information about the depth and duration of the water table, is needed. Thus, criteria that identify those estimated soil properties unique to hydric soils have been established (Federal Register, 2002). These criteria are used to identify map unit components that normally are associated with wetlands. The criteria used are selected estimated soil properties that are described in "Soil Taxonomy" (Soil Survey Staff, 1999) and "Keys to Soil Taxonomy" (Soil Survey Staff, 2003) and in the "Soil Survey Manual" (Soil Survey Division Staff, 1993).

If soils are wet enough for a long enough period of time to be considered hydric, they should exhibit certain properties that can be easily observed in the field. These visible properties are indicators of hydric soils. The indicators used to make onsite determinations of hydric soils are specified in "Field Indicators of Hydric Soils in the United States" (Hurt and others, 2002).

Hydric soils are identified by examining and describing the soil to a depth of about 20 inches. This depth may be greater if determination of an appropriate indicator so requires. It is always recommended that soils be excavated and described to the depth necessary for an understanding of the redoximorphic processes. Then, using the completed soil descriptions, soil scientists can compare the soil features required by each indicator and specify which indicators have been matched with the conditions observed in the soil. The soil can be identified as a hydric soil if at least one of the approved indicators is present.

Map units that are dominantly made up of hydric soils may have small areas, or inclusions, of nonhydric soils in the higher positions on the landform, and map units dominantly made up of nonhydric soils may have inclusions of hydric soils in the lower positions on the landform.

The criteria for hydric soils are represented by codes in the table (for example, 2B3). Definitions for the codes are as follows:

1. All Histels except for Folistels, and Histosols except for Folists.
2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Historthels great group, Histoturbels great group, Pachic subgroups, or Cumulic subgroups that:
 - A. are somewhat poorly drained and have a water table at the surface (0.0 feet) during the growing season, or
 - B. are poorly drained or very poorly drained and have either:
 - 1) a water table at the surface (0.0 feet) during the growing season if textures are coarse sand, sand, or fine sand in all layers within a depth of 20 inches, or
 - 2) a water table at a depth of 0.5 foot or less during the growing season if permeability is equal to or greater than 6.0 in/hr in all layers within a depth of 20 inches, or
 - 3) a water table at a depth of 1.0 foot or less during the growing season if permeability is less than 6.0 in/hr in any layer within a depth of 20 inches.
3. Soils that are frequently ponded for long or very long duration during the growing season.
4. Soils that are frequently flooded for long or very long duration during the growing season.

References:

- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Hurt, G.W., P.M. Whited, and R.F. Pringle, editors. Version 5.0, 2002. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18.
- Soil Survey Staff. 2003. Keys to soil taxonomy. 9th edition. U.S. Department of Agriculture, Natural Resources Conservation Service.
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service. U.S. Department of Agriculture Handbook 436.
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.