

# Bennington County, Vermont - NRCS Highly Erodible Land Ratings

May 1995

Map Unit Symbol	Map Unit Name	HEL Class
3A	COPAKE GRAVELLY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	3
3B	COPAKE GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
3C	COPAKE GRAVELLY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2
3D	COPAKE GRAVELLY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
3E	COPAKE GRAVELLY FINE SANDY LOAM, 25 TO 60 PERCENT SLOPES	1
9	PITS-DUMPS COMPLEX	NR
10D	GLEBE-STRATTON-LONDONDERRY COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY	1
10E	GLEBE-STRATTON-LONDONDERRY COMPLEX, 25 TO 60 PERCENT SLOPES, VERY ROCKY	1
11F	TACONIC-HUBBARDTON-ROCK OUTCROP COMPLEX, 25 TO 70 PERCENT SLOPES, VERY STONY	1
18B	WINDSOR LOAMY FINE SAND, 0 TO 8 PERCENT SLOPES	3
18C	WINDSOR LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	2
18E	WINDSOR LOAMY FINE SAND, 15 TO 60 PERCENT SLOPES	2
21A	LIMERICK SILT LOAM, 0 TO 3 PERCENT SLOPES	3
23A	ADRIAN AND SACO SOILS, 0 TO 2 PERCENT SLOPES	3
24A	CARLISLE MUCK, 0 TO 2 PERCENT SLOPES	NR
25B	BELGRADE SILT LOAM, 0 TO 8 PERCENT SLOPES	2
26A	RAYNHAM SILT LOAM, 0 TO 3 PERCENT SLOPES	2
27B	UDIPSAMMENTS AND UDORTHENTS, GENTLY SLOPING	NR
28A	UDIFLUVENTS, LOAMY-SKELETAL	NR
29A	OCCUM FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	3
34A	POOTATUCK FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	3
35B	HARTLAND SILT LOAM, 0 TO 5 PERCENT SLOPES	2
40B	GALWAY-NELLIS-FARMINGTON COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY	2
40C	GALWAY-NELLIS-FARMINGTON COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	1
40D	GALWAY-NELLIS-FARMINGTON COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY	1
41C	GALWAY-FARMINGTON COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	2
41D	GALWAY-FARMINGTON COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY	1
41E	GALWAY-FARMINGTON COMPLEX, 25 TO 50 PERCENT SLOPES, VERY ROCKY	1
42C	MACOMBER-TACONIC COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	2
42D	MACOMBER-TACONIC COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY	1
42E	MACOMBER-TACONIC COMPLEX, 25 TO 60 PERCENT SLOPES, ROCKY	1
43C	TACONIC-MACOMBER COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	2
43D	TACONIC-MACOMBER COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY	1
43E	TACONIC-MACOMBER COMPLEX, 25 TO 60 PERCENT SLOPES, VERY ROCKY	1
44B	DUTCHESS CHANNERY LOAM, 3 TO 8 PERCENT SLOPES	2
44C	DUTCHESS CHANNERY LOAM, 8 TO 15 PERCENT SLOPES	1
44D	DUTCHESS CHANNERY LOAM, 15 TO 25 PERCENT SLOPES	1
47C	DUTCHESS CHANNERY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	1
47D	DUTCHESS CHANNERY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
47E	DUTCHESS CHANNERY LOAM, 25 TO 60 PERCENT SLOPES, VERY STONY	1
48B	PITTSTOWN LOAM, 3 TO 8 PERCENT SLOPES	2
48C	PITTSTOWN LOAM, 8 TO 15 PERCENT SLOPES	1
48D	PITTSTOWN LOAM, 15 TO 25 PERCENT SLOPES	1
49C	PITTSTOWN LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	1
49D	PITTSTOWN LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
50B	BRAYTON LOAM, 0 TO 5 PERCENT SLOPES	2
51B	BRAYTON LOAM, 0 TO 5 PERCENT SLOPES, VERY STONY	3
52A	MANSFIELD MUCKY SILT LOAM, 0 TO 3 PERCENT SLOPES, VERY STONY	3
64B	STOCKBRIDGE LOAM, 2 TO 8 PERCENT SLOPES	2
64C	STOCKBRIDGE LOAM, 8 TO 15 PERCENT SLOPES	1

## HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated

# Bennington County, Vermont - NRCS Highly Erodible Land Ratings

May 1995

Map Unit Symbol	Map Unit Name	HEL Class
64D	STOCKBRIDGE LOAM, 15 TO 25 PERCENT SLOPES	1
65C	STOCKBRIDGE LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
65D	STOCKBRIDGE LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
66A	GEORGIA LOAM, 0 TO 3 PERCENT SLOPES	3
66B	GEORGIA LOAM, 3 TO 8 PERCENT SLOPES	2
66C	GEORGIA LOAM, 8 TO 15 PERCENT SLOPES	1
66D	GEORGIA LOAM, 15 TO 25 PERCENT SLOPES	1
67B	GEORGIA LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
67C	GEORGIA LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	1
68A	MASSENA SILT LOAM, 0 TO 3 PERCENT SLOPES	3
68B	MASSENA SILT LOAM, 3 TO 8 PERCENT SLOPES	2
69A	MASSENA SILT LOAM, 0 TO 3 PERCENT SLOPES, VERY STONY	3
69B	MASSENA SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
70A	GROTON GRAVELLY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	3
70B	GROTON GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
70C	GROTON GRAVELLY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2
70D	GROTON GRAVELLY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
70E	GROTON GRAVELLY FINE SANDY LOAM, 25 TO 60 PERCENT SLOPES	1
71A	HERO GRAVELLY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	3
71B	HERO GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
72A	FREDON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	3
84B	NELLIS SILT LOAM, 3 TO 8 PERCENT SLOPES	2
84C	NELLIS SILT LOAM, 8 TO 15 PERCENT SLOPES	1
84D	NELLIS SILT LOAM, 15 TO 25 PERCENT SLOPES	1
85B	NELLIS SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
85C	NELLIS SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
85D	NELLIS SILT LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
85E	NELLIS SILT LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	1
86A	AMENIA SILT LOAM, 0 TO 3 PERCENT SLOPES	3
86B	AMENIA SILT LOAM, 3 TO 8 PERCENT SLOPES	2
86C	AMENIA SILT LOAM, 8 TO 15 PERCENT SLOPES	1
87B	AMENIA SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY	2
87C	AMENIA SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY	2
90C	BERKSHIRE FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY STONY	2
90E	BERKSHIRE FINE SANDY LOAM, 15 TO 50 PERCENT SLOPES, EXTREMELY STONY	1
93B	PITTSFIELD FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
93C	PITTSFIELD FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2
93D	PITTSFIELD FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
94B	PITTSFIELD FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
94C	PITTSFIELD FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
94D	PITTSFIELD FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
94E	PITTSFIELD FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	1
95C	HOUGHTONVILLE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	1
95D	HOUGHTONVILLE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
95E	HOUGHTONVILLE FINE SANDY LOAM, 25 TO 60 PERCENT SLOPES, VERY STONY	1
96D	HOGBACK-RAWSONVILLE-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES, VERY STONY	1
96F	HOGBACK-RAWSONVILLE-ROCK OUTCROP COMPLEX, 25 TO 70 PERCENT SLOPES, VERY STONY	1
100B	WILMINGTON FINE SANDY LOAM, 0 TO 8 PERCENT SLOPES, VERY STONY	2

## HEL Class

- 1 - Highly Erodible
- 2 - Potentially Highly Erodible
- 3 - Not Highly Erodible
- NR - Not Rated

# Bennington County, Vermont - NRCS Highly Erodible Land Ratings

May 1995

Map Unit Symbol	Map Unit Name	HEL Class
102B	MUNDAL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
102C	MUNDAL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	1
104B	COLTON GRAVELLY LOAMY SAND, 3 TO 8 PERCENT SLOPES, EXTREMELY STONY	2
104C	COLTON GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES, EXTREMELY STONY	2
104E	COLTON GRAVELLY LOAMY SAND, 15 TO 50 PERCENT SLOPES, EXTREMELY STONY	1
105B	MONADNOCK FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
105C	MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
105D	MONADNOCK FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
105E	MONADNOCK FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	1
106B	BERKSHIRE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
106C	BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
106D	BERKSHIRE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
106E	BERKSHIRE FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	1
108B	PERU FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
108C	PERU FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
108D	PERU FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
109C	TUNBRIDGE-BERKSHIRE COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	2
109D	TUNBRIDGE-BERKSHIRE COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY	1
109E	TUNBRIDGE-BERKSHIRE COMPLEX, 25 TO 50 PERCENT SLOPES, ROCKY	1
111C	RAWSONVILLE-HOUGHTONVILLE COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	1
111D	RAWSONVILLE-HOUGHTONVILLE COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY	1
111E	RAWSONVILLE-HOUGHTONVILLE COMPLEX, 25 TO 60 PERCENT SLOPES, ROCKY	1
112C	RAWSONVILLE-HOGBACK COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	1
112D	RAWSONVILLE-HOGBACK COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY	1
112E	RAWSONVILLE-HOGBACK COMPLEX, 25 TO 60 PERCENT SLOPES, VERY ROCKY	1
113B	CABOT SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
114B	MUNDAL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
114C	MUNDAL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	1
114D	MUNDAL FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
115B	PERU FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
115C	PERU FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2
115D	PERU FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
116D	LYMAN-TUNBRIDGE-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES, VERY STONY	1
116F	LYMAN-TUNBRIDGE-ROCK OUTCROP COMPLEX, 25 TO 70 PERCENT SLOPES, VERY STONY	1
117B	BERKSHIRE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
117C	BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2
117D	BERKSHIRE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
118C	TUNBRIDGE-LYMAN COMPLEX, 8 TO 15 PERCENT SLOPES VERY ROCKY,	1
118D	TUNBRIDGE-LYMAN COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY	1
118E	TUNBRIDGE-LYMAN COMPLEX, 25 TO 60 PERCENT SLOPES, VERY ROCKY	1
221F	TUNBRIDGE-BERKSHIRE ASSOCIATION, VERY STEEP, ROCKY	1
403B	CABOT-CARLISLE ASSOCIATION, UNDULATING, VERY STONY	2
405D	BERKSHIRE-TUNBRIDGE ASSOCIATION, HILLY, VERY STONY	1
413D	PERU-BERKSHIRE-CABOT ASSOCIATION, HILLY, VERY STONY	1

## HEL Class

- 1 - Highly Erodible
- 2 - Potentially Highly Erodible
- 3 - Not Highly Erodible
- NR - Not Rated

# Bennington County, Vermont - NRCS Highly Erodible Land Ratings

May 1995

<b>Map Unit Symbol</b>	<b>Map Unit Name</b>	<b>HEL Class</b>
702E	RAWSONVILLE-HOGBACK ASSOCIATION, VERY HILLY, VERY ROCKY	1
703C	MUNDAL-HOUGHTONVILLE ASSOCIATION, ROLLING, VERY STONY	1
705D	RAWSONVILLE-HOUGHTONVILLE-MUNDAL ASSOCIATION, HILLY, ROCKY	1
715D	HOUGHTONVILLE-RAWSONVILLE ASSOCIATION, HILLY, ROCKY	1
902F	HOGBACK-RAWSONVILLE-ROCK OUTCROP ASSOCIATION, VERY STEEP, VERY STONY	1
903C	MUNDAL-WILMINGTON ASSOCIATION, ROLLING, VERY STONY	2
905D	HOUGHTONVILLE-MONADNOCK ASSOCIATION, HILLY, VERY STONY	1
913E	GLEBE-STRATTON ASSOCIATION, VERY HILLY, VERY ROCKY	1
923B	WILMINGTON-MUNDAL ASSOCIATION, UNDULATING, VERY STONY	2
W	WATER	NR

## HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated