

Caledonia County, Vermont - NRCS Highly Erodible Land Ratings

January 2012

Map Unit Symbol	Map Unit Name	HEL Class
3A	CHARLES SILT LOAM, 0 TO 2 PERCENT SLOPES	3
4A	MEDOMAK MUCKY SILT LOAM, 0 TO 2 PERCENT SLOPES	3
6A	ADAMS LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	3
6B	ADAMS LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	3
6C	ADAMS LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	2
6D	ADAMS LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	2
6E	ADAMS LOAMY FINE SAND, 25 TO 60 PERCENT SLOPES	1
7B	SALMON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
7C	SALMON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	1
7D	SALMON VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
7E	SALMON VERY FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES	1
8A	NICHOLVILLE VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	3
8B	NICHOLVILLE VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
8C	NICHOLVILLE VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2
8D	NICHOLVILLE VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
9A	ROUNABOUT SILT LOAM, 0 TO 5 PERCENT SLOPES	3
11A	SHEEPSHOT GRAVELLY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	3
11B	SHEEPSHOT GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
12A	MOOSILAUKEE VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	3
14B	VERSHIRE-LOMBARD COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY	2
14C	VERSHIRE- LOMBARD COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	2
14D	VERSHIRE- LOMBARD COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY	1
14E	VERSHIRE- LOMBARD COMPLEX, 25 TO 35 PERCENT SLOPES, ROCKY	1
16B	DUMMERSTON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
16C	DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2
16D	DUMMERSTON VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
16E	DUMMERSTON VERY FINE SANDY LOAM, 25 TO 35 PERCENT SLOPES	1
17B	DUMMERSTON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
17C	DUMMERSTON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
17D	DUMMERSTON VERY FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	1
17E	DUMMERSTON VERY FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY	1
20B	BUCKLAND FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
20C	BUCKLAND FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2
20D	BUCKLAND FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
21B	BUCKLAND FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
21C	BUCKLAND FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
21D	BUCKLAND FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	1
21E	BUCKLAND FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY	1
22B	CABOT SILT LOAM, 0 TO 8 PERCENT SLOPES	2
22C	CABOT SILT LOAM, 8 TO 15 PERCENT SLOPES	2
23B	CABOT SILT LOAM, 0 TO 8 PERCENT SLOPES, VERY STONY	2
23C	CABOT SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
24A	PEACHAM MUCK, 0 TO 3 PERCENT SLOPES, VERY STONY	NR
27A	BUCKSPORT MUCK, 0 TO 2 PERCENT SLOPES	NR
30A	ONDAWA-SUNDAY COMPLEX, 0 TO 2 PERCENT SLOPES, OCASSIONALLY FLOODED	3
31A	PODUNK FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCASSIONALLY	3

HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated

Caledonia County, Vermont - NRCS Highly Erodible Land Ratings

January 2012

Map Unit Symbol	Map Unit Name	HEL Class
	FLOODED	
32A	COLTON-DUXBURY COMPLEX, 0 TO 3 PERCENT SLOPES	3
32B	COLTON-DUXBURY COMPLEX, 3 TO 8 PERCENT SLOPES	2
32C	COLTON-DUXBURY COMPLEX, 8 TO 15 PERCENT SLOPES	2
32D	COLTON-DUXBURY COMPLEX, 15 TO 25 PERCENT SLOPES	1
32E	COLTON-DUXBURY COMPLEX, 25 TO 60 PERCENT SLOPES	1
38A	CROGHAN LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	3
38B	CROGHAN LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	3
42A	RUMNEY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, FREQUENT LY FLOODED	3
46B	LAMOINE SILT LOAM, 3 TO 8 PERCENT SLOPES	2
46C	LAMOINE SILT LOAM, 8 TO 15 PERCENT SLOPES	2
46D	LAMOINE SILT LOAM, 15 TO 25 PERCENT SLOPES	1
46E	LAMOINE SILT LOAM, 25 TO 50 PERCENT SLOPES	1
47A	SCANTIC SILT LOAM, 0 TO 3 PERCENT SLOPES	3
50A	WONSQUEAK AND PONICHERY MUCKS, 0 TO 2 PERCENT SLOPES	NR
56B	VERSHIRE-GLOVER COMPLEX, 3 TO 8 PERCENT SLOPES, VERY ROCKY	2
56C	VERSHIRE-GLOVER COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	1
56D	VERSHIRE-GLOVER COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY	1
56E	VERSHIRE-GLOVER COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY	1
58C	TUNBRIDGE-LYMAN COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	2
58D	TUNBRIDGE-LYMAN COMPLEX, 15 TO 35 PERCENT SLOPES, ROCKY	1
61B	TUNBRIDGE-LYMAN COMPLEX, 3 TO 8 PERCENT SLOPES, VERY ROCKY	2
61C	TUNBRIDGE-LYMAN COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	2
61D	TUNBRIDGE-LYMAN COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY	1
61E	TUNBRIDGE-LYMAN COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY	1
63B	TUNBRIDGE-MONADNOCK COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY	2
63C	TUNBRIDGE- MONADNOCK COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	2
63D	TUNBRIDGE- MONADNOCK COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY	1
72B	COLONEL-CABOT COMPLEX, 3 TO 8 PERCENT SLOPES	2
72C	COLONEL-CABOT COMPLEX, 8 TO 15 PERCENT SLOPES	2
72D	COLONEL-CABOT COMPLEX, 15 TO 25 PERCENT SLOPES	1
73B	COLONEL-CABOT COMPLEX, 3 TO 8 PERCENT SLOPES, VERY STONY	2
73C	COLONEL-CABOT COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY	2
73D	COLONEL-CABOT COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY	1
74B	MONADNOCK FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
74C	MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2
74D	MONADNOCK FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
75B	MONADNOCK FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
75C	MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
75D	MONADNOCK FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	1
75E	MONADNOCK FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY	1
81D	RICKER-LONDONDERRY-STRATTON COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY	1
81E	RICKER-LONDONDERRY-STRATTON COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY	1
82F	RICKER-LONDONDERRY-ROCK OUTCROP COMPLEX, 60 TO 90 PERCENT SLOPES	1
85C	DIXFIELD SANDY LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY	2
85D	DIXFIELD SANDY LOAM, 15 TO 35 PERCENT SLOPES, EXTREMELY BOULDERY	1
85E	DIXFIELD SANDY LOAM, 35 TO 60 PERCENT SLOPES, EXTREMELY BOULDERY	1
86C	CABOT SILT LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY	2
87C	COLONEL-CABOT COMPLEX, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY	2

HEL Class

- 1 - Highly Erodible
- 2 - Potentially Highly Erodible
- 3 - Not Highly Erodible
- NR - Not Rated

Caledonia County, Vermont - NRCS Highly Erodible Land Ratings

January 2012

Map Unit Symbol	Map Unit Name	HEL Class
88C	HOUGHTONVILLE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	1
92C	HOGBACK-RAWSONVILLE COMPLEX, 8 TO 15 PERCENT SLOPES, VERY rocky	1
92D	HOGBACK-RAWSONVILLE COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY	1
92E	HOGBACK-RAWSONVILLE COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY	1
93E	HOUGHTONVILLE FINE SANDY LOAM, 15 TO 60 PERCENT SLOPES, RUBBLY	1
94D	HOUGHTONVILLE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY BOULDERY	1
100	PITS, SAND AND PITS, GRAVEL	NR
102	PITS, QUARRY-DUMPS, MINE COMPLEX	NR
104B	URBAN LAND-ADAMS-NICHOLVILLE COMPLEX, 0 TO 8 PERCENT SLOPES	2
104C	URBAN LAND-ADAMS-NICHOLVILLE COMPLEX, 8 TO 15 PERCENT SLOPES	2
104D	URBAN LAND-ADAMS-NICHOLVILLE COMPLEX, 15 TO 25 PERCENT SLOPES	1
104E	URBAN LAND-ADAMS-NICHOLVILLE COMPLEX, 25 TO 60 PERCENT SLOPES	1
105D	LYMAN-ROCK OUTCROP COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY	1
105E	LYMAN-ROCK OUTCROP COMPLEX, 35 TO 60 PERCENT SLOPES, VERY STONY	1
105F	Lyman-Rock outcrop COMPLEX, 60 TO 90 PERCENT SLOPES, VERY STONY	1
120A	MOOSILAUKE VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES, VERY STONY	3
159B	DIXFIELD SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
159C	DIXFIELD SANDY LOAM, 8 TO 15 PERCENT SLOPES	2
159D	DIXFIELD SANDY LOAM, 15 TO 35 PERCENT SLOPES	1
160B	DIXFIELD SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
160C	DIXFIELD SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
160D	DIXFIELD SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	1
160E	DIXFIELD SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY	1
163B	TUNBRIDGE-MONADNOCK COMPLEX, 3 TO 8 PERCENT SLOPES, VERY STONY	2
163C	TUNBRIDGE-MONADNOCK COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY	2
163D	TUNBRIDGE-MONADNOCK COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY	1
163E	TUNBRIDGE-MONADNOCK COMPLEX, 35 TO 60 PERCENT SLOPES, VERY STONY	1
175C	MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY	2
175D	MONADNOCK FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, EXTREMELY BOULDERY	1
175E	MONADNOCK FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, EXTREMELY BOULDERY	1
207C	SALMON-ADAMANT COMPLEX, 8 TO 15 PERCENT SLOPES, VERY rocky	1
207D	SALMON-ADAMANT COMPLEX, 15 TO 25 PERCENT SLOPES, VERY rocky	1
207E	SALMON-ADAMANT COMPLEX, 25 TO 50 PERCENT SLOPES, VERY rocky	1
214B	VERSHIRE-LOMBARD COMPLEX, 3 TO 8 PERCENT SLOPES, VERY STONY	2
214C	VERSHIRE-LOMBARD COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY	2
214D	VERSHIRE-LOMBARD COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY	1
214E	VERSHIRE-LOMBARD COMPLEX, 35 TO 60 PERCENT SLOPES, VERY STONY	1
250A	IRASBURG LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	3
250B	IRASBURG LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	2
250C	IRASBURG LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	2
250D	IRASBURG LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	1
250E	IRASBURG LOAMY FINE SAND, 25 TO 50 PERCENT SLOPES	1
260F	UDORTHERENTS, 60 TO 90 PERCENT SLOPES, VERY RUBBLY	1
270A	BUCKSPORT PEAT, 0 TO 2 PERCENT SLOPES	3
301C	TUNBRIDGE-DIXFIELD COMPLEX, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY	2
301D	TUNBRIDGE-DIXFIELD COMPLEX, 15 TO 35 PERCENT SLOPES, EXTREMELY BOULDERY	1

HEL Class

- 1 - Highly Erodible
- 2 - Potentially Highly Erodible
- 3 - Not Highly Erodible
- NR - Not Rated

Caledonia County, Vermont - NRCS Highly Erodible Land Ratings

January 2012

Map Unit Symbol	Map Unit Name	HEL Class
	BOULDERY	
362B	TUNBRIDGE-DIXFIELD COMPLEX, 3 TO 8 PERCENT SLOPES, rocky	2
362C	TUNBRIDGE-DIXFIELD COMPLEX, 8 TO 15 PERCENT SLOPES, rocky	2
362D	TUNBRIDGE-DIXFIELD COMPLEX, 15 TO 25 PERCENT SLOPES, rocky	1
363B	TUNBRIDGE-DIXFIELD COMPLEX, 3 TO 8 PERCENT SLOPES, VERY STONY	2
363C	TUNBRIDGE-DIXFIELD COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY	2
363D	TUNBRIDGE-DIXFIELD COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY	1
363E	TUNBRIDGE-DIXFIELD COMPLEX, 35 TO 60 PERCENT SLOPES, VERY STONY	1
900	ACCESS DENINED	NR
W	WATER, LESS THAN 40 ACRES	NR

HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated