

Map Unit Symbol	Map Unit Name	Forest Value Group	Relative Value
2A	Peacham Muck, 0 To 3 Percent Slopes, Very Stony	7	0
3B	Vershire-Lombard Complex, 3 To 8 Percent Slopes, Rocky	2	83
3C	Vershire-Lombard Complex, 8 To 15 Percent Slopes, Rocky	2	83
3D	Vershire-Lombard Complex, 15 To 25 Percent Slopes, Rocky	3	74
5B	Nicholville Very Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
5C	Nicholville Very Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
5D	Nicholville Very Fine Sandy Loam, 15 To 25 Percent Slopes	2	83
6B	Vershire-Lombard Complex, 3 To 8 Percent Slopes, Very Stony	3	74
6C	Vershire-Lombard Complex, 8 To 15 Percent Slopes, Very Stony	3	74
6D	Vershire-Lombard Complex, 15 To 35 Percent Slopes, Very Stony	4	63
8A	Roundabout Silt Loam, 0 To 3 Percent Slopes	5	51
12C	Tunbridge-Lyman Complex, 8 To 15 Percent Slopes, Very Rocky	4	63
12D	Tunbridge-Lyman Complex, 15 To 35 Percent Slopes, Very Rocky	5	51
12E	Tunbridge-Lyman Complex, 35 To 60 Percent Slopes, Very Rocky	5	51
14A	Irasburg Loamy Fine Sand, 0 To 3 Percent Slopes	1	100
14B	Irasburg Loamy Fine Sand, 3 To 8 Percent Slopes	1	100
14C	Irasburg Loamy Fine Sand, 8 To 15 Percent Slopes	1	100
14D	Irasburg Loamy Fine Sand, 15 To 25 Percent Slopes	2	83
14E	Irasburg Loamy Fine Sand, 25 To 50 Percent Slopes	3	74
15B	Dixfield Sandy Loam, 3 To 8 Percent Slopes	2	83
15C	Dixfield Sandy Loam, 8 To 15 Percent Slopes	2	83
15D	Dixfield Sandy Loam, 15 To 25 Percent Slopes	3	74
16B	Dixfield Sandy Loam, 3 To 8 Percent Slopes, Very Stony	3	74
16C	Dixfield Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
16D	Dixfield Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
16E	Dixfield Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
17B	Buckland Fine Sandy Loam, 3 To 8 Percent Slopes	3	74
17C	Buckland Fine Sandy Loam, 8 To 15 Percent Slopes	3	74
17D	Buckland Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
18B	Buckland Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	3	74
18C	Buckland Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
18D	Buckland Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
18E	Buckland Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
21A	Nasmith Loamy Fine Sand, 0 To 3 Percent Slopes	5	51
25	Pits, Sand And Pits, Gravel	7	0
26A	Adams Loamy Fine Sand, 0 To 3 Percent Slopes	2	83
26B	Adams Loamy Fine Sand, 3 To 8 Percent Slopes	2	83
26C	Adams Loamy Fine Sand, 8 To 15 Percent Slopes	2	83
26D	Adams Loamy Fine Sand, 15 To 25 Percent Slopes	3	74
26E	Adams Loamy Fine Sand, 25 To 60 Percent Slopes	3	74
27A	Croghan Loamy Fine Sand, 0 To 3 Percent Slopes	1	100

Orleans County Forest Value Groups

October 1, 2005

Map Unit Symbol	Map Unit Name	Forest Value Group	Relative Value
27B	Croghan Loamy Fine Sand, 3 To 8 Percent Slopes	1	100
31A	Sheepscot Gravelly Fine Sandy Loam, 0 To 3 Percent Slopes	1	100
31B	Sheepscot Gravelly Fine Sandy Loam, 3 To 8 Percent	1	100
33A	Moosilauke Very Fine Sandy Loam, 0 To 3 Percent Slopes	5	51
38A	Colton-Duxbury Complex, 0 To 3 Percent Slopes	2	83
38B	Colton-Duxbury Complex, 3 To 8 Percent Slopes	2	83
38C	Colton-Duxbury Complex, 8 To 15 Percent Slopes	2	83
38D	Colton-Duxbury Complex, 15 To 25 Percent Slopes	3	74
38E	Colton-Duxbury Complex, 25 To 60 Percent Slopes	3	74
47A	Cabot Silt Loam, 0 To 3 Percent Slopes	5	51
47B	Cabot Silt Loam, 3 To 8 Percent Slopes	5	51
47C	Cabot Silt Loam, 8 To 15 Percent Slopes	5	51
50A	Scantic Silt Loam, 0 To 3 Percent Slopes	6	31
54B	Salmon Very Fine Sandy Loam, 3 To 8 Percent Slopes	1	100
54C	Salmon Very Fine Sandy Loam, 8 To 15 Percent Slopes	1	100
54D	Salmon Very Fine Sandy Loam, 15 To 25 Percent Slopes	1	100
54E	Salmon Very Fine Sandy Loam, 25 To 50 Percent Slopes	3	74
58B	Lamoine Silt Loam, 3 To 8 Percent Slopes	5	51
58C	Lamoine Silt Loam, 8 To 15 Percent Slopes	5	63
58D	Lamoine Silt Loam, 15 To 25 Percent Slopes	6	31
58E	Lamoine Silt Loam, 25 To 50 Percent Slopes	6	31
59B	Cabot Silt Loam, 0 To 8 Percent Slopes, Very Stony	5	51
59C	Cabot Silt Loam, 8 To 15 Percent Slopes, Very Stony	5	51
60A	Rumney Fine Sandy Loam, 0 To 2 Percent Slopes, Frequently Flooded	5	51
70A	Bucksport Muck, 0 To 2 Percent Slopes, Ponded	7	0
72A	Charles Silt Loam, 0 To 2 Percent Slopes, Frequently Flooded	6	31
76A	Podunk Fine Sandy Loam, 0 To 2 Percent Slopes, Occasionally Flooded	2	83
79A	Medomak Mucky Silt Loam, 0 To 2 Percent Slopes, Frequently Flooded	7	0
83A	Wonsqueak and Pondicherry Mucks, 0 To 2 Percent Slopes	7	0
84A	Bucksport Muck, 0 To 2 Percent Slopes	7	0
88D	Lyman-Rock Outcrop Complex, 15 To 35 Percent Slopes, Very Stony	6	31
88F	Lyman-Rock Outcrop Complex, 60 To 90 Percent Slopes, Very Stony	7	0
92B	Monadnock Fine Sandy Loam, 3 To 8 Percent Slopes	2	83
92C	Monadnock Fine Sandy Loam, 8 To 15 Percent Slopes	2	83
92D	Monadnock Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
93B	Monadnock Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	3	74
93C	Monadnock Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
93D	Monadnock Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
93E	Monadnock Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
94C	Vershire-Glover Complex, 8 To 15 Percent Slopes, Very Rocky	4	63
94D	Vershire-Glover Complex, 15 To 35 Percent Slopes, Very Rocky	5	51

Map Unit Symbol	Map Unit Name	Forest Value Group	Relative Value
94E	Vershire-Glover Complex, 35 To 60 Percent Slopes, Very Rocky	5	51
96B	Dummerston Very Fine Sandy Loam, 3 To 8 Percent Slopes	3	74
96C	Dummerston Very Fine Sandy Loam, 8 To 15 Percent Slopes	3	74
96D	Dummerston Very Fine Sandy Loam, 15 To 25 Percent Slopes	3	74
97B	Dummerston Very Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	3	74
97C	Dummerston Very Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	3	74
97D	Dummerston Very Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	4	63
97E	Dummerston Very Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	5	51
100B	Tunbridge-Dixfield Complex, 3 To 8 Percent Slopes, Rocky	2	83
100C	Tunbridge-Dixfield Complex, 8 To 15 Percent Slopes, Rocky	2	83
100D	Tunbridge-Dixfield Complex, 15 To 25 Percent Slopes, Rocky	3	74
101B	Tunbridge-Dixfield Complex, 3 To 8 Percent Slopes, Very Stony	3	74
101C	Tunbridge-Dixfield Complex, 8 To 15 Percent Slopes, Very Stony	3	74
101D	Tunbridge-Dixfield Complex, 15 To 35 Percent Slopes, Very Stony	4	63
101E	Tunbridge-Dixfield Complex, 35 To 60 Percent Slopes, Very Stony	5	51
104B	Urban land-Adams-Nicholville Complex, 0 to 8 Percent Slopes	7	0
104C	Urban land-Adams-Nicholville Complex, 8 to 15 Percent Slopes	7	0
104D	Urban land-Adams-Nicholville Complex, 15 to 25 Percent Slopes	7	0
105	Dumps, landfill	7	0
106	Pits, quarry-Dumps, mine complex	7	0
112D	Hogback-Rawsonville Complex, 15 To 35 Percent Slopes, Very Rocky	5	51
112E	Hogback-Rawsonville Complex, 35 To 60 Percent Slopes, Very Rocky	6	31
210E	Ricker-Londonderry-Stratton Complex, 35 To 60 Percent Slopes, Very Rocky	7	0
211F	Ricker-Londonderry-Rock Outcrop Complex, 60 To 90 Percent Slopes	7	0
247B	Colonel-Cabot Complex, 3 To 8 Percent Slopes	5	51
247C	Colonel-Cabot Complex, 8 To 15 Percent Slopes	5	51
247D	Colonel-Cabot Complex, 15 To 25 Percent Slopes	5	51
259B	Colonel-Cabot Complex, 3 To 8 Percent Slopes, Very Stony	5	51
259C	Colonel-Cabot Complex, 8 To 15 Percent Slopes, Very Stony	5	51
259D	Colonel-Cabot Complex, 15 To 35 Percent Slopes, Very Stony	6	31
260F	Udorthents, 60 to 90 Percent Slopes, Very Rubbly	7	0
301C	Tunbridge-Dixfield complex, 3 to 15 percent slopes, extremely bouldery	4	63
301D	Tunbridge-Dixfield complex, 15 to 35 percent slopes, extremely bouldery	5	51
301E	Tunbridge-Dixfield complex, 35 to 60 percent slopes, extremely bouldery	6	31
316C	Dixfield Sandy Loam, 3 to 15 percent slopes, extremely bouldery	4	63
316D	Dixfield Sandy Loam, 15 to 35 percent slopes, extremely bouldery	5	51
316E	Dixfield Sandy Loam, 35 to 60 percent slopes, extremely bouldery	6	31
359C	Cabot silt loam, 3 to 15 percent slopes, extremely bouldery	6	31
393D	Monadnock fine sandy loam, 15 to 35 percent slopes, extremely bouldery	5	51
393E	Monadnock fine sandy loam, 35 to 60 percent slopes, extremely bouldery	6	31
W	Water	7	0