

Windham County, Vermont - NRCS Highly Erodible Land Ratings

October 1992

Map Unit Symbol	Map Unit Name	HEL Class
1A	UNADILLA SILT LOAM, 0 TO 3 PERCENT SLOPES	2
1B	UNADILLA SILT LOAM, 3 TO 8 PERCENT SLOPES	2
1C	UNADILLA SILT LOAM, 8 TO 15 PERCENT SLOPES	1
1D	UNADILLA SILT LOAM, 15 TO 25 PERCENT SLOPES	1
1E	UDORTHENTS, STEEP	NR
2A	BELGRADE SILT LOAM, 0 TO 3 PERCENT SLOPES	2
3B	QUONSET AND WARWICK SOILS, 2 TO 8 PERCENT SLOPES	2
3C	QUONSET AND WARWICK SOILS, 8 TO 15 PERCENT SLOPES	2
3D	QUONSET AND WARWICK SOILS, 15 TO 25 PERCENT SLOPES	1
3E	QUONSET AND WARWICK SOILS, 25 TO 70 PERCENT SLOPES	1
5B	WINDSOR LOAMY FINE SAND, 2 TO 8 PERCENT SLOPES	3
5C	WINDSOR LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	2
5D	WINDSOR LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	2
5E	WINDSOR LOAMY FINE SAND, 25 TO 60 PERCENT SLOPES	1
9B	DEERFIELD FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES	2
10A	AGAWAM VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	3
10B	AGAWAM VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
11B	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES	2
11C	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES	2
11D	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES	1
12C	STRATTON-GLEBE COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	1
12D	STRATTON-GLEBE COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY	1
12E	STRATTON-GLEBE COMPLEX, 25 TO 50 PERCENT SLOPES, VERY ROCKY	1
16B	ADAMS LOAMY FINE SAND, 2 TO 8 PERCENT SLOPES	3
16C	ADAMS LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	2
16D	ADAMS LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	2
16E	ADAMS LOAMY FINE SAND, 25 TO 50 PERCENT SLOPES	1
17B	WORDEN LOAM, 3 TO 8 PERCENT SLOPES	2
17C	WORDEN LOAM, 8 TO 15 PERCENT SLOPES	1
18B	WORDEN LOAM, 3 TO 8 PERCENT SLOPES, VERY BOULDERY	2
18C	WORDEN LOAM, 8 TO 15 PERCENT SLOPES, VERY BOULDERY	1
18D	WORDEN LOAM, 15 TO 25 PERCENT SLOPES, VERY BOULDERY	1
20B	TUNBRIDGE-LYMAN FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES, VERY ROCKY	2
20C	TUNBRIDGE-LYMAN FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, VERY ROCKY	1
20D	TUNBRIDGE-LYMAN FINE SANDY LOAMS, 15 TO 25 PERCENT	1

HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated

Windham County, Vermont - NRCS Highly Erodible Land Ratings

October 1992

	SLOPES, VERY ROCKY	
20E	TUNBRIDGE-LYMAN FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, VERY ROCKY	1
21B	MARLOW FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
21C	MARLOW FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2
21D	MARLOW FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
22B	MARLOW FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
22C	MARLOW FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
22D	MARLOW FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
22E	MARLOW FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	1
23	ONDAWA FINE SANDY LOAM	3
24	PODUNK FINE SANDY LOAM	3
25B	WESTBURY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
25C	WESTBURY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	1
26B	WESTBURY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
26C	WESTBURY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
26D	WESTBURY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
29	WALPOLE FINE SANDY LOAM	3
31B	WILMINGTON VERY FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES, VERY STONY	2
33	RUMNEY FINE SANDY LOAM	3
34C	LYMAN-ROCK OUTCROP COMPLEX, 8 TO 15 PERCENT SLOPES	1
34D	LYMAN-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES	1
34E	LYMAN-ROCK OUTCROP COMPLEX, 25 TO 50 PERCENT SLOPES	1
37	HADLEY SILT LOAM	3
39	WINOOSKI SILT LOAM	3
40	LIMERICK SILT LOAM	3
41D	LONDONDERRY-STRATTON SILT LOAMS, 8 TO 25 PERCENT SLOPES, VERY ROCKY	1
41E	LONDONDERRY-STRATTON SILT LOAMS, 25 TO 70 PERCENT SLOPES, VERY ROCKY	1
43B	MUNDAL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
43C	MUNDAL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	1
43D	MUNDAL FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
44B	MUNDAL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
44C	MUNDAL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	1
44D	MUNDAL FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1

HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated

Windham County, Vermont - NRCS Highly Erodible Land Ratings

October 1992

	STONY	
44E	MUNDAL FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	1
46B	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES, VERY STONY	2
46C	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, VERY STONY	2
46D	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES, VERY STONY	1
46E	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, VERY STONY	1
47	LUPTON MUCKY PEAT	NR
48B	RAWSONVILLE-HOGBACK FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES ROCKY	2
48C	RAWSONVILLE-HOGBACK FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, ROCKY	1
48D	RAWSONVILLE-HOGBACK FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES, ROCKY	1
48E	RAWSONVILLE-HOGBACK FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, ROCKY	1
49B	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES, VERY BOULDERY	2
49C	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, VERY BOULDERY	1
49D	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES, VERY BOULDERY	1
49E	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, VERY BOULDERY	1
50B	COLTON LOAMY FINE SAND, 2 TO 8 PERCENT SLOPES	2
50C	COLTON LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	2
50D	COLTON LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	1
50E	COLTON LOAMY FINE SAND, 25 TO 60 PERCENT SLOPES	1
52A	SHEEPSCOT FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	3
52B	SHEEPSCOT FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
56B	MONADNOCK FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
56C	MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2
56D	MONADNOCK FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
56E	MONADNOCK FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	1
60B	HOUGHTONVILLE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2
60C	HOUGHTONVILLE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	1
60D	HOUGHTONVILLE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1
61B	HOUGHTONVILLE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES,	2

HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated

Windham County, Vermont - NRCS Highly Erodible Land Ratings

October 1992

	VERY STONY	
61C	HOUGHTONVILLE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	1
61D	HOUGHTONVILLE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
61E	HOUGHTONVILLE FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	1
62	MARKEY MUCK	NR
63C	BERKSHIRE-TUNBRIDGE FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, VERY STONY	2
63D	BERKSHIRE-TUNBRIDGE FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES, VERY STONY	1
63E	BERKSHIRE-TUNBRIDGE FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, VERY STONY	1
64	UDIFLUVENTS, LOAMY	NR
65C	HOGBACK-RAWSONVILLE FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, VERY ROCKY	1
65D	HOGBACK-RAWSONVILLE FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES, VERY ROCKY	1
65E	HOGBACK-RAWSONVILLE FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, VERY ROCKY	1
66B	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES, ROCKY	2
66C	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, ROCKY	1
67B	BERKSHIRE-TUNBRIDGE FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES, ROCKY	2
67C	BERKSHIRE-TUNBRIDGE FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, ROCKY	2
68D	TACONIC-HUBBARDTON-ROCK OUTCROP COMPLEX, 8 TO 25 PERCENT SLOPES	1
68E	TACONIC-HUBBARDTON-ROCK OUTCROP COMPLEX, 25 TO 70 PERCENT SLOPES	1
69C	MACOMBER-TACONIC COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	2
69D	MACOMBER-TACONIC COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY	1
69E	MACOMBER-TACONIC COMPLEX, 25 TO 70 PERCENT SLOPES, VERY ROCKY	1
70C	DUMMERSTON-MACOMBER COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY	2
70D	DUMMERSTON-MACOMBER COMPLEX, 15 TO 25 PERCENT SLOPES, VERY STONY	1
70E	DUMMERSTON-MACOMBER COMPLEX, 25 TO 70 PERCENT SLOPES VERY STONY	1
71B	DUMMERSTON SILT LOAM, 3 TO 8 PERCENT SLOPES	2

HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated

Windham County, Vermont - NRCS Highly Erodible Land Ratings

October 1992

71C	DUMMERSTON SILT LOAM, 8 TO 15 PERCENT SLOPES	1
71D	DUMMERSTON SILT LOAM, 15 TO 25 PERCENT SLOPES	1
72C	DUMMERSTON SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	1
72D	DUMMERSTON SILT LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
72E	DUMMERSTON SILT LOAM, 25 TO 70 PERCENT SLOPES, VERY STONY	1
73B	FULLAM SILT LOAM, 3 TO 8 PERCENT SLOPES	2
73C	FULLAM SILT LOAM, 8 TO 15 PERCENT SLOPES	1
73D	FULLAM SILT LOAM, 15 TO 25 PERCENT SLOPES	1
74B	FULLAM SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2
74C	FULLAM SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	1
74D	FULLAM SILT LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1
74E	FULLAM SILT LOAM, 25 TO 35 PERCENT SLOPES, VERY STONY	1
75B	BRAYTON SILT LOAM, 2 TO 8 PERCENT SLOPES, VERY STONY	2
76B	DUMMERSTON-MACOMBER COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY	2
76C	DUMMERSTON-MACOMBER COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	1
W	WATER	NR

HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated