

Windsor County, Vermont - NRCS Highly Erodible Land Ratings

February 2007

Map Unit Symbol	Map Unit Name	HEL Class
1B	Hitchcock silt loam, 3 to 8 percent slopes	2
1C	Hitchcock silt loam, 8 to 15 percent slopes	1
1D	Hitchcock silt loam, 15 to 25 percent slopes	1
1E	Hitchcock silt loam, 25 to 50 percent slopes	1
2A	Belgrade silt loam, 0 to 3 percent slopes	3
2B	Belgrade silt loam, 3 to 8 percent slopes	2
3	Pits, quarry-Dumps, mine complex	NR
4A	Raynham silt loam, 0 to 3 percent slopes	2
5B	Windsor loamy fine sand, 0 to 8 percent slopes	3
5C	Windsor loamy fine sand, 8 to 15 percent slopes	2
5D	Windsor loamy fine sand, 15 to 25 percent slopes	2
5E	Windsor loamy fine sand, 25 to 60 percent slopes	1
8A	Agawam fine sandy loam, 0 to 3 percent slopes	3
8B	Agawam fine sandy loam, 3 to 8 percent slopes	2
9B	Ninigret fine sandy loam, 0 to 8 percent slopes	2
10C	Marlow fine sandy loam, 8 to 15 percent slopes	2
10D	Marlow fine sandy loam, 15 to 25 percent slopes	1
11C	Marlow fine sandy loam, 8 to 15 percent slopes, very stony	2
11D	Marlow fine sandy loam, 15 to 35 percent slopes, very stony	1
11E	Marlow fine sandy loam, 35 to 60 percent slopes, very stony	1
12C	Tunbridge-Lyman complex, 8 to 15 percent slopes, very rocky	2
12D	Tunbridge-Lyman complex, 15 to 35 percent slopes, very rocky	1
12E	Tunbridge-Lyman complex, 35 to 60 percent slopes, very rocky	1
14B	Hinckley sandy loam, 0 to 8 percent slopes	2
14C	Hinckley sandy loam, 8 to 15 percent slopes	2
14D	Hinckley sandy loam, 15 to 25 percent slopes	1
14E	Hinckley sandy loam, 25 to 50 percent slopes	1
15B	Dummerston fine sandy loam, 3 to 8 percent slopes	2
15C	Dummerston fine sandy loam, 8 to 15 percent slopes	1
15D	Dummerston fine sandy loam, 15 to 25 percent slopes	1
16C	Dummerston fine sandy loam, 8 to 15 percent slopes, very stony	2
16D	Dummerston fine sandy loam, 15 to 35 percent slopes, very stony	1
16E	Dummerston fine sandy loam, 35 to 60 percent slopes, very stony	1
17B	Peru, Skerry, and Colonel soils, 3 to 8 percent slopes	2
17C	Peru, Skerry, and Colonel soils, 8 to 15 percent slopes	2
17D	Peru, Skerry, and Colonel soils, 15 to 25 percent slopes	1
18B	Peru, Skerry, and Colonel soils, 3 to 8 percent slopes, very stony	2
18C	Peru, Skerry, and Colonel soils, 8 to 15 percent slopes, very stony	2
18D	Peru, Skerry, and Colonel soils, 15 to 35 percent slopes, very stony	1
19B	Vershire-Dummerston complex, 3 to 8 percent slopes, rocky	2
19C	Vershire-Dummerston complex, 8 to 15 percent slopes, rocky	1
19D	Vershire-Dummerston complex, 15 to 25 percent slopes, rocky	1
19E	Vershire-Dummerston complex, 25 to 60 percent slopes, rocky	1
20C	Glover-Vershire complex, 3 to 15 percent slopes, very rocky	2

HEL Class

- 1 - Highly Erodible
- 2 - Potentially Highly Erodible
- 3 - Not Highly Erodible
- NR - Not Rated

Windsor County, Vermont - NRCS Highly Erodible Land Ratings

February 2007

20D	Glover-Vershire complex, 15 to 35 percent slopes, very rocky	1
20E	Glover-Vershire complex, 35 to 60 percent slopes, very rocky	1
21B	Shelburne fine sandy loam, 3 to 8 percent slopes	2
21C	Shelburne fine sandy loam, 8 to 15 percent slopes	2
21D	Shelburne fine sandy loam, 15 to 25 percent slopes	1
22B	Shelburne fine sandy loam, 3 to 8 percent slopes, very stony	2
22C	Shelburne fine sandy loam, 8 to 15 percent slopes, very stony	2
22D	Shelburne fine sandy loam, 15 to 35 percent slopes, very stony	1
23	Ondawa fine sandy loam, 0 to 3 percent slopes, occasionally flooded	3
24	Podunk fine sandy loam, 0 to 3 percent slopes, occasionally flooded	3
25B	Buckland loam, 3 to 8 percent slopes	2
25C	Buckland loam, 8 to 15 percent slopes	1
25D	Buckland loam, 15 to 25 percent slopes	1
26B	Buckland loam, 3 to 8 percent slopes, very stony	2
26C	Buckland loam, 8 to 15 percent slopes, very stony	2
26D	Buckland loam, 15 to 35 percent slopes, very stony	1
26E	Buckland loam, 35 to 60 percent slopes, very stony	1
28	Udorthents and Udipsamments	3
29A	Grange very fine sandy loam, 0 to 3 percent slopes	2
30B	Cabot loam, 0 to 8 percent slopes	2
30C	Cabot loam, 8 to 15 percent slopes	1
31B	Cabot loam, 0 to 8 percent slopes, very stony	2
31C	Cabot loam, 8 to 15 percent slopes, very stony	2
32B	Urban land-Windsor-Agawam complex, 0 to 8 percent slopes	3
33	Rumney fine sandy loam, 0 to 2 percent slopes, frequently flooded	3
36C	Teago-Pomfret complex, 8 to 15 percent slopes, rocky	2
36D	Teago-Pomfret complex, 15 to 25 percent slopes, rocky	2
36E	Teago-Pomfret complex, 25 to 50 percent slopes, rocky	1
38	Hadley very fine sandy loam, 0 to 3 percent slopes, occasionally flooded	3
39	Winooski silt loam, 0 to 3 percent slopes, occasionally flooded	3
40	Limerick silt loam, 0 to 2 percent slopes, frequently flooded	3
41	Saco silt loam, 0 to 2 percent slopes, frequently flooded	3
42D	Lyman-Rock outcrop complex, 15 to 35 percent slopes, very stony	1
42F	Lyman-Rock outcrop complex, 35 to 70 percent slopes, very stony	1
43D	Hogback-Rock outcrop-Rawsonville complex, 15 to 35 percent slopes, very bouldery	1
43F	Hogback-Rock outcrop-Rawsonville complex, 35 to 70 percent slopes, very bouldery	1
45B	Eldridge fine sandy loam, 3 to 8 percent slopes	2
45C	Eldridge fine sandy loam, 8 to 15 percent slopes	2
45D	Eldridge fine sandy loam, 15 to 25 percent slopes	1
45E	Eldridge fine sandy loam, 25 to 50 percent slopes	1
47	Pondicherry and Wonsqueak mucks, ponded	NR
48	Pits, Sand, and Pits, gravel	NR
49B	Vershire-Buckland complex, 3 to 8 percent slopes	2
49C	Vershire-Buckland complex, 8 to 15 percent slopes	1

Page 2 of 4

HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated

Windsor County, Vermont - NRCS Highly Erodible Land Ratings

February 2007

49D	Vershire-Buckland complex, 15 to 25 percent slopes	1
54B	Tunbridge-Lyman complex, 3 to 8 percent slopes, rocky	2
54C	Tunbridge-Lyman complex, 8 to 15 percent slopes, rocky	2
54D	Tunbridge-Lyman complex, 15 to 25 percent slopes, rocky	1
56	Bucksport muck, ponded	NR
58C	Berkshire-Tunbridge complex, 8 to 15 percent slopes, very stony	2
58D	Berkshire-Tunbridge complex, 15 to 35 percent slopes, very stony	1
58E	Berkshire-Tunbridge complex, 35 to 50 percent slopes, very stony	1
59C	Rawsonville-Houghtonville complex, 8 to 15 percent slopes, rocky	1
59D	Rawsonville-Houghtonville complex, 15 to 35 percent slopes, rocky	1
59E	Rawsonville-Houghtonville complex, 35 to 60 percent slopes, rocky	1
60D	Glebe-Stratton complex, 15 to 35 percent slopes, very stony	1
60F	Glebe-Stratton complex, 35 to 70 percent slopes, very stony	1
61D	Ricker-Londonderry-Stratton complex, 15 to 35 percent slopes, very rocky	1
61F	Ricker-Londonderry-Stratton complex, 35 to 70 percent slopes, very rocky	1
62C	Hogback-Rawsonville complex, 8 to 15 percent slopes, very rocky	1
62D	Hogback-Rawsonville complex, 15 to 35 percent slopes, very rocky	1
62E	Hogback-Rawsonville complex, 35 to 60 percent slopes, very rocky	1
63C	Berkshire and Monadnock fine sandy loams, 8 to 15 percent slopes, very stony	2
63D	Berkshire and Monadnock fine sandy loams, 15 to 35 percent slopes, very stony	1
63E	Berkshire and Monadnock fine sandy loams, 35 to 60 percent slopes, very stony	1
64B	Colton fine sandy loam, 3 to 8 percent slopes	2
64C	Colton fine sandy loam, 8 to 15 percent slopes	2
64D	Colton fine sandy loam, 15 to 25 percent slopes	1
64E	Colton fine sandy loam, 25 to 60 percent slopes	1
68B	Berkshire and Monadnock fine sandy loams, 3 to 8 percent slopes	2
68C	Berkshire and Monadnock fine sandy loams, 8 to 15 percent slopes	2
68D	Berkshire and Monadnock fine sandy loams, 15 to 25 percent slopes	1
70B	Adams loamy fine sand, 3 to 8 percent slopes	3
70C	Adams loamy fine sand, 8 to 15 percent slopes	2
70D	Adams loamy fine sand, 15 to 25 percent slopes	2
70E	Adams loamy fine sand, 25 to 60 percent slopes	1
71B	Croghan and Sheepscot fine sandy loams, 0 to 8 percent slopes	3
71C	Croghan and Sheepscot fine sandy loams, 8 to 15 percent slopes	2
74C	Mundal fine sandy loam, 8 to 15 percent slopes, very stony	1
74D	Mundal fine sandy loam, 15 to 35 percent slopes, very stony	1
75B	Urban land-Colton-Croghan complex, 0 to 8 percent slopes	3
79D	Dummerston-Macomber complex, 15 to 25 percent slopes, very stony	1
80C	Macomber-Taconic complex, 8 to 15 percent slopes, very rocky	2
80D	Macomber-Taconic complex, 15 to 25 percent slopes, very rocky	1
80F	Macomber-Taconic complex, 25 to 70 percent slopes, very rocky	1

Page 3 of 4

HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated

Windsor County, Vermont - NRCS Highly Erodible Land Ratings

February 2007

81D	Taconic-Hubbardton-Rock outcrop complex, 8 to 25 percent slopes	1
81F	Taconic-Hubbardton-Rock outcrop complex, 25 to 70 percent slopes	1
82	Udifluvents, cobbly, frequently flooded	NR
85B	Fullam silt loam, 3 to 8 percent slopes	2
85C	Fullam silt loam, 8 to 15 percent slopes	1
85D	Fullam silt loam, 15 to 25 percent slopes	1
86C	Fullam silt loam, 8 to 15 percent slopes, very stony	1
86D	Fullam silt loam, 15 to 35 percent slopes, very stony	1
89C	Dummerston-Macomber complex, 8 to 15 percent slopes, rocky	1
95B	Nicholville-Adams complex, 3 to 8 percent slopes	2
95D	Nicholville-Adams complex, 15 to 25 percent slopes	1
95E	Nicholville-Adams complex, 25 to 60 percent slopes	1
202E	Rawsonville-Hogback-Houghtonville complex, 8 to 60 percent slopes, very rocky	1
203D	Peru-Colonel-Marlow association, 3 to 35 percent slopes, very stony	2
213F	Stratton-Ricker-Glebe complex, 15 to 70 percent slopes, very rocky	1
403B	Cabot-Pondicherry-Wonsqueak association, 0 to 8 percent slopes, very stony	2
415D	Tunbridge-Berkshire-Lyman complex, 8 to 50 percent slopes, rocky	2
425D	Peru-Tunbridge-Berkshire complex, 8 to 35 percent slopes, rocky	2
505D	Peru-Berkshire-Colton association, 3 to 35 percent slopes, very stony	2
702F	Hogback-Ricker-Rock outcrop complex, 15 to 70 percent slopes, very stony	1
705D	Rawsonville-Houghtonville-Mundal complex, 8 to 50 percent slopes, rocky	2
W	Water	NR

HEL Class

1 - Highly Erodible

2 - Potentially Highly Erodible

3 - Not Highly Erodible

NR - Not Rated