

FRANKLIN COUNTY WIND EI 2-16-88

SYM.	NAME	TEXTURE	T FACT	NEG	I VALUE	C FACTORS (WIND)										
						.15	.20	.25	.30	.35	.40	.45	.50	.55	.60	.65
128	ALDERDALE	CDX-LS	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2
4	AQUENTS	FS	5	1	250	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0	32.5
3	BADLAND					ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
1	BAKEOVEN	CBV-SIL	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
5	BURBANK	LFS	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6
6	BURBANK	LFS	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6
25	BURBANK	GR-LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
100	BURKE	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
101	BURKE	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
15	CLEMAN	FSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
310	ELTOPIA	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
320	ELTOPIA	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
16	ESQUATZEL	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
140	FARRELL	VFSL	4	3	86	3.2	4.3	5.4	6.5	7.5	8.6	9.7	10.8	11.8	12.9	14.0
141	FARRELL	VFSL	4	3	86	3.2	4.3	5.4	6.5	7.5	8.6	9.7	10.8	11.8	12.9	14.0
142	FARRELL	VFSL	4	3	86	3.2	4.3	5.4	6.5	7.5	8.6	9.7	10.8	11.8	12.9	14.0
143	FARRELL	VFSL	4	3	86	3.2	4.3	5.4	6.5	7.5	8.6	9.7	10.8	11.8	12.9	14.0
144	FARRELL	VFSL	4	3	86	3.2	4.3	5.4	6.5	7.5	8.6	9.7	10.8	11.8	12.9	14.0
23	FINLEY	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
24	FINLEY	GR-SL	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
137	FINLEY	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
137	NEPPEL	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
138	FINLEY	VFSL	1	5	56	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0	30.8	33.6	36.4
138	BURBANK	VFSL	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6
138	STARBUCK	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
231	FINLEY	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
20,21	HEZEL	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
203	HEZEL	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
17	KAHLOTUS	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
18	KAHLOTUS	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
19	KAHLOTUS	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
130	KAHLOTUS	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
130	STRATFORD	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
131	KAHLOTUS	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
131	STRATFORD	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
191	KAHLOTUS	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
192	KAHLOTUS	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
193	KAHLOTUS	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
505	KAHLOTUS	SIL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
	KENNEWICK	SIL	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
506	KAHLOTUS	SIL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
	KENNEWICK	SIL	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
124	KENNEWICK	SIL	5	4L	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
125	KENNEWICK	SIL	5	4L	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
1251	KENNEWICK	SIL	5	4L	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
127	KOEHLE	FS	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6
102	MAGALLON	SIL	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1
	STRATFORD	SIL	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2

59	FARRELL	VFSL	4	3	86	3.2	4.3	5.4	6.5	7.5	8.6	9.7	10.8	11.8	12.9	14.0
60	ROLOFF	SIL	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2
160	ROLOFF	SIL	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2
	BAKEOVEN	CBV-SIL	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
	ROCK OUTCROP					ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
534	NANGENE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
23	NEPPEL	FSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
29	NEPPEL	FSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
30	NEPPEL	FSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
31,11	NEPPEL	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
9,32	NEPPEL	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
10	NEPPEL	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
842	NEPPEL	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
137	FINLEY	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
34	NOVARK	SIL	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1
95	OTTMAR	VFSL	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6
940	OTTMAR	VFSL	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1
941	OTTMAR	VFSL	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1
942	OTTMAR	VFSL	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1
90	OTTMAR	VFSL	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1
91	OTTMAR	VFSL	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1
92	OTTMAR	VFSL	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1
922	OTTMAR	VFSL	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1
38	PROSSER	SIL	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1
39	PROSSER	SIL	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2
40	PROSSER	SIL	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2
41	PROSSER	SIL	1	5	56	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0	30.8	33.6	36.4
41	STARBUCK	SIL	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2
41	BAKEOVEN	CBV-SIL	1	8		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	QUINCY	FS	5	1	250	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0	32.5
42.43	QUINCY	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
44,45	QUINCY	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
46	QUINCY	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
46	QUINCY	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
48	QUINCY	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
49	QUINCY	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
50	QUINCY	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
126	QUINCY	LFS	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6
126	QUINTON	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
133	QUINCY	LFS	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
133	TIMMERMAN	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
134	QUINCY	FS	5	1	250	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0	32.5
134	WANSER	FS	5	1	250	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0	32.5
430	QUINCY	LFS	3	2	134	6.7	8.9	11.2	13.4	15.6	17.9	20.1	22.3	24.6	26.8	29.0
200	RINQUIN	LFS	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6
510,51	RITZCAL	SIL	5	4L	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
571,52	RITZCAL	SIL	5	4L	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
530	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
53	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
54	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
55	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
56	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3

57	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
520,500	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
521,501	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
522,502	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
523,503	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
524,504	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
530	RITZVILLE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
	NANSENE	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
61	ROYAL	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
64	ROYAL	LFS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4
610	ROYAL	FSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
611	ROYAL	FSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
612	ROYAL	FSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
68	SAGEHILL	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
69	SAGEHILL	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
70	SAGEHILL	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
135	SAGEHILL	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
135	SAGEHILL	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
135	SAGEHILL	VFSL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
680	SAGEHILL	VFSL	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6
681	SAGEHILL	VFSL	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6
690	SAGEHILL	VFSL	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6
690	SAGEHILL	VFSL	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6
701	SAGEHILL	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
702	SAGEHILL	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
120	SAGEMOOR	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
121	SAGEMOOR	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
122	SAGEMOOR	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
71	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
72	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
73	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
74	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
740	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
741	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
860	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
861	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
862	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
863	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
864	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
742	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
	KENNEWICK	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
743	SHANO	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
	KENNEWICK	SIL	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3
79	STARBUCK	SIL	1	5	56	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0	30.8	33.6	36.4
132	STARBUCK	SIL	1	5	56	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0	30.8	33.6	36.4
132	FROSSER	SIL	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2
139	STARBUCK	VFSL	1	3	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9
139	FROSSER	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
139	FINLEY	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
800	TAUNCAL	VFSL	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
803	TAUNCAL	VFSL	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
804	TAUNCAL	VFSL	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
80	TAUNTON	VFSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9

82	TIMMERMAN	FSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
83	TIMMERMAN	FSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
84	TIMMERMAN	FSL	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
151	WACOTA	SIL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
152	WACOTA	SIL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
153	WACOTA	SIL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
154	WACOTA	SIL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
155	WACOTA	SIL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
163	WACOTA	SIL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
531	WACOTA	SIL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
	RITZCAL	SIL	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
96	WARDEN	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
87	WARDEN	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
88	WARDEN	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
89	WARDEN	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
890	WARDEN	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
891	WARDEN	VFSL	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2
900	WIEHL	VFSL	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6
910	WIEHL	VFSL	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6
921	WIEHL	VFSL	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6
93	WIEHL	VFSL	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6
	WIEHL VAR.	VFSL	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6
291	WILLIS	SIL	2	5	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
292	WILLIS	SIL	2	5	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
293	WILLIS	SIL	2	5	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9
98	WINCHESTER	LCOS	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4