

GRANT COUNTY WIND EI MATRIX 2-9-88e specific C for location

WIND C VALUES*

SYM. NAME	TEX.	ACRES	T FACT	WEG	I VALUE	.15	.20	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70	
1	ADKINS	LFS	1695	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
2	ADKINS	VFSL	4170	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
3	ADKINS	VFSL	7330	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
4	ADKINS	VFSL	4375	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
5	ADKINS	VFSL	3105	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
6	ADKINS	VFSL	2405	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
7	ADKINS	VFSL	1065	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
8	ADKINS	VFSL	870	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
9	ADKINS	VFSL	550	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
10	AHTANUM	SIL	445	3	4	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
11	ANDERS	SIL	655	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
12	AQUENTS	SICL	3955	5	7	38	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2	4.6	4.9	5.3
13	BADGE	CB-L	1070	2	6	48	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13.2	14.4	15.6	16.8
13	BAKEOVEN	CBV-L	1070	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
14	BADLAND	UMB	1145	0	0		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
14	TORRIGTHENTS	SIL	1145	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
15	BAGDAD	SIL	3650	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
16	BAGDAD	SIL	22430	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
17	BAGDAD	SIL	3910	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
17	ENDICOTT	SIL	3910	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
18	BAKEOVEN	CBV-L	21535	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
19	BAKEOVEN	CBV-L	10945	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
19	ANDERS	SIL	10945	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
20	BAKEOVEN	CBV-L	995	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
20	CONDON	SIL	995	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
21	BAKEOVEN	CBV-L	18460	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
21	LICKSKILLET	CBV-L	18460	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
21	ZEN	SIL	18460	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
22	BAKEOVEN	CBV-L	67040	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
22	ROLOFF	SIL	67040	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
23	BAKEOVEN	CBV-L	4140	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
23	TOUHEY	VFSL	4140	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
24	BENCO	GR-L	2030	2	6	48	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13.2	14.4	15.6	16.8
25	BENCO	ST-L	1225	2	6	48	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13.2	14.4	15.6	16.8
26	BURBANK	LFS	37895	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6	46.9
27	BURBANK	LFS	3625	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6	46.9
28	BURBANK	CBV-LS	2345	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
29	BURBANK	ST-LS	4735	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
30	BURBANK	BYV-LS	2275	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
31	BURKE	SIL	1125	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
32	BURKE	SIL	1405	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
33	CHARD	VFSL	2695	4	3	86	3.2	4.3	5.4	6.5	7.5	8.6	9.7	10.8	11.8	12.9	14.0	15.0
34	CLEMAN	VFSL	1055	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
35	CONDON	SIL	2070	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
36	EKRUB	FS	16085	1	1	250	37.5	50.0	62.5	75.0	87.5	****	****	****	****	****	****	****
37	ELLISFORDE	SIL	4030	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
38	ELLISFORDE	SIL	3285	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8

39	ENTIAT	GR-FSL	4005	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
39	ROCK OUTCROP	UMB	4005	0	0		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
40	EPHRATA	FSL	22090	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
41	EPHRATA	FSL	5295	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
42	EPHRATA	FSL	2775	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
43	EPHRATA	GR-SL	11940	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
44	EPHRATA	GR-SL	1245	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
45	EPHRATA	GR-SL	8415	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
45	MALAGA	CB-SL	8415	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
46	EPHRATA	GR-SL	2655	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
46	MALAGA	CB-SL	2655	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
47	ESQUATZEL	SIL	15040	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
48	FARRELL	VFSL	12375	4	3	86	3.2	4.3	5.4	6.5	7.5	8.6	9.7	10.8	11.8	12.9	14.0	15.0
49	FARRELL	VFSL	4920	4	3	86	3.2	4.3	5.4	6.5	7.5	8.6	9.7	10.8	11.8	12.9	14.0	15.0
50	FINLEY	GR-FSL	1560	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
51	FINLEY	CBV-FSL	1645	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
52	FINLEY	VFSL	2665	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
52	TAUNTON	SIL	2665	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
53	FINLEY	VFSL	3955	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
53	TAUNTON	SIL	3955	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
54	HERMISTON	SIL	620	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
55	HEZEL	LFS	8685	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
56	KENNEWICK	LFS	5265	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
57	KENNEWICK	LFS	1355	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
58	KENNEWICK	FSL	16050	5	2	134 ⁸⁶	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
59	KENNEWICK	FSL	12360	5	2	134 ⁸⁶	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
60	KENNEWICK	FSL	4955	5	2	134 ⁸⁶	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
61	KENNEWICK	FSL	1455	5	2	134 ⁸⁶	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
62	KENNEWICK	SIL	9275	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
63	KENNEWICK	SIL	16385	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
64	KENNEWICK	SIL	4705	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
65	KENNEWICK	SIL	2135	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
66	KIONA COBBLY	CB-VFSL	8895	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
67	KIONA	ST-VFSL	3145	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
67	ROCK OUTCROP	UMB	3145	0	0		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
68	KITTITAS	SIL	3955	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
69	KOEHLER	LFS	9455	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6	46.9
70	LICKSKILLET	CBV-L	6055	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
71	MAGALLON	SL	4570	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
72	MAGALLON	SL	2970	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
73	MALAGA	GR-SL	32090	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
74	MALAGA	GR-SL	1355	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
75	MALAGA COBBLY	CB-SL	23745	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
76	MALAGA COBBLY	CB-SL	1005	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
77	MALAGA	ST-SL	51725	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
78	MALAGA	STV-SL	12915	1	5	56	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0	30.8	33.6	36.4	39.2
79	MALAGA	CBV-SL	16875	1	5	56	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0	30.8	33.6	36.4	39.2
79	EPHRATA	GR-SL	16875	2	4	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
80	NEPPEL	FSL	2430	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
81	NEPPEL	FSL	485	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
82	NEPPEL	VFSL	3045	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
83	NEPPEL	VFSL	3060	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
84	NEPPEL	VFSL	1375	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1

85	NOVARK	SIL	1360	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1	13.1
86	OUTLOOK	VFSL	4300	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
87	FEDIGO	SIL	2150	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
88	PITS	GRK-S	1390	0	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
89	PROSSER	VFSL	1200	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
90	PROSSER	VFSL	1410	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
91	PROSSER	VFSL	1470	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
92	PROSSER	VFSL	1430	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
93	PROSSER	VFSL	645	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
94	PROSSER	VFSL	11200	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
94	STARBUCK	VFSL	11200	1	3	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
95	PROSSER	VFSL	2925	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
95	STARBUCK	ST-VFSL	2925	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
96	QUINCY	S	7315	5	1	180	5.4	7.2	9.0	10.8	12.6	14.4	16.2	18.0	19.8	21.6	23.4	25.2
97	QUINCY	FS	149010	5	1	250	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0	32.5	35.0
98	QUINCY	LFS	53055	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
99	QUINCY	LFS	1425	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
100	QUINTON	LFS	3725	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6	46.9
100	SCHANANA	CB-LFS	3725	1	2	134	20.1	26.8	33.5	40.2	46.9	53.6	60.3	67.0	73.7	80.4	87.1	93.8
101	RALLS	SIL	2345	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1	13.1
102	RALLS	SIL	2005	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1	13.1
103	RALLS	ST-SIL	820	3	6	48	2.4	3.2	4.0	4.8	5.6	6.4	7.2	8.0	8.8	9.6	10.4	11.2
104	RENSLOW	SIL	56175	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
105	RENSLOW	SIL	49010	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
106	RENSLOW	SIL	465	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
107	RENSLOW	SIL	10600	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
107	WILLIS	SIL	10600	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
108	RENSLOW	SIL	1900	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
108	WILLIS	SIL	1900	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
109	RITZVILLE	SIL	13200	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
110	RITZVILLE	SIL	5135	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
111	ROLOFF	SIL	9450	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
112	ROLOFF	SIL	12005	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
112	BAKEOVEN	CBV-L	12005	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
113	ROYAL	LFS	9965	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
114	ROYAL	LFS	345	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
115	ROYAL	VFSL	6030	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
116	ROYAL	VFSL	2895	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
117	ROYAL	VFSL	835	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
118	ROYAL	VFSL	1460	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
119	ROYAL	VFSL	905	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
120	RUBBLE LAND	FRAG	13645	0	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
120	ROCK OUTCROP	UMB	13645	0	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
121	SAGEHILL	VFSL	4080	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
122	SAGEHILL	VFSL	3695	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
123	SAGEHILL	VFSL	1775	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
124	SAGEHILL	VFSL	990	5	3	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
125	SAGEMOOR	SIL	5770	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
126	SAGEMOOR	SIL	6955	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
127	SAGEMOOR	SIL	3005	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
128	SAGEMOOR	SIL	910	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
129	SALTESE	MUCK	1235	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
130	SCHANANA COBBLY	CB-LFS	3365	1	2	134	20.1	26.8	33.5	40.2	46.9	53.6	60.3	67.0	73.7	80.4	87.1	93.8

131	SCHAWANA	LFS	28535	1	2	134	20.1	26.8	33.5	40.2	46.9	53.6	60.3	67.0	73.7	80.4	87.1	93.8
131	SCHAWANA	CB-LFS	28535	1	2	134	20.1	26.8	33.5	40.2	46.9	53.6	60.3	67.0	73.7	80.4	87.1	93.8
132	SCODN	SIL	25675	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
133	SCODN	SIL	5155	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
134	SCODN	ST-SIL	6835	1	6	48	7.2	9.6	12.0	14.4	16.8	19.2	21.6	24.0	26.4	28.8	31.2	33.6
135	SCODN	VFSL	2470	1	3	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
136	SHANO	SIL	12235	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
137	SHANO	SIL	43730	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
138	SHANO	SIL	9635	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
139	SHANO	SIL	2770	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
140	SHANO	SIL	7440	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
141	STARBUCK	VFSL	9095	1	3	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
142	STARBUCK	ST-SIL	5395	1	6	48	7.2	9.6	12.0	14.4	16.8	19.2	21.6	24.0	26.4	28.8	31.2	33.6
143	STARBUCK	ST-VFSL	68175	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
143	BAKEOVEN	CBV-L	68175	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
143	ROCK OUTCROP	UMB	68175	0	0		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
144	STARBUCK	ST-SIL	6740	1	6	48	7.2	9.6	12.0	14.4	16.8	19.2	21.6	24.0	26.4	28.8	31.2	33.6
144	KIONA	ST-SIL	6740	5	6	48	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3	5.8	6.2	6.7
145	STARBUCK	ST-VFSL	24640	1	4	86	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0	47.3	51.6	55.9	60.2
145	PROSSER	VFSL	24640	2	3	86	6.5	9.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
146	STRAT	GR-L	13630	2	6	48	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13.2	14.4	15.6	16.8
147	STRAT COBBLY	CB-L	8170	2	6	48	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13.2	14.4	15.6	16.8
148	STRAT	ST-L	31825	2	6	48	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13.2	14.4	15.6	16.8
149	STRAT	CBV-L	1735	2	6	48	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13.2	14.4	15.6	16.8
149	STRATFORD	GR-L	1735	2	6	48	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13.2	14.4	15.6	16.8
150	STRATFORD	L	4935	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
151	TAUNTON	LFS	4035	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6	46.9
152	TAUNTON	FSL	3815	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
153	TAUNTON	FSL	7650	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
154	TAUNTON	FSL	5375	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
155	TAUNTON	FSL	1390	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
156	TAUNTON	SIL	2195	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
157	TAUNTON	SIL	10275	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
158	TAUNTON	SIL	6920	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
159	TAUNTON	SIL	1155	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
160	TAUNTON	SIL	1270	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
161	TAUNTON	ST-SIL	3840	2	6	48	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13.2	14.4	15.6	16.8
162	TAUNTON	SIL	5360	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
162	FINLEY	CB-VFSL	5360	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
163	TIMENTWA	VFSL	1155	4	3	86	3.2	4.3	5.4	6.5	7.5	8.6	9.7	10.8	11.8	12.9	14.0	15.0
164	TIMMERMAN	LS	10765	2	2	134	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	36.9	40.2	43.6	46.9
165	TIMMERMAN	COSL	21960	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
166	TIMMERMAN	COSL	2730	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
167	TIMMERMAN	COSL	935	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
168	TIMMERMAN	COSL	7915	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
169	TIMMERMAN	COSL	3490	2	3	86	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	23.7	25.8	27.9	30.1
170	TORRIFLUENTS	CBV-VFSL	1105	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
171	TOUHEY	VFSL	1460	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
172	UMAPINE	SIL	3955	5	4	86	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	10.3	11.2	12.0
173	WAHLIKE	VFSL	2745	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
174	WAHLIKE	VFSL	1560	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
175	WANSER	LFS	920	5	2	134	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	14.7	16.1	17.4	18.8
176	WANSER	FS	22295	5	1	250	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0	32.5	35.0

176	QUINCY	FS	22295	5	1	250	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0	32.5	35.0
177	WARDEN	SIL	20370	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
178	WARDEN	SIL	14160	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
179	WARDEN	SIL	2630	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
180	WARDEN	SIL	1450	5	5	56	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.7	7.3	7.8
181	WIEHL	FSL	425	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
182	WIEHL	FSL	1800	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
183	WIEHL	FSL	850	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
184	WIEHL	FSL	1065	3	3	86	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	15.8	17.2	18.6	20.1
185	WILLIS	SIL	6285	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
186	WINCHESTER	S	7105	5	1	180	5.4	7.2	9.0	10.8	12.6	14.4	16.2	18.0	19.8	21.6	23.4	25.2
187	ZEN	SIL	4260	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
188	ZEN	SIL	19150	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
189	ZEN	SIL	25290	2	5	56	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15.4	16.8	18.2	19.6
189	LICKSKILLET	CBV-L	25290	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
189	RALLS	SIL	25290	3	5	56	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10.3	11.2	12.1	13.1