

Shaded EI values are > 8

YAKIMA COUNTY WIND EI 2-3-83

WIND C VALUES

SYM.	NAME	TEX.	ACRES	T FACT	WEG	I VALUE	WIND - EI MATRIX													
							.10	.15	.20	.25	.30	.35	.40	.45	.50					
1	AQUIC CRYANDEPTS	SIL	217	3			ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
2	ASHUE	L	5745	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0					
3	BAKEOVEN	CBV-SIL	14689	1	8	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BICKLETON	SIL	2720	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3					
5	BICKLETON	SIL	2896	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3					
6	BOCKER	CBV-L	10665	1	7	38	3.8	5.7	7.6	9.5	11.4	13.3	15.2	17.1	19.0					
7	BOCKER	CBV-L	1332	1	7	38	3.8	5.7	7.6	9.5	11.4	13.3	15.2	17.1	19.0					
7	JUMPE	ST-L	1332	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8					
8	BOCKER	CBV-L	9449	1	7	38	3.8	5.7	7.6	9.5	11.4	13.3	15.2	17.1	19.0					
8	SAPKIN	STV-L	9449	2	7	38	1.9	2.9	3.8	4.8	5.7	6.6	7.6	8.6	9.5					
9	BOCKER	CBV-L	2133	1	7	38	3.8	5.7	7.6	9.5	11.4	13.3	15.2	17.1	19.0					
9	SUTKIN	ST-L	2133	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8					
10	BURKE	SIL	1492	2	4L	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5					
11	BURKE	SIL	956	2	4L	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5					
12	BURKE	SIL	1695	2	4L	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5					
13	CARMACK	L	3615	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6					
14	CARMACK COBBLY	CB-L	1200	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8					
15	CARMACK COBBLY	CB-L	999	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8					
16	CARMACK COBBLY	CB-L	2045	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8					
17	CARMACK	L	1375	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6					
17	ROCK OUTCROP	UMB	1375				ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
18	CLEMAN	VFSL	4418	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6					
19	CLEMAN	VFSL	3906	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6					
20	CLEMAN	VFSL	929	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6					
21	CLEMAN	VFSL	611	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6					
22	CLINT	STV-L	4715	2	7	38	1.9	2.9	3.8	4.8	5.7	6.6	7.6	8.6	9.5					
23	CLINT	STV-L	7383	2	7	38	1.9	2.9	3.8	4.8	5.7	6.6	7.6	8.6	9.5					
23	RUBBLELAND	FRAG	7383		8	0	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
24	COMICHE	L	1004	4	5	56	1.4	2.1	2.8	3.5	4.2	4.9	5.6	6.3	7.0					
25	COMICHE	L	1250	4	5	56	1.4	2.1	2.8	3.5	4.2	4.9	5.6	6.3	7.0					
26	COMICHE	L	5321	4	5	56	1.4	2.1	2.8	3.5	4.2	4.9	5.6	6.3	7.0					
27	COMICHE	L	2475	4	5	56	1.4	2.1	2.8	3.5	4.2	4.9	5.6	6.3	7.0					
28	COMICHE	L	758	4	5	56	1.4	2.1	2.8	3.5	4.2	4.9	5.6	6.3	7.0					
28	ROCK CREEK	STV-SIL	758	1	8	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	CRYUMBREPTS	L	854	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6					
30	DARLAND	ST-L	3280	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8					
31	DARLAND	ST-L	2365	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8					
31	RUBBLE LAND	FRAG	2365	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8					
32	ESQUATZEL	SIL	23118	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6					
33	ESQUATZEL	SIL	3403	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6					
34	FIANDER	SIL	1063	1	4L	86	8.6	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0					
35	FINLEY	FSL	566	2	3	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5					
36	FINLEY COBBLY	CB-FSL	681	2	4	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5					
37	FINLEY	SIL	1400	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0					
38	FINLEY	SIL	1450	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0					
39	FINLEY	SIL	296	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0					
40	FINLEY	SIL	318	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0					

41	GORSKEL	STV-L	1627	1	7	38	3.8	5.7	7.6	9.5	11.4	13.3	15.2	17.1	19.0
42	GORSKEL	STV-L	6328	1	7	38	3.8	5.7	7.6	9.5	11.4	13.3	15.2	17.1	19.0
42	HARWOOD	L	6328	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
43	GORST	L	8798	1	5	56	5.6	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0
44	GORST	L	934	1	5	56	5.6	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0
45	GORST COBBLY	CB-L	3299	1	6	48	4.8	7.2	9.6	12.0	14.4	16.8	19.2	21.6	24.0
46	HARWOOD	L	7148	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
47	HARWOOD	L	2815	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
48	HARWOOD	L	4587	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
49	HARWOOD	L	1180	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
50	HARWOOD	SIL	817	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
50	BURKE	SIL	817	2	4L	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
50	WIEHL	SIL	817	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
51	HARWOOD	SIL	1104	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
51	BURKE	SIL	1104	2	4L	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
51	WIEHL	SIL	1104	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
52	HARWOOD	SIL	9325	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
52	BURKE	SIL	9325	2	4L	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
52	WIEHL	SIL	9325	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
53	HARWOOD	SIL	7829	2	5	56									
53	BURKE	SIL	7829	2	4L	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
53	WIEHL	SIL	7829	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
54	HARWOOD	SIL	3498	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
54	BURKE	SIL	3498	2	4L	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
54	WIEHL	SIL	3498	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
55	HARWOOD	STV-SIL	3666	2	7	38	1.9	2.9	3.8	4.8	5.7	6.6	7.6	8.6	9.5
55	BURKE	STV-SIL	3666	2	7	38	1.9	2.9	3.8	4.8	5.7	6.6	7.6	8.6	9.5
55	WIEHL	STV-SIL	3666	3	7	38	1.3	1.9	2.5	3.2	3.8	4.4	5.1	5.7	6.3
56	HARWOOD	L	2713	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
56	GORST	CB-L	2713	1	6	48	4.8	7.2	9.6	12.0	14.4	16.8	19.2	21.6	24.0
57	HEZEL	LFS	1223	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4
58	HEZEL	LFS	3343	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4
59	JUMPE	ST-L	13809	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
60	JUMPE	ST-L	14490	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
61	JUMPE	ST-L	1622	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
62	JUMPE	ST-L	18173	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
63	JUMPE	ST-L	4102	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
64	JUMPE	ST-L	2368	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
64	ROCK OUTCROP	UMB	2368				ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
65	KIONA	ST-SIL	16101	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
66	KITTITAS	SIL	3289	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
67	LICKSKILLET	SIL	4470	1	6	48	4.8	7.2	9.6	12.0	14.4	16.8	19.2	21.6	24.0
68	LICKSKILLET	STV-SIL	22704	1	8	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
69	LOGY	SIL	3357	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
70	LOGY COBBLY	CB-SIL	3468	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0
71	LONERIDGE	ST-L	909	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
72	LONERIDGE	ST-L	788	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
73	LONERIDGE	ST-L	597	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
74	MCDANIEL	STV-L	6167	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8
75	MCDANIEL	STV-L	9631	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8
76	MCDANIEL	STV-L	1877	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8
76	ROCK CREEK	STV-SIL	1877	1	8	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
77	MEYSTRE	L	5446	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6

78	MEYSTRE	ST-L	3944	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
79	MIKKALO	SIL	866	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
80	MIKKALO	SIL	2794	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
81	MIKKALO	SIL	1898	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
82	MIPPOW	CBV-SIL	2242	1	7	38	3.8	5.7	7.6	9.5	11.4	13.3	15.2	17.1	19.0
83	MOXEE	SIL	2989	1	5	56	5.6	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0
84	MOXEE	SIL	335	1	5	56	5.6	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0
85	MOXEE COBBLY	CB-SIL	5733	1	6	48	4.8	7.2	9.6	12.0	14.4	16.8	19.2	21.6	24.0
86	NACHES	L	3289	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
87	NAXING	L	8051	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
88	NAXING	ST-L	10954	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
89	NAXING	ST-L	2342	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
90	ODO COBBLY	CB-SIL	1414	4	6	48	1.2	1.8	2.4	3.0	3.6	4.2	4.8	5.4	6.0
91	OUTLOOK	FSL	876	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
92	OUTLOOK	SIL	3214	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
93	PITS	GRX-S	462			0	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
94	PROSSER	SIL	1069	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
95	QUINCY	LFS	5594	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4
96	RENSLOW	SIL	1378	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
97	RENSLOW	SIL	3610	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
98	RENSLOW	SIL	3869	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
99	RITZVILLE	SIL	8136	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
100	RITZVILLE	SIL	2725	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
101	RITZVILLE	SIL	16484	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
102	RITZVILLE	SIL	12058	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
103	RITZVILLE	SIL	4799	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
104	RITZVILLE	SIL	28368	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
105	RITZVILLE	SIL	10219	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
106	RITZVILLE	SIL	4371	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
107	RITZVILLE VARIANT	SIL	853	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
108	RITZVILLE VARIANT	CB-SIL	521	3	6	48	1.6	2.4	3.2	4.0	4.8	5.6	6.4	7.2	8.0
109	ROCK CREEK	STV-SIL	30690	1	8	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
110	ROCK CREEK	STV-SIL	27106	1	8	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
110	CLINT	STV-L	27106	2	7	38	1.9	2.9	3.8	4.8	5.7	6.6	7.6	8.6	9.5
110	SIMCOE	SIL	27106	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
111	ROZA	CL	382	5	4	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
112	ROZA	CL	978	5	4	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
113	ROZA	CL	3736	5	4	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
114	ROZA	CL	4851	5	4	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
115	RUBBLELAND	FRAG	7610			0	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
115	ROCK OUTCROP	UWB	7610			0	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
116	SAPKIN	STV-L	28520	2	7	38	1.9	2.9	3.8	4.8	5.7	6.6	7.6	8.6	9.5
117	SAPKIN	STV-L	2770	2	7	38	1.9	2.9	3.8	4.8	5.7	6.6	7.6	8.6	9.5
118	SAPKIN	STV-L	8193	2	7	38	1.9	2.9	3.8	4.8	5.7	6.6	7.6	8.6	9.5
118	RUBBLELAND	FRAG	8193			0	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
119	SAYDAB COBBLY	CB-L	2252	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0
120	SCON	SIL	6017	1	4L	86	8.6	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0
121	SCON	SIL	1798	1	4L	86	8.6	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0
122	SCON	SIL	1798	1	4L	86	8.6	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0
123	SCON	SIL	503	1	4L	86	8.6	12.9	17.2	21.5	25.8	30.1	34.4	38.7	43.0
124	SCOOTENEY	SIL	1553	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
125	SCOOTENEY	SIL	1142	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
126	SCOOTENEY	SIL	232	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3

127	SCOOTENEY COBBLY	CB-SIL	1177	3	6	48	1.6	2.4	3.2	4.0	4.8	5.6	6.4	7.2	8.0
128	SELAH	SIL	1812	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
129	SELAH	SIL	2417	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
130	SELAH	SIL	2821	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
131	SELAH	SIL	432	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
132	SHANO	SIL	878	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
133	SHANO	SIL	317	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
134	SHANO	SIL	4432	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
135	SHANO	SIL	2112	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
136	SIMCOE	SIL	1782	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
137	SIMCOE	SIL	949	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
138	SINLOC	FSL	1339	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
139	SINLOC	SIL	1251	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
140	SINLOC	SIL	1213	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
141	SINLOC	SIL	212	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
142	STARBUCK	SIL	13284	1	5	56	5.6	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0
143	STARBUCK	SIL	22714	1	5	56	5.6	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0
143	ROCK OUTCROP	UMB	22714				ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
144	STARBUCK	SIL	3289	1	5	56	5.6	8.4	11.2	14.0	16.8	19.6	22.4	25.2	28.0
144	ROCK OUTCROP	UMB	3289				ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
145	SUTKIN	ST-L	7874	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
146	SUTKIN	ST-L	14976	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
147	SUTKIN	ST-L	3304	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
148	SUTKIN	ST-L	3130	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
149	SUTKIN	ST-L	1835	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
149	ROCK OUTCROP	UMB	1835				ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
150	SUTKIN VARIANT	ST-L	576	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0
151	TANEUM	L	6766	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
152	TANEUM	L	3712	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
153	TANEUM	L	1969	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
154	TANEUM	L	3453	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
154	ROCK CREEK	STV-SIL	3453	1	8	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
155	TEKISON	ST-L	1274	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8
156	TIETON	FSL	468	3	3	86	2.9	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3
157	TIETON	L	912	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
158	TIETON	L	3534	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
159	TIETON	L	2857	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
160	TIETON	L	3022	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
161	TIETON	L	1010	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
162	TIETON	L	3448	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3
162	ROCK OUTCROP	UMB	3448				ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
163	TOPPENISH	SIL	1067	3	4L	86	2.9	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3
164	TORRIORTMENTS	GR-SL	3053	2	4	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
165	TRACK	L	1382	2	4L	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
166	TUMAC	STV-SL	803	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
167	TUMAC	STV-SL	460	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
168	UMAPINE	SIL	312	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
169	UMAPINE	SIL	9483	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
170	UMAPINE	SIL	284	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
171	WANSER	LFS	1672	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4
172	WARDEN	FSL	3198	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
173	WARDEN	FSL	7013	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
174	WARDEN	FSL	2282	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6

						10	15	20	25						
175	WARDEN	FSL	1311	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6
176	WARDEN	SIL	9074	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
177	WARDEN	SIL	31296	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
178	WARDEN	SIL	10306	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
179	WARDEN	SIL	17972	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
180	WARDEN	SIL	5482	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6
181	WEIRMAN	SL	9265	2	3	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
182	WEIRMAN	FSL	4211	2	3	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
183	WEIRMAN	GR-FSL	4054	2	4	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
184	WEIRMAN	FSL	1119	2	3	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
185	WENAS	SIL	2926	4	5	56	1.4	2.1	2.8	3.5	4.2	4.9	5.6	6.3	7.0
186	WILLIS	FSL	459	2	3	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5
187	WILLIS	SIL	10625	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
188	WILLIS	SIL	1753	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
189	WILLIS	SIL	12101	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
190	YAKIMA	SIL	2583	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0
191	ZILLAH	SL	373	4	3	86	2.1	3.2	4.3	5.4	6.5	7.5	8.6	9.7	10.8
192	ZILLAH	SIL	2034	4	5	56	1.4	2.1	2.8	3.5	4.2	4.9	5.6	6.3	7.0
193	ZILLAH	SIL	474	4	5	56	1.4	2.1	2.8	3.5	4.2	4.9	5.6	6.3	7.0