

Forage Suitability Groups

Ashland County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
5A	Arnheim mucky silt loam, 0 to 1 percent slopes, frequently flooded	Arnheim	85	G092XY010WI
6A	Moquah fine sandy loam, 0 to 3 percent slopes, frequently flooded	Moquah	85	G092XY005WI
7C	Beaches, 2 to 12 percent slopes	Beaches	97	
69B	Keweenaw-Sayner-Vilas complex, 2 to 6 percent slopes, stony	Keweenaw	45	G090AY002WI
		Sayner	30	G090AY002WI
		Vilas	20	G090AY002WI
69C	Keweenaw-Sayner-Vilas complex, 6 to 15 percent slopes, stony	Keweenaw	40	G090AY002WI
		Sayner	30	G090AY002WI
		Vilas	20	G090AY002WI
69E	Keweenaw-Sayner-Vilas complex, 15 to 45 percent slopes, stony	Keweenaw	40	G090AY003WI
		Sayner	30	G090AY003WI
		Vilas	20	G090AY003WI
74B	Vilas loamy sand, 0 to 6 percent slopes	Vilas	90	G090AY002WI
74C	Vilas loamy sand, 6 to 15 percent slopes	Vilas	95	G090AY002WI
92F	Udorthents, ravines and escarpments, 25 to 60 percent slopes	Udorthents, ravines a	85	

182B	Padus sandy loam, 0 to 6 percent slopes	Padus	78	G090AY005WI
182C	Padus sandy loam, 6 to 15 percent slopes	Padus	83	G090AY005WI
182D	Padus sandy loam, 15 to 30 percent slopes	Padus	82	G090AY006WI
192A	Worcester sandy loam, 0 to 3 percent slopes	Worcester	80	G090AY004WI
193A	Minocqua muck, 0 to 2 percent slopes	Minocqua	83	G090AY004WI
203B	Wakefield fine sandy loam, 1 to 6 percent slopes, stony	Wakefield	85	G090AY005WI
203C	Wakefield fine sandy loam, 6 to 18 percent slopes, stony	Wakefield	85	G090AY005WI
204C	Denomie silt loam, 6 to 15 percent slopes	Denomie	85	G092XY005WI
204D	Denomie silt loam, 15 to 30 percent slopes	Denomie	90	G092XY006WI
204F	Denomie silt loam, 30 to 60 percent slopes	Denomie	90	G092XY006WI
215B	Pence sandy loam, 0 to 6 percent slopes	Pence	80	G090AY002WI
215C	Pence sandy loam, 6 to 15 percent slopes	Pence	85	G090AY002WI
215D	Pence sandy loam, 15 to 30 percent slopes	Pence	85	G090AY003WI
217B	Karlin loamy fine sand, 0 to 6 percent slopes	Karlin	80	G090AY005WI
217C	Karlin loamy fine sand, 6 to 15 percent slopes	Karlin	80	G090AY005WI
226A	Allendale loamy fine sand, 0 to 3 percent slopes	Allendale	80	G092XY001WI

242B	Fence silt loam, lake terrace, 0 to 6 percent slopes	Fence	85	G092XY008WI
242C	Fence silt loam, lake terrace, 6 to 15 percent slopes	Fence	85	G092XY008WI
280C	Odanah silt loam, 6 to 15 percent slopes	Odanah	90	G092XY005WI
280D	Odanah silt loam, 15 to 25 percent slopes	Odanah	93	G092XY006WI
280F	Odanah silt loam, 25 to 60 percent slopes	Odanah	95	G092XY006WI
317D	Alcona fine sandy loam, lake terrace, 15 to 30 percent slopes	Alcona	87	G092XY006WI
319A	Tonkey sandy loam, 0 to 2 percent slopes	Tonkey	90	G090AY004WI
339B	Rousseau loamy fine sand, 0 to 6 percent slopes	Rousseau	85	G092XY002WI
339C	Rousseau loamy fine sand, 6 to 15 percent slopes	Rousseau	90	G092XY002WI
339D	Rousseau loamy fine sand, 15 to 30 percent slopes	Rousseau	90	G092XY003WI
375A	Robago fine sandy loam, lake terrace, 0 to 3 percent slopes	Robago	85	G092XY004WI
376B	Tula fine sandy loam, 1 to 6 percent slopes, stony	Tula	80	G092XY004WI
384B	Springstead sandy loam, 1 to 6 percent slopes, stony	Springstead	88	G090AY005WI
388B	Pelkie, occasionally flooded-Dechamps, frequently flooded complex, 0 to 4 percent slopes	Pelkie	50	G092XY002WI
		Dechamps	30	G092XY001WI
405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	Lupton	40	G090AY010WI

405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	Cathro	30	G090AY010WI
		Tawas	25	G090AY010WI
408A	Lupton and Cathro soils, 0 to 1 percent slopes	Lupton	45	G090AY010WI
		Cathro	40	G090AY010WI
414A	Loxley and Beseman soils, 0 to 1 percent slopes	Beseman	40	G090AY010WI
		Loxley	45	G090AY010WI
444B	Gichigami-Oronto complex, 0 to 6 percent slopes	Gichigami	60	G092XY008WI
		Oronto	25	G092XY007WI
445A	Kinross muck, 0 to 2 percent slopes	Kinross	80	G090AY004WI
461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	Bowstring	85	G090AY010WI
475C	Rubicon-Sayner complex, 6 to 15 percent slopes	Rubicon	50	G090AY002WI
		Sayner	40	G090AY002WI
479A	Lerch-Herbster complex, 0 to 3 percent slopes	Lerch	50	G092XY004WI
		Herbster	35	G092XY004WI
480B	Portwing-Herbster complex, 0 to 6 percent slopes	Portwing	50	G092XY005WI
		Herbster	30	G092XY004WI
481C	Cornucopia silt loam, 6 to 15 percent slopes	Cornucopia	80	G092XY005WI
481E	Cornucopia silt loam, 15 to 45 percent slopes	Cornucopia	80	G092XY006WI

500B	Croswell sand, 0 to 6 percent slopes	Croswell	82	G092XY002WI
509B	Gogebic fine sandy loam, 1 to 6 percent slopes, very stony	Gogebic	85	G092XY005WI
514B	Iosco loamy sand, 0 to 4 percent slopes	Iosco	85	G092XY004WI
515A	Manitowish sandy loam, 0 to 3 percent slopes	Manitowish	80	G090AY002WI
517B	Annalake fine sandy loam, lake terrace, 2 to 6 percent slopes	Annalake	85	G092XY005WI
517C	Annalake fine sandy loam, lake terrace, 6 to 15 percent slopes	Annalake	80	G092XY005WI
520A	Annriver silt loam, 0 to 2 percent slopes	Annriver	85	G090AY004WI
526A	Flink sand, 0 to 3 percent slopes	Flink	75	G092XY004WI
527B	Padwood sandy loam, 0 to 6 percent slopes	Padwood	90	G090AY005WI
538B	Butternut silt loam, 1 to 6 percent slopes, very stony	Butternut	80	G090AY008WI
538C	Butternut silt loam, 6 to 15 percent slopes, very stony	Butternut	85	G090AY008WI
538D	Butternut silt loam, 15 to 30 percent slopes, very stony	Butternut	90	G090AY009WI
548A	Pickford-Badriver complex, 0 to 3 percent slopes	Pickford	50	G092XY004WI
		Badriver	35	G092XY004WI
549A	Pickford-Oronto complex, 0 to 3 percent slopes	Oronto	30	G092XY007WI
		Pickford	60	G092XY004WI
555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	Fordum	85	G090AY010WI

560A	Worwood sandy loam, 0 to 3 percent slopes	Worwood	88	G090AY004WI
571C	Pelissier gravelly sandy loam, 6 to 15 percent slopes	Pelissier	80	G090AY002WI
571E	Pelissier gravelly sandy loam, 15 to 45 percent slopes	Pelissier	80	G090AY003WI
580B	Sanborg-Badriver complex, 0 to 6 percent slopes	Sanborg	50	G092XY005WI
		Badriver	30	G092XY004WI
582D	Padus-Pence-Keweenaw complex, 15 to 30 percent slopes, stony	Padus	40	G090AY006WI
		Pence	25	G090AY003WI
		Keweenaw	20	G090AY003WI
591A	Crowell-Chinwhisker complex, 0 to 3 percent slopes	Crowell	50	G090AY002WI
		Chinwhisker	35	G090AY002WI
594B	Vilas-Lindquist complex, 0 to 6 percent slopes	Lindquist	35	G090AY005WI
		Vilas	50	G090AY002WI
594C	Vilas-Lindquist complex, 6 to 15 percent slopes	Vilas	50	G090AY002WI
		Lindquist	45	G090AY005WI
594D	Vilas-Lindquist complex, 15 to 30 percent slopes	Vilas	50	G090AY003WI
		Lindquist	45	G090AY006WI
597A	Meehan sand, beaches, 0 to 2 percent slopes	Meehan	90	G092XY001WI
598A	Wurtsmith sand, beaches, 0 to 3 percent slopes	Wurtsmith	90	G092XY002WI

599C	Grayling sand, beaches, 2 to 12 percent slopes	Grayling	95	G092XY002WI
603B	Redrim very cobbly sand, 0 to 6 percent slopes, very stony	Redrim	85	G092XY002WI
610B	Zeba sandy loam, 0 to 6 percent slopes, very stony	Zeba	90	G092XY004WI
611B	Abbaye-Lapoin complex, 0 to 6 percent slopes	Abbaye	55	G092XY005WI
		Lapoin	40	G092XY005WI
614B	Abbaye-Zeba complex, 0 to 6 percent slopes, very stony	Abbaye	55	G092XY005WI
		Zeba	40	G092XY004WI
638B	Torch silt loam, 0 to 4 percent slopes, very stony	Torch	75	G090AY007WI
639A	Neconish loamy fine sand, 0 to 3 percent slopes	Neconish	80	G092XY002WI
644B	Shanagolden fine sandy loam, 2 to 6 percent slopes, very stony	Shanagolden	85	G090AY005WI
644C	Shanagolden fine sandy loam, 6 to 15 percent slopes, very stony	Shanagolden	90	G090AY005WI
644D	Shanagolden fine sandy loam, 15 to 30 percent slopes, very stony	Shanagolden	90	G090AY006WI
670B	Keweenaw-Pence complex, 0 to 6 percent slopes, stony	Pence	30	G090AY002WI
		Keweenaw	55	G090AY002WI
670C	Keweenaw-Pence complex, 6 to 15 percent slopes, stony	Keweenaw	50	G090AY002WI
		Pence	30	G090AY002WI

670E	Keweenaw-Pence complex, 15 to 45 percent slopes, stony	Keweenaw	50	G090AY003WI
		Pence	30	G090AY003WI
674B	Sultz sand, 0 to 6 percent slopes	Sultz	85	G090AY002WI
674C	Sultz sand, 6 to 15 percent slopes	Sultz	90	G090AY002WI
674E	Sultz sand, 15 to 45 percent slopes	Sultz	90	G090AY003WI
675A	Robago fine sandy loam, 0 to 3 percent slopes	Robago	90	G090AY004WI
683A	Tipler sandy loam, 0 to 3 percent slopes	Tipler	90	G090AY005WI
701A	Whisklake silt loam, 0 to 3 percent slopes	Whisklake	80	G090AY004WI
705B	Cublake-Croswell-Ashwabay complex, 0 to 6 percent slopes	Cublake	35	G092XY002WI
		Ashwabay	20	G092XY002WI
		Croswell	20	G092XY002WI
705C	Cublake-Croswell-Ashwabay complex, 6 to 15 percent slopes	Cublake	35	G092XY002WI
		Ashwabay	20	G092XY002WI
		Croswell	20	G092XY002WI
712B	Morganlake loamy sand, 0 to 6 percent slopes	Morganlake	85	G092XY005WI
712C	Morganlake loamy sand, 6 to 15 percent slopes	Morganlake	85	G092XY005WI
713B	Kellogg-Allendale-Ashwabay complex, 2 to 6 percent slopes	Ashwabay	20	G092XY002WI
		Kellogg	35	G092XY005WI
		Allendale	25	G092XY001WI

713C	Kellogg-Allendale-Ashwabay complex, 0 to 15 percent slopes	Kellogg	40	G092XY005WI
		Allendale	25	G092XY001WI
		Ashwabay	20	G092XY002WI
730B	Glidden silt loam, 0 to 6 percent slopes, stony	Glidden	90	G090AY005WI
730C	Glidden silt loam, 6 to 15 percent slopes, stony	Glidden	92	G090AY005WI
730D	Glidden silt loam, 15 to 30 percent slopes, stony	Glidden	95	G090AY006WI
738A	Cable silt loam, 0 to 2 percent slopes, very stony	Cable	70	G090AY004WI
744B	Peeksville fine sandy loam, 0 to 4 percent slopes, very stony	Peeksville	90	G090AY004WI
753B	Sedgwick-Munuscong complex, 0 to 6 percent slopes	Sedgwick	50	G092XY004WI
		Munuscong	30	G092XY004WI
755A	Moppet, occasionally flooded-Fordum, frequently flooded complex, 0 to 3 percent slopes	Moppet	45	G090AY008WI
		Fordum	40	G090AY010WI
756B	Superior-Sedgwick complex, 0 to 6 percent slopes	Superior	50	G092XY005WI
		Sedgwick	30	G092XY004WI
756C	Superior-Sedgwick complex, 6 to 15 percent slopes	Superior	50	G092XY005WI
		Sedgwick	30	G092XY004WI
770B	Shanagolden-Pence complex, 2 to 6 percent slopes, stony	Shanagolden	55	G090AY005WI

770B	Shanagolden-Pence complex, 2 to 6 percent slopes, stony	Pence	30	G090AY002WI
770C	Shanagolden-Pence complex, 6 to 15 percent slopes, stony	Pence	30	G090AY002WI
		Shanagolden	55	G090AY005WI
770D	Shanagolden-Pence complex, 15 to 30 percent slopes, stony	Shanagolden	55	G090AY006WI
		Pence	30	G090AY003WI
805E	Sultz-Ashwabay-Rubicon complex, 15 to 45 percent slopes	Sultz	35	G092XY003WI
		Ashwabay	25	G092XY003WI
		Rubicon	20	G092XY003WI
809C	Gogebic-Metonga-Rock outcrop complex, 6 to 18 percent slopes, very stony	Rock outcrop	20	
		Gogebic	40	G090AY005WI
		Metonga	30	G090AY005WI
809D	Gogebic-Metonga-Rock outcrop complex, 10 to 35 percent slopes, very stony	Gogebic	40	G090AY006WI
		Rock outcrop	20	
		Metonga	30	G090AY006WI
813E	Manistee-Kellogg-Ashwabay complex, 15 to 45 percent slopes	Manistee	40	G092XY003WI
		Kellogg	30	G092XY006WI
		Ashwabay	20	G092XY003WI
815A	Wormet sandy loam, 0 to 3 percent slopes	Wormet	80	G090AY004WI

830A	Spiderlake silt loam, 0 to 3 percent slopes, stony	Spiderlake	85	G090AY005WI
834B	Butternut-Spiderlake complex, 1 to 6 percent slopes, stony	Spiderlake	35	G090AY005WI
		Butternut	50	G090AY008WI
835C	Butternut-Glidden complex, 6 to 15 percent slopes, stony	Butternut	60	G090AY008WI
		Glidden	30	G090AY005WI
835D	Butternut-Glidden complex, 15 to 30 percent slopes, stony	Butternut	60	G090AY009WI
		Glidden	30	G090AY006WI
852C	Pence-Padus complex, 6 to 15 percent slopes, stony	Pence	55	G090AY002WI
		Padus	35	G090AY005WI
852D	Pence-Padus complex, 15 to 30 percent slopes, stony	Pence	55	G090AY003WI
		Padus	35	G090AY006WI
874B	Keweenaw, stony- Rubicon complex, 0 to 6 percent slopes	Rubicon	30	G090AY002WI
		Keweenaw	60	G090AY002WI
874C	Keweenaw, stony- Rubicon complex, 6 to 15 percent slopes	Keweenaw	60	G090AY002WI
		Rubicon	30	G090AY002WI
905A	Cublake loamy sand, 0 to 3 percent slopes	Cublake	80	G090AY002WI
917B	Annalake fine sandy loam, 2 to 6 percent slopes	Annalake	90	G090AY005WI
917C	Annalake fine sandy loam, 6 to 15 percent slopes	Annalake	87	G090AY005WI

925C	Rock outcrop-Ishpeming complex, 0 to 15 percent slopes	Rock outcrop	50	
		Ishpeming	40	G090AY002WI
974B	Sayner-Pence-Vilas complex, 0 to 6 percent slopes	Vilas	20	G090AY002WI
		Sayner	40	G090AY002WI
		Pence	35	G090AY002WI
974C	Sayner-Pence-Vilas complex, 6 to 15 percent slopes	Vilas	20	G090AY002WI
		Sayner	40	G090AY002WI
		Pence	35	G090AY002WI
974D	Sayner-Pence-Vilas complex, 15 to 30 percent slopes	Sayner	40	G090AY003WI
		Pence	35	G090AY003WI
		Vilas	25	G090AY003WI
1204B	Denomie-Gichigami complex, 2 to 6 percent slopes	Denomie	50	G092XY005WI
		Gichigami	40	G092XY008WI
1280B	Sanborg-Odanah complex, 2 to 6 percent slopes	Sanborg	50	G092XY005WI
		Odanah	40	G092XY005WI
1385B	Cublake-Keweenaw, stony complex, 0 to 6 percent slopes	Cublake	50	G090AY002WI
		Keweenaw	30	G090AY002WI
1451B	Gogebic, very stony-Annalake complex, 0 to 6 percent slopes	Annalake	35	G090AY005WI
		Gogebic	50	G090AY005WI

1451C	Gogebic, very stony-Annalake complex, 6 to 15 percent slopes	Gogebic	60	G090AY005WI
		Annalake	30	G090AY005WI
1633B	Shanagolden-Peeksville-Cable complex, 0 to 6 percent slopes, very stony	Shanagolden	40	G090AY005WI
		Peeksville	35	G090AY004WI
		Cable	20	G090AY004WI
1633C	Shanagolden-Peeksville-Cable complex, 0 to 15 percent slopes, very stony	Peeksville	25	G090AY004WI
		Cable	20	G090AY004WI
		Shanagolden	40	G090AY005WI
2015	Pits	Pits	100	
2030	Udorthents and Udipsamments, cut or fill	Udorthents	50	
		Udipsamments	50	
2050	Landfill	Landfill	100	
3114A	Sapristis, Aquepts, and Aquepts, 0 to 1 percent slopes, ponded and flooded	Sapristis	55	G090AY010WI
		Aquepts	15	G090AY010WI
		Aquepts	15	G090AY010WI
3243A	Spear silt loam, lake terrace, 0 to 3 percent slopes	Spear	85	G092XY007WI
3276A	Au Gres loamy sand, 0 to 3 percent slopes	Au Gres	85	G090AY001WI
3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	Dawson	28	G090AY010WI

3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	Beseman	30	G090AY010WI
		Loxley	40	G090AY010WI
3423A	Rifle peat, 0 to 1 percent slopes	Rifle	90	G092XY010WI
3454B	Odanah-Cornucopia complex, 2 to 6 percent slopes	Odanah	55	G092XY005WI
		Cornucopia	25	G092XY005WI
3512D	Menominee loamy sand, 15 to 30 percent slopes	Menominee	85	G092XY006WI
3608B	Deerton-Brownstone complex, 0 to 6 percent slopes, very stony	Deerton	50	G092XY002WI
		Brownstone	40	G092XY002WI
3608C	Deerton-Brownstone complex, 6 to 15 percent slopes, very stony	Brownstone	40	G092XY002WI
		Deerton	50	G092XY002WI
3609C	Abbaye loamy sand, 6 to 15 percent slopes	Abbaye	90	G092XY005WI
3826B	Allendale-Wakeley-Kinross complex, 0 to 6 percent slopes	Wakeley	30	G092XY004WI
		Kinross	20	G092XY004WI
		Allendale	35	G092XY001WI
5140A	Dawson, Greenwood, and Loxley soils, 0 to 1 percent slopes	Dawson	40	G090AY010WI
		Greenwood	35	G090AY010WI
		Loxley	20	G090AY010WI
5141A	Lupton-Pleine-Cathro complex, 0 to 1 percent slopes	Cathro	15	G090AY010WI
		Lupton	60	G090AY010WI

5141A	Lupton-Pleine-Cathro complex, 0 to 1 percent slopes	Pleine	23	G090AY007WI
5146C	Amasa-Karlin complex, esker, 2 to 18 percent slopes	Karlin	40	G090AY005WI
		Amasa	54	G090AY005WI
5170A	Minocqua-Pleine-Cathro complex, 0 to 2 percent slopes	Minocqua	50	G090AY004WI
		Pleine	30	G090AY007WI
		Cathro	15	G090AY010WI
5171B	Tula-Wormet-Gogebic complex, 0 to 6 percent slopes, very stony	Tula	60	G090AY001WI
		Wormet	15	G090AY004WI
		Gogebic	15	G090AY002WI
5172B	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 6 percent slopes	Pence	15	G090AY002WI
		Cathro	15	G090AY010WI
		Gogebic	60	G090AY002WI
5172C	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 18 percent slopes	Cathro	15	G090AY010WI
		Pence	15	G090AY002WI
		Gogebic	60	G090AY002WI
5172D	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 35 percent slopes	Gogebic	60	G090AY003WI
		Pence	15	G090AY003WI
		Cathro	15	G090AY010WI

5173D	Gogebic-Pence complex, 18 to 35 percent slopes, very stony	Gogebic	60	G090AY003WI
		Pence	30	G090AY003WI
5351B	Gogebic silt loam, 2 to 6 percent slopes, very stony, rocky	Gogebic	85	G090AY002WI
5351C	Gogebic silt loam, 6 to 18 percent slopes, very stony, rocky	Gogebic	85	G090AY002WI
5351D	Gogebic silt loam, 18 to 35 percent slopes, very stony, rocky	Gogebic	85	G090AY003WI
5353B	Tula-Gogebic complex, 0 to 6 percent slopes, stony	Tula	45	G090AY001WI
		Gogebic	40	G090AY002WI
5354B	Gogebic fine sandy loam, 1 to 6 percent slopes, very stony, rocky	Gogebic	90	G090AY002WI
5369D	Dishno-Gogebic-Peshekee-Rock outcrop complex, 18 to 35 percent slopes, very stony	Dishno	35	G090AY006WI
		Gogebic	30	G090AY003WI
		Rock outcrop	15	
		Peshekee	15	G090AY003WI
5369E	Michigamme-Schweitzer-Peshekee-Rock outcrop complex, 35 to 55 percent slopes, very stony	Michigamme	30	G090AY006WI
		Rock outcrop	15	
		Schweitzer	25	G090AY003WI
		Peshekee	20	G090AY003WI

5369F	Michigamme-Schweitzer-Peshekee-Rock outcrop complex, 55 to 75 percent slopes, very stony	Michigamme	30	G090AY006WI
		Schweitzer	25	G090AY003WI
		Peshekee	20	G090AY003WI
		Rock outcrop	15	
5373A	Cathro muck, drainageway, 0 to 1 percent slopes	Cathro	85	G090AY010WI
5374A	Bowstring-Arnheim complex, 0 to 1 percent slopes, frequently flooded	Bowstring	50	G090AY010WI
		Arnheim	40	G090AY010WI
5425A	Foxpaw-Gay, stony complex, 0 to 2 percent slopes	Foxpaw	45	G090AY004WI
		Gay	40	G090AY004WI
5504A	Moquah-Arnheim complex, 0 to 3 percent slopes, frequently flooded	Moquah	55	G090AY008WI
		Arnheim	30	G090AY010WI
5519B	Pence-Gogebic complex, 2 to 6 percent slopes, stony	Pence	60	G090AY002WI
		Gogebic	25	G090AY005WI
5519C	Pence-Gogebic complex, 6 to 18 percent slopes, stony	Pence	60	G090AY002WI
		Gogebic	25	G090AY005WI
5519D	Pence-Gogebic complex, 18 to 35 percent slopes, stony	Pence	60	G090AY003WI
		Gogebic	25	G090AY006WI

5543B	Chabeneau-Annalake complex, 0 to 6 percent slopes	Chabeneau	50	G090AY005WI
		Annalake	40	G090AY005WI
5684C	Amasa cobbly fine sandy loam, 6 to 18 percent slopes	Amasa	78	G090AY005WI
5689B	Chabeneau-Channing-Gogebic complex, 0 to 6 percent slopes, stony	Chabeneau	35	G090AY005WI
		Channing	30	G090AY004WI
		Gogebic	25	G090AY002WI
9012B	Sayner-Lindquist complex, 0 to 6 percent slopes	Sayner	60	G090AY002WI
		Lindquist	20	G090AY005WI
9012C	Sayner-Lindquist complex, 6 to 15 percent slopes	Sayner	60	G090AY002WI
		Lindquist	20	G090AY005WI
9012D	Sayner-Lindquist complex, 15 to 30 percent slopes	Sayner	60	G090AY003WI
		Lindquist	20	G090AY006WI
9013A	Tipler-Manitowish complex, 0 to 3 percent slopes	Tipler	40	G090AY005WI
		Manitowish	35	G090AY002WI
9050A	Fordum, Totagatic, and Bowstring soils, 0 to 1 percent slopes, frequently flooded	Totagatic	40	G090AY010WI
		Fordum	40	G090AY010WI
		Bowstring	20	G090AY010WI
9051A	Minocqua, Cable, and Pleine soils, 0 to 2 percent slopes, very stony	Minocqua	40	G090AY004WI

9051A	Minocqua, Cable, and Pleine soils, 0 to 2 percent slopes, very stony	Cable	30	G090AY004WI
		Pleine	20	G090AY007WI
9113B	Padus-Karlin complex, 0 to 6 percent slopes	Padus	50	G090AY005WI
		Karlin	35	G090AY005WI
9113C	Padus-Karlin complex, 6 to 15 percent slopes	Karlin	35	G090AY005WI
		Padus	45	G090AY005WI
9113D	Padus-Karlin complex, 15 to 30 percent slopes	Padus	45	G090AY006WI
		Karlin	35	G090AY006WI
9155A	Haplosaprists, Peats and Mucks, 0 to 1 percent slopes	Loxley	25	G090AY010WI
		Markey	25	G090AY010WI
		Seelyeville	20	G090AY010WI
		Beseman	15	G090AY010WI
M-W	Miscellaneous water	Water	100	
W	Water	Water	100	