

# Forage Suitability Groups

Bayfield County, Wisconsin

| <i>Symbol</i> | <i>Mapunit Name</i>  | <i>Comp Name</i> | <i>Component %</i> | <i>foragesuitgrp</i> |
|---------------|--|------------------|--------------------|----------------------|
| 3A            | Totagatic-Bowstring-Ausable complex, 0 to 2 percent slopes, frequently flooded | Bowstring        | 30                 | G090AY010WI          |
|               |  | Ausable          | 20                 | G090AY010WI          |
|               |  | Totagatic        | 40                 | G090AY010WI          |
| 5A            | Arnheim mucky silt loam, 0 to 1 percent slopes, frequently flooded             | Arnheim          | 85                 | G092XY010WI          |
| 6A            | Moquah fine sandy loam, 0 to 3 percent slopes, frequently flooded              | Moquah           | 85                 | G092XY005WI          |
| 7C            | Beaches, 2 to 12 percent slopes  | Beaches          | 97                 |                      |
| 69B           | Keweenaw-Sayner-Vilas complex, 2 to 6 percent slopes, stony                    | Keweenaw         | 45                 | G090AY002WI          |
|               |  | Sayner           | 30                 | G090AY002WI          |
|               |  | Vilas            | 20                 | G090AY002WI          |
| 69C           | Keweenaw-Sayner-Vilas complex, 6 to 15 percent slopes, stony                   | Keweenaw         | 40                 | G090AY002WI          |
|               |  | Sayner           | 30                 | G090AY002WI          |
|               |  | Vilas            | 20                 | G090AY002WI          |
| 69E           | Keweenaw-Sayner-Vilas complex, 15 to 45 percent slopes, stony                  | Keweenaw         | 40                 | G090AY003WI          |
|               |  | Sayner           | 30                 | G090AY003WI          |
|               |  | Vilas            | 20                 | G090AY003WI          |

|      |  |                       |    |             |
|------|--|-----------------------|----|-------------|
| 74B  | Vilas loamy sand, 0 to 6 percent slopes                      | Vilas                 | 90 | G090AY002WI |
| 74C  | Vilas loamy sand, 6 to 15 percent slopes                     | Vilas                 | 95 | G090AY002WI |
| 74D  | Vilas loamy sand, 15 to 30 percent slopes                    | Vilas                 | 95 | G090AY003WI |
| 74E  | Vilas loamy sand, 20 to 45 percent slopes                    | Vilas                 | 95 | G090AY003WI |
| 92F  | Udorthents, ravines and escarpments, 25 to 60 percent slopes | Udorthents, ravines a | 85 |             |
| 121A | Wakeley muck, 0 to 2 percent slopes                          | Wakeley               | 80 | G092XY004WI |
| 174B | Rubicon sand, 0 to 6 percent slopes                          | Rubicon               | 85 | G090AY002WI |
| 174C | Rubicon sand, 6 to 15 percent slopes                         | Rubicon               | 90 | G090AY002WI |
| 174D | Rubicon sand, 15 to 30 percent slopes                        | Rubicon               | 90 | G090AY003WI |
| 174F | Rubicon sand, 30 to 60 percent slopes                        | Rubicon               | 90 | G090AY003WI |
| 182B | Padus sandy loam, 0 to 6 percent slopes                      | Padus                 | 78 | G090AY005WI |
| 182C | Padus sandy loam, 6 to 15 percent slopes                     | Padus                 | 83 | G090AY005WI |
| 182D | Padus sandy loam, 15 to 30 percent slopes                    | Padus                 | 82 | G090AY006WI |
| 192A | Worcester sandy loam, 0 to 3 percent slopes                  | Worcester             | 80 | G090AY004WI |
| 193A | Minocqua muck, 0 to 2 percent slopes                         | Minocqua              | 83 | G090AY004WI |
| 203B | Wakefield fine sandy loam, 1 to 6 percent slopes, stony      | Wakefield             | 85 | G090AY005WI |
| 203C | Wakefield fine sandy loam, 6 to 18 percent slopes, stony     | Wakefield             | 85 | G090AY005WI |
| 215B | Pence sandy loam, 0 to 6 percent slopes                      | Pence                 | 80 | G090AY002WI |

|      |   |             |    |             |
|------|---|-------------|----|-------------|
| 215C | Pence sandy loam, 6 to 15 percent slopes                                  | Pence       | 85 | G090AY002WI |
| 215D | Pence sandy loam, 15 to 30 percent slopes                                 | Pence       | 85 | G090AY003WI |
| 217B | Karlin loamy fine sand, 0 to 6 percent slopes                             | Karlin      | 80 | G090AY005WI |
| 217C | Karlin loamy fine sand, 6 to 15 percent slopes                            | Karlin      | 80 | G090AY005WI |
| 226A | Allendale loamy fine sand, 0 to 3 percent slopes                          | Allendale   | 80 | G092XY001WI |
| 242B | Fence silt loam, lake terrace, 0 to 6 percent slopes                      | Fence       | 85 | G092XY008WI |
| 242C | Fence silt loam, lake terrace, 6 to 15 percent slopes                     | Fence       | 85 | G092XY008WI |
| 247A | Shag silt loam, lake terrace, 0 to 2 percent slopes                       | Shag        | 90 | G092XY007WI |
| 262B | Amnicon-Cuttre complex, 0 to 4 percent slopes                             | Cuttre      | 40 | G092XY004WI |
|      |   | Amnicon     | 50 | G092XY005WI |
| 274C | Miskoaki clay loam, 6 to 12 percent slopes                                | Miskoaki    | 90 | G092XY005WI |
| 274D | Miskoaki clay loam, 12 to 25 percent slopes                               | Miskoaki    | 95 | G092XY006WI |
| 280C | Odanah silt loam, 6 to 15 percent slopes                                  | Odanah      | 90 | G092XY005WI |
| 280D | Odanah silt loam, 15 to 25 percent slopes                                 | Odanah      | 93 | G092XY006WI |
| 280F | Odanah silt loam, 25 to 60 percent slopes                                 | Odanah      | 95 | G092XY006WI |
| 292B | Udifluvents, loamy to clayey, 0 to 6 percent slopes, occasionally flooded | Udifluvents | 85 |             |

|      |  |              |    |             |
|------|--|--------------|----|-------------|
| 309C | Metonga-Rock<br>outcrop complex, 6 to<br>20 percent slopes             | Metonga      | 60 | G090AY006WI |
|      |  | Rock outcrop | 25 |             |
| 309E | Metonga-Rock<br>outcrop complex, 20<br>to 45 percent slopes            | Rock outcrop | 25 |             |
|      |  | Metonga      | 55 | G090AY006WI |
| 317D | Alcona fine sandy<br>loam, lake terrace,<br>15 to 30 percent<br>slopes | Alcona       | 87 | G092XY006WI |
| 319A | Tonkey sandy loam,<br>0 to 2 percent slopes                            | Tonkey       | 90 | G090AY004WI |
| 339B | Rousseau loamy fine<br>sand, 0 to 6 percent<br>slopes                  | Rousseau     | 85 | G092XY002WI |
| 339C | Rousseau loamy fine<br>sand, 6 to 15 percent<br>slopes                 | Rousseau     | 90 | G092XY002WI |
| 339D | Rousseau loamy fine<br>sand, 15 to 30<br>percent slopes                | Rousseau     | 90 | G092XY003WI |
| 347A | Bergland-Cuttre<br>complex, 0 to 3<br>percent slopes                   | Bergland     | 50 | G092XY004WI |
|      |  | Cuttre       | 35 | G092XY004WI |
| 348A | Badriver clay loam, 0<br>to 3 percent slopes                           | Badriver     | 80 | G092XY004WI |
| 371A | Croswell loamy sand,<br>0 to 3 percent slopes                          | Croswell     | 87 | G090AY002WI |
| 375A | Robago fine sandy<br>loam, lake terrace, 0<br>to 3 percent slopes      | Robago       | 85 | G092XY004WI |
| 376B | Tula fine sandy loam,<br>1 to 6 percent slopes,<br>stony               | Tula         | 80 | G092XY004WI |
| 384B | Springstead sandy<br>loam, 1 to 6 percent<br>slopes, stony             | Springstead  | 88 | G090AY005WI |

|      |   |             |    |             |
|------|---|-------------|----|-------------|
| 388B | Pelkie, occasionally flooded-Dechamps, frequently flooded, complex, 0 to 4 percent slopes | Pelkie      | 50 | G092XY002WI |
|      |   | Dechamps    | 30 | G092XY001WI |
| 405A | Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes                                    | Lupton      | 40 | G090AY010WI |
|      |   | Cathro      | 30 | G090AY010WI |
|      |   | Tawas       | 25 | G090AY010WI |
| 406A | Loxley mucky peat, 0 to 1 percent slopes  | Loxley      | 90 | G090AY010WI |
| 407A | Seelyeville and Markey soils, 0 to 1 percent slopes                                       | Seelyeville | 50 | G090AY010WI |
|      |   | Markey      | 35 | G090AY010WI |
| 425B | Karlin sandy loam, 0 to 6 percent slopes  | Karlin      | 75 | G090AY005WI |
| 425C | Karlin sandy loam, 6 to 15 percent slopes   | Karlin      | 75 | G090AY005WI |
| 425D | Karlin sandy loam, 15 to 30 percent slopes  | Karlin      | 80 | G090AY006WI |
| 445A | Kinross muck, 0 to 2 percent slopes   | Kinross     | 80 | G090AY004WI |
| 461A | Bowstring muck, 0 to 1 percent slopes, frequently flooded                                 | Bowstring   | 85 | G090AY010WI |
| 475B | Rubicon-Sayner complex, 0 to 6 percent slopes   | Rubicon     | 50 | G090AY002WI |
|      |   | Sayner      | 35 | G090AY002WI |
| 475C | Rubicon-Sayner complex, 6 to 15 percent slopes  | Rubicon     | 50 | G090AY002WI |
|      |   | Sayner      | 40 | G090AY002WI |
| 475D | Rubicon-Sayner complex, 15 to 30 percent slopes   | Rubicon     | 50 | G090AY003WI |

|      |   |            |    |             |
|------|---|------------|----|-------------|
| 475D | Rubicon-Sayner complex, 15 to 30 percent slopes               | Sayner     | 40 | G090AY003WI |
| 479A | Lerch-Herbster complex, 0 to 3 percent slopes                 | Herbster   | 35 | G092XY004WI |
|      |   | Lerch      | 50 | G092XY004WI |
| 480B | Portwing-Herbster complex, 0 to 6 percent slopes              | Herbster   | 30 | G092XY004WI |
|      |   | Portwing   | 50 | G092XY005WI |
| 481C | Cornucopia silt loam, 6 to 15 percent slopes                  | Cornucopia | 80 | G092XY005WI |
| 481E | Cornucopia silt loam, 15 to 45 percent slopes                 | Cornucopia | 80 | G092XY006WI |
| 485C | Lupton and Tawas soils, seeped, 2 to 15 percent slopes        | Lupton     | 50 | G090AY010WI |
|      |   | Tawas      | 45 | G090AY010WI |
| 500A | Croswell sand, 0 to 3 percent slopes                          | Croswell   | 85 | G090AY002WI |
| 500B | Croswell sand, 0 to 6 percent slopes                          | Croswell   | 82 | G092XY002WI |
| 509B | Gogebic fine sandy loam, 1 to 6 percent slopes, very stony    | Gogebic    | 85 | G092XY005WI |
| 509C | Gogebic fine sandy loam, 6 to 18 percent slopes, very stony   | Gogebic    | 85 | G092XY005WI |
| 509D | Gogebic fine sandy loam, 18 to 30 percent slopes, very stony  | Gogebic    | 90 | G092XY006WI |
| 514B | Iosco loamy sand, 0 to 4 percent slopes                       | Iosco      | 85 | G092XY004WI |
| 515A | Manitowish sandy loam, 0 to 3 percent slopes                  | Manitowish | 80 | G090AY002WI |
| 517B | Annalake fine sandy loam, lake terrace, 2 to 6 percent slopes | Annalake   | 85 | G092XY005WI |

|      |  |              |    |             |
|------|--|--------------|----|-------------|
| 517C | Annalake fine sandy loam, lake terrace, 6 to 15 percent slopes             | Annalake     | 80 | G092XY005WI |
| 524E | Rock outcrop-Frogcreek-Metonga complex, 2 to 45 percent slopes, very stony | Rock outcrop | 30 |             |
|      |  | Metonga      | 20 | G090AY006WI |
|      |  | Frogcreek    | 20 | G090AY005WI |
| 526A | Flink sand, 0 to 3 percent slopes  | Flink        | 75 | G092XY004WI |
| 548A | Pickford-Badriver complex, 0 to 3 percent slopes                           | Badriver     | 35 | G092XY004WI |
|      |  | Pickford     | 50 | G092XY004WI |
| 555A | Fordum silt loam, 0 to 2 percent slopes, frequently flooded                | Fordum       | 85 | G090AY010WI |
| 571E | Pelissier gravelly sandy loam, 15 to 45 percent slopes                     | Pelissier    | 80 | G090AY003WI |
| 574B | Sayner loamy sand, 0 to 6 percent slopes                                   | Sayner       | 85 | G090AY002WI |
| 574C | Sayner loamy sand, 6 to 15 percent slopes                                  | Sayner       | 90 | G090AY002WI |
| 574E | Sayner loamy sand, 15 to 45 percent slopes                                 | Sayner       | 90 | G090AY003WI |
| 577A | Lerch-Borea complex, 0 to 3 percent slopes                                 | Lerch        | 50 | G092XY004WI |
|      |  | Borea        | 30 | G092XY004WI |
| 578C | Anton silty clay loam, 6 to 15 percent slopes                              | Anton        | 85 | G092XY005WI |
| 579B | Parkfalls sandy loam, 0 to 4 percent slopes, very stony                    | Parkfalls    | 85 | G090AY004WI |
| 580B | Sanborg-Badriver complex, 0 to 6 percent slopes                            | Badriver     | 30 | G092XY004WI |

|      |  |             |    |             |
|------|--|-------------|----|-------------|
| 580B | Sanborg-Badriver complex, 0 to 6 percent slopes              | Sanborg     | 50 | G092XY005WI |
| 582B | Padus-Pence-Keweenaw complex, 0 to 6 percent slopes, stony   | Keweenaw    | 17 | G090AY002WI |
|      |  | Padus       | 40 | G090AY005WI |
|      |  | Pence       | 25 | G090AY002WI |
| 582C | Padus-Pence-Keweenaw complex, 6 to 15 percent slopes, stony  | Padus       | 40 | G090AY005WI |
|      |  | Pence       | 25 | G090AY002WI |
|      |  | Keweenaw    | 17 | G090AY002WI |
| 582D | Padus-Pence-Keweenaw complex, 15 to 30 percent slopes, stony | Padus       | 40 | G090AY006WI |
|      |  | Pence       | 25 | G090AY003WI |
|      |  | Keweenaw    | 20 | G090AY003WI |
| 591A | Crowell-Chinwhisker complex, 0 to 3 percent slopes           | Chinwhisker | 35 | G090AY002WI |
|      |  | Crowell     | 50 | G090AY002WI |
| 594C | Vilas-Lindquist complex, 6 to 15 percent slopes              | Lindquist   | 45 | G090AY005WI |
|      |  | Vilas       | 50 | G090AY002WI |
| 594D | Vilas-Lindquist complex, 15 to 30 percent slopes             | Vilas       | 50 | G090AY003WI |
|      |  | Lindquist   | 45 | G090AY006WI |
| 597A | Meehan sand, beaches, 0 to 2 percent slopes                  | Meehan      | 90 | G092XY001WI |
| 603B | Redrim very cobbly sand, 0 to 6 percent slopes, very stony   | Redrim      | 85 | G092XY002WI |

|      |  |             |    |             |
|------|--|-------------|----|-------------|
| 605B | Lapoin loam, 0 to 6 percent slopes                               | Lapoin      | 85 | G092XY005WI |
| 610B | Zeba sandy loam, 0 to 6 percent slopes, very stony               | Zeba        | 90 | G092XY004WI |
| 611B | Abbaye-Lapoin complex, 0 to 6 percent slopes                     | Lapoin      | 40 | G092XY005WI |
|      |  | Abbaye      | 55 | G092XY005WI |
| 614B | Abbaye-Zeba complex, 0 to 6 percent slopes, very stony           | Abbaye      | 55 | G092XY005WI |
|      |  | Zeba        | 40 | G092XY004WI |
| 633F | Pence and Padus soils, 30 to 45 percent slopes                   | Pence       | 55 | G090AY003WI |
|      |  | Padus       | 40 | G090AY006WI |
| 639A | Neconish loamy fine sand, 0 to 3 percent slopes                  | Neconish    | 80 | G092XY002WI |
| 644B | Shanagolden fine sandy loam, 2 to 6 percent slopes, very stony   | Shanagolden | 85 | G090AY005WI |
| 644C | Shanagolden fine sandy loam, 6 to 15 percent slopes, very stony  | Shanagolden | 90 | G090AY005WI |
| 644D | Shanagolden fine sandy loam, 15 to 30 percent slopes, very stony | Shanagolden | 90 | G090AY006WI |
| 670B | Keweenaw-Pence complex, 0 to 6 percent slopes, stony             | Keweenaw    | 55 | G090AY002WI |
|      |  | Pence       | 30 | G090AY002WI |
| 670C | Keweenaw-Pence complex, 6 to 15 percent slopes, stony            | Keweenaw    | 50 | G090AY002WI |
|      |  | Pence       | 30 | G090AY002WI |

|      |   |            |    |             |
|------|---|------------|----|-------------|
| 670E | Keweenaw-Pence complex, 15 to 45 percent slopes, stony    | Pence      | 30 | G090AY003WI |
|      |   | Keweenaw   | 50 | G090AY003WI |
| 674B | Sultz sand, 0 to 6 percent slopes                         | Sultz      | 85 | G090AY002WI |
| 674C | Sultz sand, 6 to 15 percent slopes                        | Sultz      | 90 | G090AY002WI |
| 674D | Sultz sand, 10 to 30 percent slopes                       | Sultz      | 90 | G090AY003WI |
| 674E | Sultz sand, 15 to 45 percent slopes                       | Sultz      | 90 | G090AY003WI |
| 675A | Robago fine sandy loam, 0 to 3 percent slopes             | Robago     | 90 | G090AY004WI |
| 680B | Stanberry-Pence complex, 2 to 6 percent slopes, stony     | Stanberry  | 65 | G090AY005WI |
|      |   | Pence      | 30 | G090AY002WI |
| 683A | Tipler sandy loam, 0 to 3 percent slopes                  | Tipler     | 90 | G090AY005WI |
| 705B | Cublake-Croswell-Ashwabay complex, 0 to 6 percent slopes  | Croswell   | 20 | G092XY002WI |
|      |   | Cublake    | 35 | G092XY002WI |
|      |   | Ashwabay   | 20 | G092XY002WI |
| 705C | Cublake-Croswell-Ashwabay complex, 6 to 15 percent slopes | Cublake    | 35 | G092XY002WI |
|      |   | Ashwabay   | 20 | G092XY002WI |
|      |   | Croswell   | 20 | G092XY002WI |
| 712B | Morganlake loamy sand, 0 to 6 percent slopes              | Morganlake | 85 | G092XY005WI |
| 712C | Morganlake loamy sand, 6 to 15 percent slopes             | Morganlake | 85 | G092XY005WI |
| 713B | Kellogg-Allendale-Ashwabay complex, 2 to 6 percent slopes | Ashwabay   | 20 | G092XY002WI |

|      |   |              |    |             |
|------|---|--------------|----|-------------|
| 713B | Kellogg-Allendale-Ashwabay complex, 2 to 6 percent slopes     | Kellogg      | 35 | G092XY005WI |
|      |   | Allendale    | 25 | G092XY001WI |
| 713C | Kellogg-Allendale-Ashwabay complex, 6 to 15 percent slopes    | Kellogg      | 40 | G092XY005WI |
|      |   | Ashwabay     | 20 | G092XY002WI |
|      |   | Allendale    | 25 | G092XY001WI |
| 724A | Rib-Rock outcrop complex, 0 to 2 percent slopes               | Rib          | 60 | G090AY007WI |
|      |   | Rock outcrop | 10 |             |
| 733A | Wozny muck, 0 to 2 percent slopes, very stony                 | Wozny        | 80 | G090AY007WI |
| 744B | Peeksville fine sandy loam, 0 to 4 percent slopes, very stony | Peeksville   | 90 | G090AY004WI |
| 753B | Sedgwick-Munuscong complex, 0 to 6 percent slopes             | Sedgwick     | 50 | G092XY004WI |
|      |   | Munuscong    | 30 | G092XY004WI |
| 756B | Superior-Sedgwick complex, 0 to 6 percent slopes              | Superior     | 50 | G092XY005WI |
|      |   | Sedgwick     | 30 | G092XY004WI |
| 756C | Superior-Sedgwick complex, 6 to 15 percent slopes             | Sedgwick     | 30 | G092XY004WI |
|      |   | Superior     | 50 | G092XY005WI |
| 805E | Sultz-Ashwabay-Rubicon complex, 15 to 45 percent slopes       | Sultz        | 35 | G092XY003WI |
|      |   | Ashwabay     | 25 | G092XY003WI |
|      |   | Rubicon      | 20 | G092XY003WI |

|      |   |              |    |             |
|------|---|--------------|----|-------------|
| 809C | Gogebic-Metonga-Rock outcrop complex, 6 to 18 percent slopes, very stony  | Gogebic      | 40 | G090AY005WI |
|      |   | Metonga      | 30 | G090AY005WI |
|      |   | Rock outcrop | 20 |             |
| 809D | Gogebic-Metonga-Rock outcrop complex, 10 to 35 percent slopes, very stony | Rock outcrop | 20 |             |
|      |   | Metonga      | 30 | G090AY006WI |
|      |   | Gogebic      | 40 | G090AY006WI |
| 813E | Manistee-Kellogg-Ashwabay complex, 15 to 45 percent slopes                | Kellogg      | 30 | G092XY006WI |
|      |   | Ashwabay     | 20 | G092XY003WI |
|      |   | Manistee     | 40 | G092XY003WI |
| 815A | Wormet sandy loam, 0 to 3 percent slopes                                  | Wormet       | 80 | G090AY004WI |
| 817D | Alcona fine sandy loam, 15 to 30 percent slopes                           | Alcona       | 90 | G090AY006WI |
| 830A | Spiderlake silt loam, 0 to 3 percent slopes, stony                        | Spiderlake   | 85 | G090AY005WI |
| 853C | Frogcreek-Stinnett-Wozny complex, 0 to 15 percent slopes, very stony      | Frogcreek    | 45 | G090AY005WI |
|      |   | Stinnett     | 25 | G090AY007WI |
|      |   | Wozny        | 20 | G090AY007WI |
| 856B | Stinnett silt loam, 0 to 4 percent slopes, very stony                     | Stinnett     | 80 | G090AY007WI |
| 857B | Frogcreek silt loam, 2 to 6 percent slopes, very stony                    | Frogcreek    | 85 | G090AY005WI |

|      |  |           |    |             |
|------|--|-----------|----|-------------|
| 857C | Frogcreek silt loam, 6 to 15 percent slopes, very stony      | Frogcreek | 90 | G090AY005WI |
| 869B | Beaverbay silt loam, 2 to 6 percent slopes, very stony       | Beaverbay | 85 | G090AY005WI |
| 869C | Beaverbay silt loam, 6 to 15 percent slopes, very stony      | Beaverbay | 80 | G090AY005WI |
| 869D | Beaverbay silt loam, 15 to 30 percent slopes, very stony     | Beaverbay | 90 | G090AY006WI |
| 873B | Stanberry sandy loam, 1 to 6 percent slopes, very stony      | Stanberry | 80 | G090AY005WI |
| 873C | Stanberry sandy loam, 6 to 15 percent slopes, very stony     | Stanberry | 80 | G090AY005WI |
| 873D | Stanberry sandy loam, 15 to 30 percent slopes, very stony    | Stanberry | 75 | G090AY006WI |
| 874B | Keweenaw, stony-Rubicon complex, 0 to 6 percent slopes       | Keweenaw  | 60 | G090AY002WI |
|      |  | Rubicon   | 30 | G090AY002WI |
| 874C | Keweenaw, stony-Rubicon complex, 6 to 15 percent slopes      | Keweenaw  | 60 | G090AY002WI |
|      |  | Rubicon   | 30 | G090AY002WI |
| 874D | Keweenaw, stony-Rubicon complex, 15 to 30 percent slopes     | Keweenaw  | 60 | G090AY003WI |
|      |  | Rubicon   | 30 | G090AY003WI |
| 874E | Keweenaw, stony-Rubicon complex, 20 to 45 percent slopes     | Keweenaw  | 60 | G090AY003WI |
|      |  | Rubicon   | 30 | G090AY003WI |
| 884C | Keweenaw, stony-Vilas-Cathro complex, 0 to 15 percent slopes | Keweenaw  | 40 | G090AY002WI |
|      |  | Vilas     | 30 | G090AY002WI |

|      |  |             |    |             |
|------|--|-------------|----|-------------|
| 884C | Keweenaw, stony-Vilas-Cathro complex, 0 to 15 percent slopes         | Cathro      | 15 | G090AY010WI |
| 884E | Keweenaw, stony-Vilas-Cathro complex, 0 to 55 percent slopes         | Vilas       | 30 | G090AY003WI |
|      |  | Cathro      | 15 | G090AY010WI |
|      |  | Keweenaw    | 40 | G090AY003WI |
| 885B | Springstead, stony-Annalake-Cathro complex, 0 to 6 percent slopes    | Annalake    | 25 | G090AY005WI |
|      |  | Cathro      | 15 | G090AY010WI |
|      |  | Springstead | 55 | G090AY005WI |
| 917B | Annalake fine sandy loam, 2 to 6 percent slopes                      | Annalake    | 90 | G090AY005WI |
| 917C | Annalake fine sandy loam, 6 to 15 percent slopes                     | Annalake    | 87 | G090AY005WI |
| 953B | Beaverbay-Stinnett-Wozny complex, 0 to 6 percent slopes, very stony  | Beaverbay   | 50 | G090AY005WI |
|      |  | Stinnett    | 25 | G090AY007WI |
|      |  | Wozny       | 20 | G090AY007WI |
| 953C | Beaverbay-Stinnett-Wozny complex, 0 to 15 percent slopes, very stony | Stinnett    | 25 | G090AY007WI |
|      |  | Wozny       | 20 | G090AY007WI |
|      |  | Beaverbay   | 45 | G090AY005WI |
| 974B | Sayner-Pence-Vilas complex, 0 to 6 percent slopes                    | Sayner      | 40 | G090AY002WI |
|      |  | Pence       | 35 | G090AY002WI |
|      |  | Vilas       | 20 | G090AY002WI |

|       |  |           |    |             |
|-------|--|-----------|----|-------------|
| 974C  | Sayner-Pence-Vilas complex, 6 to 15 percent slopes                   | Sayner    | 40 | G090AY002WI |
|       |  | Pence     | 35 | G090AY002WI |
|       |  | Vilas     | 20 | G090AY002WI |
| 974D  | Sayner-Pence-Vilas complex, 15 to 30 percent slopes                  | Sayner    | 40 | G090AY003WI |
|       |  | Pence     | 35 | G090AY003WI |
|       |  | Vilas     | 25 | G090AY003WI |
| 1274B | Amnicon-Miskoaki complex, 2 to 6 percent slopes                      | Amnicon   | 50 | G092XY005WI |
|       |  | Miskoaki  | 40 | G092XY005WI |
| 1280B | Sanborg-Odanah complex, 2 to 6 percent slopes                        | Odanah    | 40 | G092XY005WI |
|       |  | Sanborg   | 50 | G092XY005WI |
| 1385B | Cublake-Keweenaw, stony, complex, 0 to 6 percent slopes              | Cublake   | 50 | G090AY002WI |
|       |  | Keweenaw  | 30 | G090AY002WI |
| 1451B | Gogebic, very stony-Annalake complex, 0 to 6 percent slopes          | Gogebic   | 50 | G090AY005WI |
|       |  | Annalake  | 35 | G090AY005WI |
| 1451C | Gogebic, very stony-Annalake complex, 6 to 15 percent slopes         | Gogebic   | 60 | G090AY005WI |
|       |  | Annalake  | 30 | G090AY005WI |
| 1653B | Stanberry-Parkfalls-Wozny complex, 0 to 6 percent slopes, very stony | Parkfalls | 35 | G090AY004WI |
|       |  | Wozny     | 20 | G090AY007WI |
|       |  | Stanberry | 40 | G090AY005WI |

|       |   |               |     |             |
|-------|---|---------------|-----|-------------|
| 1653C | Stanberry-Parkfalls-Wozny complex, 0 to 15 percent slopes, very stony   | Parkfalls     | 25  | G090AY004WI |
|       |   | Wozny         | 15  | G090AY007WI |
|       |   | Stanberry     | 40  | G090AY005WI |
| 1760C | Keweenaw, stony-Pence, stony-Cathro complex, 0 to 15 percent slopes     | Keweenaw      | 45  | G090AY002WI |
|       |   | Pence         | 20  | G090AY002WI |
|       |   | Cathro        | 15  | G090AY010WI |
| 1760E | Keweenaw, stony-Pence, stony-Cathro complex, 0 to 45 percent slopes     | Keweenaw      | 45  | G090AY003WI |
|       |   | Pence         | 25  | G090AY003WI |
|       |   | Cathro        | 15  | G090AY010WI |
| 2015  | Pits  | Pits          | 100 |             |
| 2030  | Udorthents and Udipsammments, cut or fill                               | Udorthents    | 50  |             |
|       |   | Udipsammments | 50  |             |
| 2050  | Landfill  | Landfill      | 100 |             |
| 3114A | Sapristis, Aquents, and Aquepts, 0 to 1 percent slopes, ponded, flooded | Sapristis     | 55  | G090AY010WI |
|       |   | Aquepts       | 15  | G090AY010WI |
|       |   | Aquents       | 15  | G090AY010WI |
| 3243A | Spear silt loam, lake terrace, 0 to 3 percent slopes                    | Spear         | 85  | G092XY007WI |
| 3276A | Au Gres loamy sand, 0 to 3 percent slopes                               | Au Gres       | 85  | G090AY001WI |
| 3403A | Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes                | Dawson        | 28  | G090AY010WI |

|       |  |              |    |             |
|-------|--|--------------|----|-------------|
| 3403A | Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes         | Loxley       | 40 | G090AY010WI |
|       |  | Beseman      | 30 | G090AY010WI |
| 3423A | Rifle peat, 0 to 1 percent slopes                                | Rifle        | 90 | G092XY010WI |
| 3424C | Frogcreek-Magroc-Stinnett complex, 0 to 15 percent slopes, rocky | Frogcreek    | 45 | G090AY005WI |
|       |  | Magroc       | 25 | G090AY004WI |
|       |  | Stinnett     | 20 | G090AY007WI |
|       |  | Rock outcrop | 3  |             |
| 3454B | Odanah-Cornucopia complex, 2 to 6 percent slopes                 | Odanah       | 55 | G092XY005WI |
|       |  | Cornucopia   | 25 | G092XY005WI |
| 3512D | Menominee loamy sand, 15 to 30 percent slopes                    | Menominee    | 85 | G092XY006WI |
| 3576B | Anton-Borea complex, 0 to 4 percent slopes                       | Anton        | 50 | G092XY005WI |
|       |  | Borea        | 30 | G092XY004WI |
| 3608B | Deerton-Brownstone complex, 0 to 6 percent slopes, very stony    | Deerton      | 50 | G092XY002WI |
|       |  | Brownstone   | 40 | G092XY002WI |
| 3608C | Deerton-Brownstone complex, 6 to 15 percent slopes, very stony   | Brownstone   | 40 | G092XY002WI |
|       |  | Deerton      | 50 | G092XY002WI |
| 3609C | Abbaye loamy sand, 6 to 15 percent slopes                        | Abbaye       | 90 | G092XY005WI |
| 3826B | Allendale-Wakeley-Kinross complex, 0 to 6 percent slopes         | Allendale    | 35 | G092XY001WI |

|       |  |           |    |             |
|-------|--|-----------|----|-------------|
| 3826B | Allendale-Wakeley-Kinross complex, 0 to 6 percent slopes                     | Wakeley   | 30 | G092XY004WI |
|       |  | Kinross   | 20 | G092XY004WI |
| 5171B | Tula-Wormet-Gogebic complex, 0 to 6 percent slopes, very stony               | Gogebic   | 15 | G090AY002WI |
|       |  | Tula      | 60 | G090AY001WI |
|       |  | Wormet    | 15 | G090AY004WI |
| 5172B | Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 6 percent slopes  | Cathro    | 15 | G090AY010WI |
|       |  | Gogebic   | 60 | G090AY002WI |
|       |  | Pence     | 15 | G090AY002WI |
| 5172C | Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 18 percent slopes | Gogebic   | 60 | G090AY002WI |
|       |  | Cathro    | 15 | G090AY010WI |
|       |  | Pence     | 15 | G090AY002WI |
| 5172D | Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 35 percent slopes | Gogebic   | 60 | G090AY003WI |
|       |  | Pence     | 15 | G090AY003WI |
|       |  | Cathro    | 15 | G090AY010WI |
| 5173D | Gogebic-Pence complex, 18 to 35 percent slopes, very stony                   | Gogebic   | 60 | G090AY003WI |
|       |  | Pence     | 30 | G090AY003WI |
| 9012B | Sayner-Lindquist complex, 0 to 6 percent slopes                              | Sayner    | 60 | G090AY002WI |
|       |  | Lindquist | 20 | G090AY005WI |

|       |   |            |    |             |
|-------|---|------------|----|-------------|
| 9012C | Sayner-Lindquist complex, 6 to 15 percent slopes                                  | Lindquist  | 20 | G090AY005WI |
|       |   | Sayner     | 60 | G090AY002WI |
| 9012D | Sayner-Lindquist complex, 15 to 30 percent slopes                                 | Sayner     | 60 | G090AY003WI |
|       |   | Lindquist  | 20 | G090AY006WI |
| 9013A | Tipler-Manitowish complex, 0 to 3 percent slopes                                  | Tipler     | 40 | G090AY005WI |
|       |   | Manitowish | 35 | G090AY002WI |
| 9020C | Wakefield, stony-Annalake-Cathro complex, 0 to 18 percent slopes                  | Cathro     | 15 | G090AY010WI |
|       |   | Wakefield  | 45 | G090AY005WI |
|       |   | Annalake   | 30 | G090AY005WI |
| 9020D | Wakefield, stony-Annalake-Cathro complex, 0 to 35 percent slopes                  | Cathro     | 15 | G090AY010WI |
|       |   | Annalake   | 35 | G090AY006WI |
|       |   | Wakefield  | 40 | G090AY006WI |
| 9050A | Fordum, Totagatic, and Bowstring soils, 0 to 1 percent slopes, frequently flooded | Totagatic  | 40 | G090AY010WI |
|       |   | Fordum     | 40 | G090AY010WI |
|       |   | Bowstring  | 20 | G090AY010WI |
| 9051A | Minocqua, Cable, and Pleine soils, 0 to 2 percent slopes, very stony              | Minocqua   | 40 | G090AY004WI |
|       |   | Cable      | 30 | G090AY004WI |
|       |   | Pleine     | 20 | G090AY007WI |

|       |   |             |     |             |
|-------|---|-------------|-----|-------------|
| 9064E | Rubicon sand, eskers, 20 to 45 percent slopes         | Rubicon     | 90  | G090AY003WI |
| 9113B | Padus-Karlin complex, 0 to 6 percent slopes           | Padus       | 50  | G090AY005WI |
|       |   | Karlin      | 35  | G090AY005WI |
| 9113C | Padus-Karlin complex, 6 to 15 percent slopes          | Karlin      | 35  | G090AY005WI |
|       |   | Padus       | 45  | G090AY005WI |
| 9113D | Padus-Karlin complex, 15 to 30 percent slopes         | Padus       | 45  | G090AY006WI |
|       |   | Karlin      | 35  | G090AY006WI |
| 9155A | Haplosaprists, Peats and Mucks, 0 to 1 percent slopes | Loxley      | 25  | G090AY010WI |
|       |   | Markey      | 25  | G090AY010WI |
|       |   | Seelyeville | 20  | G090AY010WI |
|       |   | Beseman     | 15  | G090AY010WI |
| M-W   | Miscellaneous water                                   | Water       | 100 |             |
| W     | Water   | Water       | 100 |             |