

---

## *Forage Suitability Groups*

---

*Chippewa County, Wisconsin*

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
AfB	Alban fine sandy loam, 2 to 6 percent slopes	Alban	100	G090AY005WI
AfC	Alban fine sandy loam, 6 to 12 percent slopes	Alban	100	G090BY005WI
AgB	Almena silt loam, 1 to 6 percent slopes	Almena	100	G090AY007WI
AIB	Amery sandy loam, 2 to 6 percent slopes	Amery	100	G090AY005WI
AIC	Amery sandy loam, 6 to 12 percent slopes	Amery	100	G090AY005WI
AID	Amery sandy loam, 12 to 25 percent slopes	Amery	100	G090AY006WI
AIF	Amery sandy loam, 25 to 45 percent slopes	Amery	100	G090AY006WI
AnB	Antigo silt loam, 1 to 6 percent slopes	Antigo	100	G090BY005WI
AnC2	Antigo silt loam, 6 to 12 percent slopes, eroded	Antigo	100	G090AY005WI
AoA	Arenzville silt loam, 0 to 3 percent slopes	Arenzville	100	G105XY008WI
ApB	Arland sandy loam, 2 to 6 percent slopes	Arland	100	G090BY005WI
ApC2	Arland sandy loam, 6 to 12 percent slopes, eroded	Arland	100	G090BY005WI
ApD2	Arland sandy loam, 12 to 20 percent slopes, eroded	Arland	100	G105XY006WI
AsB	Arland loam, 2 to 6 percent slopes	Arland	100	G090BY005WI

AsC2	Arland loam, 6 to 12 percent slopes, eroded	Arland	100	G090BY005WI
AsD2	Arland loam, 12 to 20 percent slopes, eroded	Arland	100	G105XY006WI
Au	Auburndale silt loam, 0 to 2 percent slopes	Auburndale	100	G090AY007WI
Ba	Barronett silt loam, 0 to 2 percent slopes	Barronett	100	G090AY007WI
Bb	Barronett mucky silt loam, ponded, 0 to 2 percent slopes	Barronett	100	G090AY007WI
Be	Beseman muck, 0 to 1 percent slopes	Beseman	100	G090AY010WI
BIA	Billett sandy loam, 0 to 2 percent slopes	Billett	100	G090BY005WI
BIB	Billett sandy loam, 2 to 6 percent slopes	Billett	100	G105XY005WI
BIC2	Billett sandy loam, 6 to 12 percent slopes, eroded	Billett	100	G105XY005WI
BmA	Billett sandy loam, moderately well drained, 0 to 3 percent slopes	Billett	100	G105XY005WI
BoE	Boone fine sand, 20 to 45 percent slopes	Boone	100	G105XY003WI
BpA	Brill silt loam, 0 to 3 percent slopes	Brill	100	G090AY005WI
BuA	Burkhardt sandy loam, 0 to 3 percent slopes	Burkhardt	100	G105XY002WI
Cb	Cable silt loam, 0 to 2 percent slopes	Cable	100	G090AY004WI
CdB	Campia silt loam, 2 to 6 percent slopes	Campia	100	G090AY008WI
CdC2	Campia silt loam, 6 to 12 percent slopes, eroded	Campia	100	G090AY008WI
CdD2	Campia silt loam, 12 to 20 percent slopes, eroded	Campia	100	G090AY009WI

CeA	Caryville sandy loam, 0 to 3 percent slopes	Caryville	100	G105XY002WI
CkA	Chetek sandy loam, 0 to 2 percent slopes	Chetek	100	G090BY002WI
CkB	Chetek sandy loam, 2 to 6 percent slopes	Chetek	100	G090BY002WI
CkC2	Chetek sandy loam, 6 to 12 percent slopes, eroded	Chetek	100	G090BY002WI
CkD2	Chetek-Mahtomedi complex, 12 to 25 percent slopes, eroded	Chetek	55	G105XY003WI
		Mahtomedi	45	G105XY003WI
CkE	Chetek-Mahtomedi complex, 25 to 40 percent slopes	Chetek	60	G105XY003WI
		Mahtomedi	40	G105XY003WI
Cm	Comstock silt loam, 0 to 2 percent slopes	Comstock	100	G090AY007WI
CuA	Crystal Lake silt loam, 0 to 3 percent slopes	Crystal Lake	100	G090AY008WI
DAM	Dam, concrete	Urban land	100	
EIB	Eleva sandy loam, 2 to 6 percent slopes	Eleva	100	G105XY005WI
EIC2	Eleva sandy loam, 6 to 12 percent slopes, eroded	Eleva	100	G105XY005WI
EID2	Eleva sandy loam, 12 to 20 percent slopes, eroded	Eleva	100	G105XY006WI
EmB	Elk mound loam, 2 to 6 percent slopes	Elk mound	100	G105XY002WI
EmC2	Elk mound loam, 6 to 12 percent slopes, eroded	Elk mound	100	G105XY002WI
EmD2	Elk mound loam, 12 to 20 percent slopes, eroded	Elk mound	100	G105XY003WI
EmE	Elk mound loam, 20 to 45 percent slopes	Elk mound	100	G105XY003WI

Eo	Elm Lake loamy sand, 0 to 2 percent slopes	Elm Lake	100	G090BY004WI
FaB	Fallcreek sandy loam, 2 to 6 percent slopes	Fallcreek	100	G090BY004WI
FbB	Flambeau loam, 2 to 6 percent slopes	Flambeau	100	G090BY005WI
FbC2	Flambeau loam, 6 to 12 percent slopes, eroded	Flambeau	100	G090BY005WI
Fm	Fordum loam, 0 to 2 percent slopes	Fordum	100	G090BY010WI
FnB	Freeon silt loam, 2 to 6 percent slopes	Freeon	100	G090AY005WI
FnC2	Freeon silt loam, 6 to 12 percent slopes, eroded	Freeon	100	G090AY005WI
FrA	Friendship loamy sand, 0 to 3 percent slopes	Friendship	100	G090BY002WI
GaB	Gale silt loam, 2 to 6 percent slopes	Gale	100	G105XY005WI
GaC2	Gale silt loam, 6 to 12 percent slopes, eroded	Gale	100	G105XY005WI
GaD2	Gale silt loam, 12 to 20 percent slopes, eroded	Gale	100	G105XY006WI
Gr	Greenwood peat, 0 to 1 percent slopes	Greenwood	100	G090AY010WI
Ha	Halder loam, 0 to 2 percent slopes	Halder	100	G090BY004WI
HeB	Hiles silt loam, 2 to 6 percent slopes	Hiles	100	G105XY005WI
HfB	Hiles variant loam, 2 to 8 percent slopes	Hiles variant	100	G090BY005WI
HnB	Hixton loam, 2 to 6 percent slopes	Hixton	100	G105XY005WI
HnC2	Hixton loam, 6 to 12 percent slopes, eroded	Hixton	100	G105XY005WI

HuB	Humbird sandy loam, 2 to 6 percent slopes	Humbird	100	G090BY005WI
HuC2	Humbird sandy loam, 6 to 12 percent slopes, eroded	Humbird	100	G090BY005WI
KeB	Kert silt loam, 1 to 6 percent slopes	Kert	100	G105XY004WI
La	Lows loam, 0 to 2 percent slopes	Lows	100	G090BY007WI
LoB	Loyal silt loam, 2 to 6 percent slopes	Loyal	100	G090BY005WI
LoC2	Loyal silt loam, 6 to 12 percent slopes, eroded	Loyal	100	G090BY005WI
Lp	Lupton muck, 0 to 1 percent slopes	Lupton	100	G090AY010WI
M-W	Miscellaneous water	Water	100	
MbB	Magnor silt loam, 1 to 6 percent slopes	Magnor	100	G090AY004WI
McB	Magnor silt loam, 1 to 6 percent slopes, stony	Magnor	100	G090AY004WI
MdB	Mahtomedi loamy sand, 2 to 6 percent slopes	Mahtomedi	100	G090BY002WI
MdC	Mahtomedi loamy sand, 6 to 12 percent slopes	Mahtomedi	100	G090AY002WI
Me	Markey muck, 0 to 1 percent slopes	Markey	100	G090BY010WI
Mh	Meehan loamy sand, 0 to 2 percent slopes	Meehan	100	G090BY001WI
MkB	Menahga loamy sand, 0 to 6 percent slopes	Menahga	100	G105XY002WI
MkC	Menahga loamy sand, 6 to 12 percent slopes	Menahga	100	G105XY002WI
MIA	Meridian loam, 0 to 2 percent slopes	Meridian	100	G090BY008WI
MIB	Meridian loam, 2 to 6 percent slopes	Meridian	100	G105XY008WI

MmA	Meridian loam, moderately well drained, 0 to 3 percent slopes	Meridian	100	G105XY005WI
MrB	Merrillan sandy loam, 1 to 6 percent slopes	Merrillan	100	G090BY004WI
Mu	Minocqua loam, 0 to 2 percent slopes	Minocqua	100	G090BY004WI
MvA	Moundville loamy sand, 0 to 3 percent slopes	Moundville	100	G105XY002WI
Na	Newson loamy sand, 0 to 2 percent slopes	Newson	100	G090BY001WI
NtB	Northfield silt loam, 2 to 6 percent slopes	Northfield	100	G105XY002WI
NtC2	Northfield silt loam, 6 to 12 percent slopes, eroded	Northfield	100	G105XY002WI
NtD2	Northfield silt loam, 12 to 20 percent slopes, eroded	Northfield	100	G105XY003WI
Oe	Oesterle sandy loam, 0 to 2 percent slopes	Oesterle	100	G090BY004WI
Or	Orion silt loam, 0 to 2 percent slopes	Orion	100	G105XY007WI
OsC2	Otterholt silt loam, 6 to 12 percent slopes, eroded	Otterholt	100	G090AY008WI
Pc	Pits, gravel	Pits	99	105X
PdB	Plainbo loamy sand, 2 to 6 percent slopes	Plainbo	100	G105XY002WI
PdC	Plainbo loamy sand, 6 to 12 percent slopes	Plainbo	100	G105XY002WI
PdD	Plainbo loamy sand, 12 to 20 percent slopes	Plainbo	100	G105XY003WI
Pv	Plover silt loam, 0 to 2 percent slopes	Plover	100	G090AY007WI
Px	Poskin silt loam, 0 to 2 percent slopes	Poskin	100	G090AY007WI
Rb	Rib silt loam, 0 to 2 percent slopes	Rib	100	G090BY007WI

Rc	Rib mucky silt loam, ponded, 0 to 2 percent slopes	Rib	100	G090BY007WI
RfA	Richford loamy sand, 0 to 3 percent slopes	Richford	100	G090BY002WI
RoA	Rosholt sandy loam, 0 to 2 percent slopes	Rosholt	100	G090BY005WI
RoB	Rosholt sandy loam, 2 to 6 percent slopes	Rosholt	100	G090BY005WI
RoC2	Rosholt sandy loam, 6 to 12 percent slopes, eroded	Rosholt	100	G105XY005WI
RpA	Rosholt loam, 0 to 2 percent slopes	Rosholt	100	G090BY005WI
RpB	Rosholt loam, 2 to 6 percent slopes	Rosholt	100	G090BY005WI
RpC2	Rosholt loam, 6 to 12 percent slopes, eroded	Rosholt	100	G105XY005WI
SaB	Santiago silt loam, 2 to 6 percent slopes	Santiago	100	G090AY005WI
SaC2	Santiago silt loam, 6 to 12 percent slopes, eroded	Santiago	100	G090AY005WI
SaD2	Santiago silt loam, 12 to 20 percent slopes, eroded	Santiago	100	G090AY006WI
SbA	Sattre loam, 0 to 3 percent slopes	Sattre	100	G090BY005WI
ScB	Scott Lake sandy loam, 1 to 6 percent slopes	Scott Lake	100	G090BY005WI
SdA	Scott Lake loam, 0 to 3 percent slopes	Scott Lake	100	G090BY005WI
SeB	Seaton silt loam, 2 to 6 percent slopes	Seaton	100	G105XY008WI
SeC2	Seaton silt loam, 6 to 12 percent slopes, eroded	Seaton	100	G105XY008WI
SeD2	Seaton silt loam, 12 to 25 percent slopes, eroded	Seaton	100	G105XY009WI

SfA	Seaton silt loam, moderately well drained, 0 to 3 percent slopes	Seaton	100	G105XY008WI
SgA	Seaton silt loam, sandy substratum, 0 to 2 percent slopes	Seaton	100	G105XY008WI
SgB	Seaton silt loam, sandy substratum, 2 to 6 percent slopes	Seaton	100	G105XY008WI
Sm	Seelyeville muck, 0 to 1 percent slopes	Seelyeville	100	G090AY010WI
So	Shiffer loam, 0 to 2 percent slopes	Shiffer	100	G090BY004WI
SrB	Spencer silt loam, 2 to 6 percent slopes	Spencer	100	G090AY008WI
SrC2	Spencer silt loam, 6 to 12 percent slopes, eroded	Spencer	100	G090AY008WI
SsA	Spencer silt loam, gravelly substratum, 0 to 2 percent slopes	Spencer	100	G090BY008WI
SsB	Spencer silt loam, gravelly substratum, 2 to 6 percent slopes	Spencer	100	G090AY008WI
TeB	Tell silt loam, 1 to 6 percent slopes	Tell	100	G105XY008WI
Ud	Udifluvents, loamy, nearly level	Udifluvents	100	G090BY010WI
UoE	Udorthents (dam)	Udorthents	100	
Ve	Vesper silt loam, 0 to 2 percent slopes	Vesper	100	G105XY004WI
W	Water	Water	100	
Wb	Warman variant sandy loam, 0 to 2 percent slopes	Warman variant	100	G105XY001WI
WeB	Withee silt loam, 1 to 6 percent slopes	Withee	100	G090BY004WI