
Forage Suitability Groups

Columbia County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
Ad	Adrian muck	Adrian	100	G095BY010WI
Ae	Alluvial land, sandy	Alluvial land, sandy	100	G095BY001WI
Af	Alluvial land, sandy, wet	Alluvial land, sandy, w	100	G095BY010WI
Ag	Alluvial land, loamy	Alluvial land, loamy	100	G095BY004WI
Ah	Alluvial land, loamy, wet	Alluvial land, loamy, w	100	G095BY010WI
AtA	Atterberry silt loam, 0 to 2 percent slopes	Atterberry	90	G095BY007WI
AtB	Atterberry silt loam, 2 to 6 percent slopes	Atterberry	90	G095BY007WI
BaB2	Baraboo silt loam, 2 to 6 percent slopes, eroded	Baraboo	100	G095BY005WI
BaC2	Baraboo silt loam, 6 to 12 percent slopes, eroded	Baraboo	100	G095BY005WI
BaD	Baraboo silt loam, 12 to 20 percent slopes	Baraboo	100	G095BY006WI
BaE	Baraboo silt loam, 20 to 30 percent slopes	Baraboo	100	G095BY006WI
BbA	Barry loam, 0 to 3 percent slopes	Barry	100	G095BY007WI
BnC	Boone loamy fine sand, 6 to 12 percent slopes	Boone	100	G095BY002WI
BnE	Boone loamy fine sand, 12 to 45 percent slopes	Boone	100	G095BY003WI
Bo	Boots muck	Boots	100	G095BY010WI
BpA	Boyer loamy sand, 0 to 2 percent slopes	Boyer	100	G095BY002WI

BpB	Boyer loamy sand, 2 to 6 percent slopes	Boyer	100	G095BY002WI
BpC2	Boyer loamy sand, 6 to 12 percent slopes, eroded	Boyer	100	G095BY002WI
BpD2	Boyer loamy sand, 12 to 30 percent slopes, eroded	Boyer	100	G095BY003WI
BrA	Boyer fine sandy loam, 0 to 2 percent slopes	Boyer	100	G095BY002WI
BrB	Boyer fine sandy loam, 2 to 6 percent slopes	Boyer	100	G095BY002WI
BsB	Briggsville loam, 2 to 8 percent slopes	Briggsville	100	G095BY005WI
BtB2	Briggsville silt loam, silty subsoil variant, 1 to 6 percent slopes, eroded	Briggsville variant	100	G095BY008WI
CaB	Channahon silt loam, 2 to 6 percent slopes	Channahon	100	G095BY005WI
CaC2	Channahon silt loam, 6 to 12 percent slopes, eroded	Channahon	100	G095BY005WI
CaE2	Channahon silt loam, 12 to 30 percent slopes, eroded	Channahon	100	G095BY006WI
ChB	Chelsea loamy fine sand, 1 to 6 percent slopes	Chelsea	100	G095BY005WI
ChC	Chelsea loamy fine sand, 6 to 12 percent slopes	Chelsea	100	G095BY005WI
CoA	Colwood fine sandy loam, 0 to 3 percent slopes	Colwood	100	G095BY007WI
CP	Coal pit	Pits	100	
DAM	Dam concrete	Urban land	100	
DoB2	Dodge silt loam, 2 to 6 percent slopes, eroded	Dodge	100	G095BY008WI

DoC2	Dodge silt loam, 6 to 12 percent slopes, eroded	Dodge	100	G095BY008WI
DoD2	Dodge silt loam, 12 to 20 percent slopes, eroded	Dodge	100	G095BY009WI
DrB	Dresden loam, 1 to 6 percent slopes	Dresden	100	G095BY005WI
DrC2	Dresden loam, 6 to 12 percent slopes, eroded	Dresden	100	G095BY005WI
DrD2	Dresden loam, 12 to 20 percent slopes, eroded	Dresden	100	G095BY006WI
FrB	Friesland fine sandy loam, 1 to 6 percent slopes	Friesland	100	G095BY005WI
GaA	Gilford fine sandy loam, stratified substratum, 0 to 3 percent slopes	Gilford	100	G095BY004WI
Gb	Granby loamy sand	Granby	100	G095BY001WI
GeB	Grellton fine sandy loam, 1 to 6 percent slopes	Grellton	100	G095BY005WI
GeC2	Grellton fine sandy loam, 6 to 12 percent slopes, eroded	Grellton	100	G095BY005WI
GnA	Grellton fine sandy loam, mottled subsoil variant, 0 to 4 percent slopes	Grellton variant	100	G095BY007WI
GP	Gravel pit	Pits	99	
GrB2	Griswold silt loam, 2 to 6 percent slopes, eroded	Griswold	100	G095BY005WI
GrC2	Griswold silt loam, 6 to 12 percent slopes, eroded	Griswold	100	G095BY005WI
GrD2	Griswold silt loam, 12 to 20 percent slopes, eroded	Griswold	100	G095BY006WI
Ho	Houghton muck	Houghton	100	G095BY010WI

JoA	Joy silt loam, 0 to 4 percent slopes	Joy	100	G095BY007WI
KbA	Kibbie fine sandy loam, 0 to 4 percent slopes	Kibbie	85	G095BY007WI
KnB	Knowles silt loam, 2 to 6 percent slopes	Knowles	100	G095BY008WI
KnC2	Knowles silt loam, 6 to 12 percent slopes, eroded	Knowles	100	G095BY008WI
KnD2	Knowles silt loam, 12 to 20 percent slopes, eroded	Knowles	100	G095BY009WI
LaB	Lapeer fine sandy loam, 2 to 6 percent slopes	Lapeer	100	G095BY005WI
LaC2	Lapeer fine sandy loam, 6 to 12 percent slopes, eroded	Lapeer	100	G095BY005WI
LaD2	Lapeer fine sandy loam, 12 to 20 percent slopes, eroded	Lapeer	100	G095BY006WI
LaE2	Lapeer fine sandy loam, 20 to 30 percent slopes, eroded	Lapeer	100	G095BY006WI
LDF	Landfill	Urban Land	100	
LoB	Lorenzo loam, 2 to 6 percent slopes	Lorenzo	100	G095BY005WI
LoC2	Lorenzo loam, 6 to 12 percent slopes, eroded	Lorenzo	100	G095BY005WI
LoD2	Lorenzo loam, 12 to 20 percent slopes, eroded	Lorenzo	100	G095BY006WI
M-W	Miscellaneous water	Water	100	
MaB	Marcellon loam, 1 to 6 percent slopes	Marcellon	100	G095BY004WI
Mb	Marsh	Marsh	100	
Mc	Marshan loam	Marshan	100	G095BY004WI

MeB2	McHenry silt loam, 2 to 6 percent slopes, eroded	McHenry	100	G095BY008WI
MeC2	McHenry silt loam, 6 to 12 percent slopes, eroded	McHenry	100	G095BY008WI
MeD2	McHenry silt loam, 12 to 20 percent slopes, eroded	McHenry	100	G095BY009WI
MnB	Military fine sandy loam, 2 to 6 percent slopes	Military	100	G095BY002WI
MnC2	Military fine sandy loam, 6 to 12 percent slopes, eroded	Military	100	G095BY002WI
MnD2	Military fine sandy loam, 12 to 20 percent slopes, eroded	Military	100	G095BY003WI
MoA	Morocco loamy sand, 0 to 3 percent slopes	Morocco	100	G095BY001WI
MrD2	Mt. Carroll silt loam, 12 to 20 percent slopes, eroded	Mt. Carroll	100	G095BY009WI
MtA	Mt. Carroll silt loam, benches, 0 to 2 percent slopes	Mt. Carroll	100	G095BY008WI
MtB	Mt. Carroll silt loam, benches, 2 to 6 percent slopes	Mt. Carroll	100	G095BY008WI
MtC2	Mt. Carroll silt loam, benches, 6 to 12 percent slopes, eroded	Mt. Carroll	100	G095BY008WI
NoB	Northfield sandy loam, 2 to 6 percent slopes	Northfield	100	G095BY002WI
NoC	Northfield sandy loam, 6 to 12 percent slopes	Northfield	100	G095BY002WI
NoE	Northfield sandy loam, 12 to 30 percent slopes	Northfield	100	G095BY003WI
OkB	Okee loamy fine sand, 2 to 6 percent slopes	Okee	100	G095BY005WI

OkC	Okee loamy fine sand, 6 to 12 percent slopes	Okee	100	G095BY005WI
OmA	Oshtemo loamy sand, 0 to 2 percent slopes	Oshtemo	100	G095BY005WI
OmB	Oshtemo loamy sand, 2 to 6 percent slopes	Oshtemo	100	G095BY005WI
OmC2	Oshtemo loamy sand, 6 to 12 percent slopes, eroded	Oshtemo	100	G095BY005WI
OmD2	Oshtemo loamy sand, 12 to 20 percent slopes, eroded	Oshtemo	100	G095BY006WI
OsA	Ossian silt loam, 0 to 3 percent slopes	Ossian	100	G095BY007WI
Ot	Otter silt loam	Otter	100	G095BY007WI
Pa	Palms muck	Palms	100	G095BY010WI
PeC2	Plainfield sand, 2 to 12 percent slopes, eroded	Plainfield	100	G095BY002WI
PfA	Plainfield loamy fine sand, 0 to 2 percent slopes	Plainfield	100	G095BY002WI
PfB	Plainfield loamy fine sand, 2 to 6 percent slopes	Plainfield	100	G095BY002WI
PfC	Plainfield loamy fine sand, 6 to 12 percent slopes	Plainfield	100	G095BY002WI
PfD	Plainfield loamy fine sand, 12 to 25 percent slopes	Plainfield	100	G095BY003WI
PkB	Plainfield loamy fine sand, loamy substratum, 2 to 6 percent slopes	Plainfield	100	G095BY002WI
PkC	Plainfield loamy fine sand, loamy substratum, 6 to 12 percent slopes	Plainfield	100	G095BY002WI

PkD	Plainfield loamy fine sand, loamy substratum, 12 to 25 percent slopes	Plainfield	100	G095BY003WI
PnA	Plano silt loam, 0 to 2 percent slopes	Plano	100	G095BY008WI
PnB	Plano silt loam, 2 to 6 percent slopes	Plano	100	G095BY008WI
PnC2	Plano silt loam, 6 to 12 percent slopes, eroded	Plano	100	G095BY008WI
PoA	Poygan silt loam, 0 to 3 percent slopes	Poygan	100	G095BY004WI
PuB	Puchyan loamy fine sand, 2 to 6 percent slopes	Puchyan	100	G095BY005WI
PuC	Puchyan loamy fine sand, 6 to 12 percent slopes	Puchyan	100	G095BY005WI
QUA	Quarry	Pits	100	
RdB2	Ringwood silt loam, 1 to 6 percent slopes, eroded	Ringwood	100	G095BY008WI
RdC2	Ringwood silt loam, 6 to 12 percent slopes, eroded	Ringwood	100	G095BY008WI
ReB	Ripon silt loam, 2 to 6 percent slopes	Ripon	100	G095BY008WI
ReC2	Ripon silt loam, 6 to 12 percent slopes, eroded	Ripon	100	G095BY008WI
Rk	Rock land	Rock land	100	
RoC	Rodman gravelly loam, 2 to 12 percent slopes	Rodman	100	G095BY002WI
RoD	Rodman gravelly loam, 12 to 20 percent slopes	Rodman	100	G095BY003WI
RoE	Rodman gravelly loam, 20 to 45 percent slopes	Rodman	100	G095BY003WI
RtB	Rotamer loam, 2 to 6 percent slopes	Rotamer	100	G095BY005WI

RtC2	Rotamer loam, 6 to 12 percent slopes, eroded	Rotamer	100	G095BY005WI
RtD2	Rotamer loam, 12 to 20 percent slopes, eroded	Rotamer	100	G095BY006WI
RtE2	Rotamer loam, 20 to 30 percent slopes, eroded	Rotamer	100	G095BY006WI
SaA	St. Charles silt loam, 0 to 2 percent slopes	St. Charles	100	G095BY008WI
SaB2	St. Charles silt loam, 2 to 6 percent slopes, eroded	St. Charles	100	G095BY008WI
SaC2	St. Charles silt loam, 6 to 12 percent slopes, eroded	St. Charles	100	G095BY008WI
SaD2	St. Charles silt loam, 12 to 20 percent slopes, eroded	St. Charles	100	G095BY009WI
SaE	St. Charles silt loam, 20 to 30 percent slopes	St. Charles	100	G095BY009WI
SbA	Salter fine sandy loam, 0 to 2 percent slopes	Salter	100	G095BY005WI
SbB	Salter fine sandy loam, 2 to 6 percent slopes	Salter	100	G095BY005WI
SbC2	Salter fine sandy loam, 6 to 12 percent slopes, eroded	Salter	100	G095BY005WI
SbD2	Salter fine sandy loam, 12 to 20 percent slopes, eroded	Salter	100	G095BY006WI
ScB	Salter fine sandy loam, dark surface variant, 1 to 6 percent slopes	Salter variant	100	G095BY005WI
Sd	Sandy land	Sandy land	100	
SeB2	Saybrook silt loam, 2 to 6 percent slopes, eroded	Saybrook	100	G095BY008WI

SeC2	Saybrook silt loam, 6 to 12 percent slopes, eroded	Saybrook	100	G095BY008WI
SeD2	Saybrook silt loam, 12 to 20 percent slopes, eroded	Saybrook	100	G095BY009WI
SfA	Seaton silt loam, 0 to 2 percent slopes	Seaton	100	G095BY008WI
SfB2	Seaton silt loam, 2 to 6 percent slopes, eroded	Seaton	100	G095BY008WI
SfC2	Seaton silt loam, 6 to 12 percent slopes, eroded	Seaton	100	G095BY008WI
SfD2	Seaton silt loam, 12 to 20 percent slopes, eroded	Seaton	100	G095BY009WI
SnA	Sisson fine sandy loam, 0 to 2 percent slopes	Sisson	100	G095BY005WI
SnB	Sisson fine sandy loam, 2 to 6 percent slopes	Sisson	100	G095BY005WI
SnC2	Sisson fine sandy loam, 6 to 12 percent slopes, eroded	Sisson	100	G095BY005WI
SnD2	Sisson fine sandy loam, 12 to 20 percent slopes, eroded	Sisson	100	G095BY006WI
SnE	Sisson fine sandy loam, 20 to 30 percent slopes	Sisson	100	G095BY006WI
SpB	Sparta loamy fine sand, 1 to 6 percent slopes	Sparta	100	G095BY002WI
TsA	Troxel silt loam, 0 to 3 percent slopes	Troxel	100	G095BY008WI
TuB	Tustin loamy fine sand, 2 to 6 percent slopes	Tustin	100	G095BY005WI
TvA	Tustin loamy fine sand, mottled subsoil variant, 0 to 4 percent slopes	Tustin variant	100	G095BY004WI

W	Water	Water	100	
Wa	Wacousta mucky silt loam	Wacousta	100	G095BY007WI
Wb	Walkkill silt loam	Walkkill	100	G095BY010WI
WcA	Wasepi fine sandy loam, 0 to 3 percent slopes	Wasepi	100	G095BY004WI
WnB	Winneshiek fine sandy loam, 2 to 6 percent slopes	Winneshiek	100	G095BY005WI
WnC2	Winneshiek fine sandy loam, 6 to 12 percent slopes, eroded	Winneshiek	100	G095BY005WI
WoB	Wyocena loamy sand, 2 to 6 percent slopes	Wyocena	100	G095BY005WI
WoC2	Wyocena loamy sand, 6 to 12 percent slopes, eroded	Wyocena	100	G095BY005WI
WoD2	Wyocena loamy sand, 12 to 20 percent slopes, eroded	Wyocena	100	G095BY006WI
WoE	Wyocena loamy sand, 20 to 45 percent slopes	Wyocena	100	G095BY006WI
WxB	Wyocena sandy loam, 2 to 6 percent slopes	Wyocena	100	G095BY005WI
WxC2	Wyocena sandy loam, 6 to 12 percent slopes, eroded	Wyocena	100	G095BY005WI
WxD2	Wyocena sandy loam, 12 to 20 percent slopes, eroded	Wyocena	100	G095BY006WI
WyB	Wyocena fine sandy loam, sandstone substratum, 2 to 6 percent slopes	Wyocena	100	G095BY005WI
WyC2	Wyocena fine sandy loam, sandstone substratum, 6 to 12 percent slopes, eroded	Wyocena	100	G095BY005WI

WyD2	Wyocena fine sandy loam, sandstone substratum, 12 to 20 percent slopes, eroded	Wyocena	100	G095BY006WI
WyE	Wyocena fine sandy loam, sandstone substratum, 20 to 45 percent slopes	Wyocena	100	G095BY006WI
YaA	Yahara fine sandy loam, 0 to 4 percent slopes	Yahara	100	G095BY007WI