
Forage Suitability Groups

Crawford County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
Aa	Alluvial land, poorly drained, frequently flooded	Fluvaquents	100	G105XY010WI
Ab	Alluvial land, frequently flooded	Fluvents	100	G105XY008WI
Ar	Arenzville silt loam, occasionally flooded	Arenzville	100	G105XY008WI
BeA	Bertrand silt loam, 0 to 2 percent slopes	Bertrand	100	G105XY008WI
BeB	Bertrand silt loam, 2 to 6 percent slopes	Bertrand	100	G105XY008WI
BeB2	Bertrand silt loam, 2 to 6 percent slopes, moderately eroded	Bertrand	100	G105XY008WI
BeC2	Bertrand silt loam, 6 to 12 percent slopes, moderately eroded	Bertrand	100	G105XY008WI
BoD	Boone fine sand, 12 to 30 percent slopes	Boone	100	G105XY003WI
CaB	Chaseburg silt loam, 0 to 6 percent slopes, occasionally flooded	Chaseburg	100	G105XY008WI
CaC	Chaseburg silt loam, 6 to 12 percent slopes, rarely flooded	Chaseburg	100	G105XY008WI
ChC2	Chelsea fine sand, 6 to 12 percent slopes, moderately eroded	Chelsea	100	G105XY002WI
ChD2	Chelsea fine sand, 12 to 20 percent slopes, moderately eroded	Chelsea	100	G105XY003WI
ChE2	Chelsea fine sand, 20 to 30 percent slopes, moderately eroded	Chelsea	100	G105XY003WI
Ct	Cherty alluvial land, frequently flooded	Fluvents	100	G105XY005WI

DaA	Dakota loam, 0 to 3 percent slopes	Dakota	100	G105XY005WI
DkA	Dakota sandy loam, 0 to 3 percent slopes	Dakota	100	G105XY005WI
DoB	Downs silt loam, 2 to 6 percent slopes	Downs	100	G105XY008WI
DoB2	Downs silt loam, 2 to 6 percent slopes, moderately eroded	Downs	100	G105XY008WI
DoC2	Downs silt loam, 6 to 12 percent slopes, moderately eroded	Downs	100	G105XY008WI
DoD2	Downs silt loam, 12 to 20 percent slopes, moderately eroded	Downs	100	G105XY009WI
DtC2	Dubuque cherty silt loam, 6 to 12 percent slopes, moderately eroded	Dubuque	100	G105XY002WI
DtD2	Dubuque cherty silt loam, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY003WI
DtE2	Dubuque cherty silt loam, 20 to 30 percent slopes, moderately eroded	Dubuque	100	G105XY003WI
DuB2	Dubuque silt loam, 2 to 6 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DuC2	Dubuque silt loam, 6 to 12 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DuD2	Dubuque silt loam, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DuE2	Dubuque silt loam, 20 to 30 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DuF	Dubuque silt loam, 30 to 45 percent slopes	Dubuque	100	G105XY006WI

DvB2	Dubuque silt loam, deep, 2 to 6 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DvC2	Dubuque silt loam, deep, 6 to 12 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DvD2	Dubuque silt loam, deep, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DvE2	Dubuque silt loam, deep, 20 to 30 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DwC2	Dubuque soils, 6 to 12 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DwD2	Dubuque soils, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DxD2	Dubuque soils, deep, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
Et	Ettrick silt loam, frequently flooded	Ettrick	100	G105XY007WI
FaB	Fayette silt loam, uplands, 2 to 6 percent slopes	Fayette	100	G105XY008WI
FaB2	Fayette silt loam, uplands, 2 to 6 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FaC2	Fayette silt loam, uplands, 6 to 12 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FaD2	Fayette silt loam, uplands, 12 to 20 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FaE2	Fayette silt loam, uplands, 20 to 30 percent slopes, moderately eroded	Fayette	100	G105XY009WI

FvB	Fayette silt loam, valleys, 2 to 6 percent slopes	Fayette	100	G105XY008WI
FvC2	Fayette silt loam, valleys, 6 to 12 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FvD2	Fayette silt loam, valleys, 12 to 20 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FvE2	Fayette silt loam, valleys, 20 to 30 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FvF	Fayette silt loam, valleys, 30 to 45 percent slopes	Fayette	100	G105XY009WI
GaB2	Gale silt loam, 2 to 6 percent slopes, moderately eroded	Gale	100	G105XY005WI
GaC2	Gale silt loam, 6 to 12 percent slopes, moderately eroded	Gale	100	G105XY005WI
GaD2	Gale silt loam, 12 to 20 percent slopes, moderately eroded	Gale	100	G105XY006WI
GaE2	Gale silt loam, 20 to 30 percent slopes, moderately eroded	Gale	100	G105XY006WI
GoB	Gotham loamy fine sand, 2 to 6 percent slopes	Gotham	100	G105XY002WI
GoB2	Gotham loamy fine sand, 2 to 6 percent slopes, moderately eroded	Gotham	100	G105XY002WI
GoC2	Gotham loamy fine sand, 6 to 12 percent slopes, moderately eroded	Gotham	100	G105XY002WI
GP	Gravel pit	Pits	99	
Gu	Gullied land	Gullied land	100	G105XY006WI
HeD2	Hesch loam, 12 to 20 percent slopes, moderately eroded	Hesch	100	G105XY006WI

HeE2	Hesch loam, 20 to 30 percent slopes, moderately eroded	Hesch	100	G105XY006WI
HsD2	Hesch sandy loam, 12 to 20 percent slopes, moderately eroded	Hesch	100	G105XY006WI
HtC2	Hixton loam, 6 to 12 percent slopes, moderately eroded	Hixton	100	G105XY005WI
HtD2	Hixton loam, 12 to 20 percent slopes, moderately eroded	Hixton	100	G105XY006WI
HtE2	Hixton loam, 20 to 30 percent slopes, moderately eroded	Hixton	100	G105XY006WI
HuB	Hixton sandy loam, 2 to 6 percent slopes	Hixton	100	G105XY005WI
HuC2	Hixton sandy loam, 6 to 12 percent slopes, moderately eroded	Hixton	100	G105XY005WI
HuD2	Hixton sandy loam, 12 to 20 percent slopes, moderately eroded	Hixton	100	G105XY006WI
HuE2	Hixton sandy loam, 20 to 30 percent slopes, moderately eroded	Hixton	100	G105XY006WI
HuF	Hixton sandy loam, 30 to 45 percent slopes	Hixton	100	G105XY006WI
HyD2	Hixton stony loam, 12 to 20 percent slopes, moderately eroded	Hixton	100	G105XY006WI
HyE2	Hixton stony loam, 20 to 30 percent slopes, moderately eroded	Hixton	100	G105XY006WI
JaA	Jackson silt loam, 0 to 2 percent slopes	Jackson	100	G105XY008WI
JaB	Jackson silt loam, 2 to 6 percent slopes	Jackson	100	G105XY008WI
JaB2	Jackson silt loam, 2 to 6 percent slopes, moderately eroded	Jackson	100	G105XY008WI

JcB	Judson cherty silt loam, 2 to 6 percent slopes	Judson	100	G105XY005WI
JcC2	Judson cherty silt loam, 6 to 12 percent slopes, moderately eroded	Judson	100	G105XY005WI
JdB	Judson silt loam, 0 to 6 percent slopes, occasionally flooded	Judson	100	G105XY008WI
LsB	Lindstrom silt loam, 2 to 6 percent slopes	Lindstrom	100	G105XY008WI
LsC2	Lindstrom silt loam, 6 to 12 percent slopes, moderately eroded	Lindstrom	100	G105XY008WI
LsD2	Lindstrom silt loam, 12 to 20 percent slopes, moderately eroded	Lindstrom	100	G105XY009WI
LsE2	Lindstrom silt loam, 20 to 30 percent slopes, moderately eroded	Lindstrom	100	G105XY009WI
M-W	Miscellaneous water	Water	100	
MdA	Medary silt loam, 0 to 2 percent slopes	Medary	100	G105XY005WI
MdB	Medary silt loam, 2 to 6 percent slopes	Medary	100	G105XY005WI
MdC2	Medary silt loam, 6 to 12 percent slopes, moderately eroded	Medary	100	G105XY005WI
MmA	Meridian loam, 0 to 2 percent slopes	Meridian	100	G105XY005WI
MmB	Meridian loam, 2 to 6 percent slopes	Meridian	100	G105XY005WI
MsA	Meridian sandy loam, 0 to 2 percent slopes	Meridian	100	G105XY005WI
MsB	Meridian sandy loam, 2 to 6 percent slopes	Meridian	100	G105XY005WI
MsB2	Meridian sandy loam, 2 to 6 percent slopes, moderately eroded	Meridian	100	G105XY005WI

MsC2	Meridian sandy loam, 6 to 12 percent slopes, moderately eroded	Meridian	100	G105XY005WI
NoD2	Norden fine sandy loam, 12 to 20 percent slopes, moderately eroded	Norden	100	G105XY006WI
NoE2	Norden fine sandy loam, 20 to 30 percent slopes, moderately eroded	Norden	100	G105XY006WI
NsD2	Norden fine sandy loam and Loam, 12 to 20 percent slopes, moderately eroded	Norden	100	G105XY006WI
NsE2	Norden fine sandy loam and Loam, 20 to 30 percent slopes, moderately eroded	Norden	100	G105XY006WI
NsF	Norden fine sandy loam and Loam, 30 to 45 percent slopes	Norden	100	G105XY006WI
Or	Orion silt loam, frequently flooded	Orion	100	G105XY007WI
Ow	Orion silt loam, poorly drained variant, frequently flooded	Orion variant	100	G105XY007WI
QUA	Quarry	Pits	100	
RcA	Richwood silt loam, 0 to 2 percent slopes	Richwood	100	G105XY008WI
RcB	Richwood silt loam, 2 to 6 percent slopes	Richwood	100	G105XY008WI
RcC2	Richwood silt loam, 6 to 12 percent slopes, moderately eroded	Richwood	100	G105XY008WI
RoA	Rowley silt loam, 0 to 2 percent slopes, rarely flooded	Rowley	100	G105XY007WI
RoB	Rowley silt loam, 2 to 6 percent slopes	Rowley	100	G105XY007WI
SeB2	Seaton silt loam, 2 to 6 percent slopes, moderately eroded	Seaton	100	G105XY008WI

SeC2	Seaton silt loam, 6 to 12 percent slopes, moderately eroded	Seaton	100	G105XY008WI
SeD2	Seaton silt loam, 12 to 20 percent slopes, moderately eroded	Seaton	100	G105XY009WI
SP	Sand pit	Pits	100	
SsA	Sparta loamy fine sand, 0 to 2 percent slopes	Sparta	100	G105XY002WI
SsB	Sparta loamy fine sand, 2 to 6 percent slopes	Sparta	100	G105XY002WI
SsB2	Sparta loamy fine sand, 2 to 6 percent slopes, moderately eroded	Sparta	100	G105XY002WI
SsC2	Sparta loamy fine sand, 6 to 12 percent slopes, moderately eroded	Sparta	100	G105XY002WI
St	Steep stony and rocky land	Typic Hapludalfs	100	G105XY006WI
Su	Stony colluvial land, frequently flooded	Typic Hapludalfs	100	G105XY005WI
TeA	Tell silt loam, 0 to 2 percent slopes	Tell	100	G105XY005WI
TeB2	Tell silt loam, 2 to 6 percent slopes, moderately eroded	Tell	100	G105XY005WI
TeC2	Tell silt loam, 6 to 12 percent slopes, moderately eroded	Tell	100	G105XY005WI
TeD2	Tell silt loam, 12 to 20 percent slopes, moderately eroded	Tell	100	G105XY006WI
Tr	Terrace escarpments, loamy	Typic Hapludalfs	100	G105XY006WI
Ts	Terrace escarpments, sandy	Typic Udipsamments	100	G105XY003WI
TvA	Toddville silt loam, 0 to 2 percent slopes	Toddville	100	G105XY008WI
TvB	Toddville silt loam, 2 to 6 percent slopes	Toddville	100	G105XY008WI

W	Water	Water	100	
Wa	Waukegan loam	Waukegan	100	G105XY008WI