

---

## *Forage Suitability Groups*

---

*Door County, Wisconsin*

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
AdA	Allendale loamy sand, 0 to 3 percent slopes	Allendale	90	G095AY001WI
ApC	Alpena gravelly sandy loam, 0 to 12 percent slopes	Alpena	90	G095AY002WI
Ax	Angelica loam	Angelica	95	G095AY010WI
Be	Beaches	Beaches	100	G095AY001WI
Bn	Bonduel loam	Bonduel	90	G095AY004WI
Bo	Bonduel variant fine sandy loam, shallow	Bonduel variant shallo	90	G095AY001WI
Bp	Bonduel variant loam, wet	Bonduel variant wet	90	G095AY004WI
BrB	Boyer loamy sand, 2 to 6 percent slopes	Boyer	90	G095AY005WI
BrC	Boyer loamy sand, 6 to 12 percent slopes	Boyer	90	G095AY005WI
BrD	Boyer loamy sand, 12 to 20 percent slopes	Boyer	90	G095AY006WI
Ca	Carbondale muck	Carbondale	95	G095AY010WI
CcB	Casco sandy loam, 2 to 6 percent slopes	Casco	95	G095AY002WI
CcC2	Casco sandy loam, 6 to 12 percent slopes, eroded	Casco	95	G095AY002WI
Cm	Cathro muck	Cathro	95	G095AY010WI
Cp	Chippeny muck	Chippeny	100	G095AY010WI
De	Deford loamy fine sand	Deford	95	G095AY010WI
DuB	Duel loamy sand, 1 to 6 percent slopes	Duel	90	G095AY002WI

Dv	Duel variant sandy loam	Duel variant	90	G095AY001WI
EmA	Emmet sandy loam, 0 to 2 percent slopes	Emmet	90	G095AY005WI
EmB	Emmet sandy loam, 2 to 6 percent slopes	Emmet	95	G095AY005WI
EmC2	Emmet sandy loam, 6 to 12 percent slopes, eroded	Emmet	90	G095AY005WI
EmD2	Emmet sandy loam, 12 to 20 percent slopes, eroded	Emmet	95	G095AY006WI
EmE	Emmet sandy loam, 20 to 35 percent slopes	Emmet	95	G095AY006WI
Fa	Fabius silt loam	Fabius	90	G095AY004WI
Fu	Fluvaquents	Fluvaquents	95	G095AY010WI
Gp	Gravel pits	Pits	99	
KhA	Kewaunee silt loam, 0 to 2 percent slopes	Kewaunee	90	G095AY005WI
KhB	Kewaunee silt loam, 2 to 6 percent slopes	Kewaunee	90	G095AY005WI
KhC2	Kewaunee silt loam, 6 to 12 percent slopes, eroded	Kewaunee	90	G095AY005WI
KkD3	Kewaunee soils, 12 to 20 percent slopes, severely eroded	Kewaunee	95	G095AY006WI
KmB	Kiva sandy loam, 2 to 6 percent slopes	Kiva	95	G095AY002WI
KmC	Kiva sandy loam, 6 to 12 percent slopes	Kiva	95	G095AY002WI
KoA	Kolberg silt loam, 0 to 2 percent slopes	Kolberg	90	G095AY005WI
KoB	Kolberg silt loam, 2 to 6 percent slopes	Kolberg	90	G095AY005WI
KoC2	Kolberg silt loam, 6 to 12 percent slopes, eroded	Kolberg	90	G095AY005WI

KvB	Kolberg variant loam, 1 to 6 percent slopes	Kolberg variant	100	G095AY002WI
KvC2	Kolberg variant loam, 6 to 12 percent slopes, eroded	Kolberg variant	100	G095AY002WI
LDF	Landfill	Urban Land	100	
LoA	Longrie loam, 0 to 2 percent slopes	Longrie	100	G095AY005WI
LoB	Longrie loam, 2 to 6 percent slopes	Longrie	100	G095AY005WI
LoC	Longrie loam, 6 to 12 percent slopes	Longrie	100	G095AY005WI
M-W	Miscellaneous water	Water	100	
McA	Manawa silt loam, 0 to 3 percent slopes	Manawa	100	G095AY004WI
MeB	Manistee loamy sand, 2 to 6 percent slopes	Manistee	100	G095AY002WI
Mk	Markey muck	Markey	100	G095AY010WI
NaB	Namur loam, 0 to 6 percent slopes	Namur	100	G095AY002WI
NaC	Namur loam, 6 to 12 percent slopes	Namur	100	G095AY002WI
Nv	Namur variant loam	Namur variant	100	G095AY001WI
OmB	Omena sandy loam, 2 to 6 percent slopes	Omena	100	G095AY005WI
OmC	Omena sandy loam, 6 to 12 percent slopes	Omena	100	G095AY005WI
OmD	Omena sandy loam, 12 to 20 percent slopes	Omena	100	G095AY006WI
OvB	Omena variant sandy loam, 2 to 6 percent slopes	Omena variant	100	G095AY004WI
OzB	Omro silt loam, 2 to 6 percent slopes	Omro	100	G095AY005WI
Pn	Pinconning loamy fine sand	Pinconning	100	G095AY001WI
Po	Poygan silty clay loam	Poygan	100	G095AY004WI

QUA	Quarry	Pits	100	
Ra	Rock outcrop	Rock outcrop	100	
Rb	Rock outcrop-Namur complex, 6 to 20 percent slopes	Rock outcrop	85	
		Namur	15	G095AY003WI
Rn	Rondeau muck	Rondeau	100	G095AY010WI
RoB	Rousseau fine sand, 2 to 6 percent slopes	Rousseau	100	G095AY002WI
RoC	Rousseau fine sand, 6 to 12 percent slopes	Rousseau	100	G095AY002WI
RpC	Rousseau-Shawano fine sands, 2 to 12 percent slopes	Shawano	25	G095AY002WI
		Rousseau	75	G095AY002WI
RpD	Rousseau-Shawano fine sands, 12 to 35 percent slopes	Rousseau	65	G095AY003WI
		Shawano	35	G095AY003WI
RrB	Rousseau-Deford fine sands, 2 to 6 percent slopes	Rousseau	40	G095AY002WI
		Deford	40	G095AY001WI
Sa	Sapristis	Sapristis	100	G095AY010WI
SnA	Sisson fine sandy loam, 0 to 2 percent slopes	Sisson	100	G095AY005WI
SnB	Sisson fine sandy loam, 2 to 8 percent slopes	Sisson	100	G095AY005WI
SoA	Solona loam, 0 to 3 percent slopes	Solona	100	G095AY004WI
Su	Suamico muck	Suamico	100	G095AY010WI
SvA	Summerville loam, 0 to 2 percent slopes	Summerville	100	G095AY002WI
SvB	Summerville loam, 2 to 6 percent slopes	Summerville	100	G095AY002WI

SvC	Summerville loam, 6 to 12 percent slopes	Summerville	100	G095AY002WI
SvD	Summerville loam, 12 to 20 percent slopes	Summerville	100	G095AY003WI
Ud	Udipsamments	Udipsamments	100	G095AY002WI
Uo	Udorthents, cobbly	Udorthents	100	
W	Water	Water	100	
Wa	Wainola loamy fine sand	Wainola	100	G095AY001WI
YaA	Yahara fine sandy loam, 0 to 3 percent slopes	Yahara	100	G095AY004WI
Yv	Yahara variant silt loam	Yahara variant	100	G095AY004WI