

Forage Suitability Groups

Douglas County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
3A	Totagatic-Bowstring-Ausable complex, 0 to 2 percent slopes, frequently flooded	Bowstring	30	G090AY010WI
		Ausable	20	G090AY010WI
		Totagatic	40	G090AY010WI
5A	Arnheim mucky silt loam, 0 to 1 percent slopes, frequently flooded	Arnheim	85	G092XY010WI
6A	Moquah fine sandy loam, 0 to 3 percent slopes, frequently flooded	Moquah	85	G092XY005WI
7C	Beaches, 2 to 12 percent slopes	Beaches	97	
12A	Makwa stony muck, 0 to 1 percent slopes, extremely stony, frequently flooded	Makwa	85	G090AY010WI
43C	Antigo silt loam, 6 to 15 percent slopes	Antigo	90	G090AY005WI
63B	Crystal Lake silt loam, 2 to 6 percent slopes	Crystal Lake	90	G090AY008WI
64A	Totagatic-Winterfield complex, 0 to 2 percent slopes, frequently flooded	Totagatic	50	G090AY010WI
		Winterfield	40	G090AY010WI
66A	Pesabic sandy loam, 0 to 3 percent slopes, very stony	Pesabic	80	G090AY004WI
69B	Keweenaw-Sayner-Vilas complex, 2 to 6 percent slopes, stony	Keweenaw	45	G090AY002WI
		Sayner	30	G090AY002WI

69B	Keweenaw-Sayner-Vilas complex, 2 to 6 percent slopes, stony	Vilas	20	G090AY002WI
69C	Keweenaw-Sayner-Vilas complex, 6 to 15 percent slopes, stony	Keweenaw	40	G090AY002WI
		Sayner	30	G090AY002WI
		Vilas	20	G090AY002WI
69E	Keweenaw-Sayner-Vilas complex, 15 to 45 percent slopes, stony	Vilas	20	G090AY003WI
		Keweenaw	40	G090AY003WI
		Sayner	30	G090AY003WI
74B	Vilas loamy sand, 0 to 6 percent slopes	Vilas	90	G090AY002WI
74C	Vilas loamy sand, 6 to 15 percent slopes	Vilas	95	G090AY002WI
74D	Vilas loamy sand, 15 to 30 percent slopes	Vilas	95	G090AY003WI
92F	Udorthents, ravines and escarpments, 25 to 60 percent slopes	Udorthents, ravines a	85	
100B	Menahga sand, 0 to 6 percent slopes	Menahga	88	G090AY002WI
100C	Menahga sand, 6 to 12 percent slopes	Menahga	88	G090AY002WI
100D	Menahga sand, 12 to 30 percent slopes	Menahga	95	G090AY003WI
121A	Wakeley muck, 0 to 2 percent slopes	Wakeley	80	G092XY004WI
160A	Oesterle sandy loam, 0 to 2 percent slopes	Oesterle	90	G090AY004WI
174B	Rubicon sand, 0 to 6 percent slopes	Rubicon	85	G090AY002WI
174C	Rubicon sand, 6 to 15 percent slopes	Rubicon	90	G090AY002WI
174D	Rubicon sand, 15 to 30 percent slopes	Rubicon	90	G090AY003WI

174F	Rubicon sand, 30 to 60 percent slopes	Rubicon	90	G090AY003WI
182B	Padus sandy loam, 0 to 6 percent slopes	Padus	78	G090AY005WI
182C	Padus sandy loam, 6 to 15 percent slopes	Padus	83	G090AY005WI
192A	Worcester sandy loam, 0 to 3 percent slopes	Worcester	80	G090AY004WI
193A	Minocqua muck, 0 to 2 percent slopes	Minocqua	83	G090AY004WI
205C	Keweenaw loamy sand, 6 to 15 percent slopes, stony	Keweenaw	90	G090AY002WI
205D	Keweenaw loamy sand, 15 to 30 percent slopes, stony	Keweenaw	90	G090AY003WI
205E	Keweenaw loamy sand, 30 to 45 percent slopes, stony	Keweenaw	90	G090AY003WI
215B	Pence sandy loam, 0 to 6 percent slopes	Pence	80	G090AY002WI
215C	Pence sandy loam, 6 to 15 percent slopes	Pence	85	G090AY002WI
215D	Pence sandy loam, 15 to 30 percent slopes	Pence	85	G090AY003WI
217B	Karlin loamy fine sand, 0 to 6 percent slopes	Karlin	80	G090AY005WI
226A	Allendale loamy fine sand, 0 to 3 percent slopes	Allendale	80	G092XY001WI
242B	Fence silt loam, lake terrace, 0 to 6 percent slopes	Fence	85	G092XY008WI
242C	Fence silt loam, lake terrace, 6 to 15 percent slopes	Fence	85	G092XY008WI
262B	Amnicon-Cuttre complex, 0 to 4 percent slopes	Amnicon	50	G092XY005WI
		Cuttre	40	G092XY004WI

274C	Miskoaki clay loam, 6 to 12 percent slopes	Miskoaki	90	G092XY005WI
274D	Miskoaki clay loam, 12 to 25 percent slopes	Miskoaki	95	G092XY006WI
292B	Udifluvents, loamy to clayey, 0 to 6 percent slopes, occasionally flooded	Udifluvents	85	
309C	Metonga-Rock outcrop complex, 6 to 20 percent slopes	Rock outcrop	25	
		Metonga	60	G090AY006WI
309E	Metonga-Rock outcrop complex, 20 to 45 percent slopes	Metonga	55	G090AY006WI
		Rock outcrop	25	
317D	Alcona fine sandy loam, lake terrace, 15 to 30 percent slopes	Alcona	87	G092XY006WI
319A	Tonkey sandy loam, 0 to 2 percent slopes	Tonkey	90	G090AY004WI
337A	Plover fine sandy loam, 0 to 3 percent slopes	Plover	85	G090AY004WI
339B	Rousseau loamy fine sand, 0 to 6 percent slopes	Rousseau	85	G092XY002WI
339C	Rousseau loamy fine sand, 6 to 15 percent slopes	Rousseau	90	G092XY002WI
339D	Rousseau loamy fine sand, 15 to 30 percent slopes	Rousseau	90	G092XY003WI
347A	Bergland-Cuttre complex, 0 to 3 percent slopes	Cuttre	35	G092XY004WI
		Bergland	50	G092XY004WI
371A	Croswell loamy sand, 0 to 3 percent slopes	Croswell	87	G090AY002WI

375A	Robago fine sandy loam, lake terrace, 0 to 3 percent slopes	Robago	85	G092XY004WI
376B	Tula fine sandy loam, 1 to 6 percent slopes, stony	Tula	80	G092XY004WI
383B	Mahtomedi loamy sand, 0 to 6 percent slopes	Mahtomedi	75	G090AY002WI
383C	Mahtomedi loamy sand, 6 to 12 percent slopes	Mahtomedi	75	G090AY002WI
383D	Mahtomedi loamy sand, 12 to 30 percent slopes	Mahtomedi	80	G090AY003WI
384B	Springstead sandy loam, 1 to 6 percent slopes, stony	Springstead	88	G090AY005WI
385B	Springstead loamy sand, 1 to 6 percent slopes, stony	Springstead	88	G090AY002WI
388B	Pelkie, occasionally flooded-Dechamps, frequently flooded complex, 0 to 4 percent slopes	Pelkie	50	G092XY002WI
		Dechamps	30	G092XY001WI
392C	Rockmarsh-Dairyland-Makwa, seeped, complex, 2 to 20 percent slopes, very stony	Dairyland	25	G090AY002WI
		Makwa	20	G090AY004WI
		Rockmarsh	25	G090AY004WI
396B	Friendship-Wurtsmith-Grayling complex, 0 to 6 percent slopes	Friendship	40	G090AY002WI
		Wurtsmith	35	G090AY002WI
		Grayling	20	G090AY002WI
399B	Grayling sand, 0 to 6 percent slopes	Grayling	97	G090AY002WI
399C	Grayling sand, 6 to 12 percent slopes	Grayling	98	G090AY002WI

399D	Grayling sand, 12 to 30 percent slopes	Grayling	98	G090AY003WI
405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	Lupton	40	G090AY010WI
		Tawas	25	G090AY010WI
		Cathro	30	G090AY010WI
406A	Loxley mucky peat, 0 to 1 percent slopes	Loxley	90	G090AY010WI
407A	Seelyeville and Markey soils, 0 to 1 percent slopes	Seelyeville	50	G090AY010WI
		Markey	35	G090AY010WI
419A	Seelyeville, Cathro, and Markey soils, 0 to 1 percent slopes	Seelyeville	40	G090AY010WI
		Markey	20	G090AY010WI
		Cathro	20	G090AY010WI
426B	Emmert-Mahtomedi-Menahga complex, 2 to 6 percent slopes	Mahtomedi	25	G090AY002WI
		Menahga	20	G090AY002WI
		Emmert	50	G090AY002WI
426C	Emmert-Mahtomedi-Menahga complex, 6 to 12 percent slopes	Mahtomedi	25	G090AY002WI
		Menahga	20	G090AY002WI
		Emmert	50	G090AY002WI
426D	Emmert-Mahtomedi-Menahga complex, 12 to 30 percent slopes	Emmert	50	G090AY003WI
		Mahtomedi	25	G090AY003WI
		Menahga	20	G090AY003WI
439B	Graycalm-Menahga complex, 0 to 6 percent slopes	Graycalm	55	G090AY002WI

439B	Graycalm-Menahga complex, 0 to 6 percent slopes	Menahga	30	G090AY002WI
439C	Graycalm-Menahga complex, 6 to 12 percent slopes	Menahga	35	G090AY002WI
		Graycalm	55	G090AY002WI
439D	Graycalm-Menahga complex, 12 to 30 percent slopes	Menahga	35	G090AY003WI
		Graycalm	60	G090AY003WI
445A	Kinross muck, 0 to 2 percent slopes	Kinross	80	G090AY004WI
451B	Newood, very stony-Annalake complex, 0 to 6 percent slopes	Newood	40	G090AY005WI
		Annalake	20	G090AY005WI
451C	Newood, very stony-Annalake complex, 6 to 15 percent slopes,	Newood	60	G090AY005WI
		Annalake	20	G090AY005WI
461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	Bowstring	85	G090AY010WI
469E	Bigisland-Milaca complex, 15 to 45 percent slopes, very stony	Bigisland	50	G090AY003WI
		Milaca	40	G090AY006WI
471B	Dairyland-Emmert complex, 0 to 6 percent slopes, very stony	Dairyland	55	G090AY002WI
		Emmert	30	G090AY002WI
471C	Dairyland-Emmert complex, 6 to 15 percent slopes, very stony	Emmert	20	G090AY002WI
		Dairyland	65	G090AY002WI

472A	Rockmarsh-Clemens complex, 0 to 2 percent slopes, very stony, frequently flooded	Rockmarsh	50	G090AY004WI
		Clemens	40	G090AY004WI
473A	Dairyland-Skog complex, 0 to 3 percent slopes, very stony, rarely flooded	Dairyland	50	G090AY002WI
		Skog	35	G090AY002WI
475B	Rubicon-Sayner complex, 0 to 6 percent slopes	Rubicon	50	G090AY002WI
		Sayner	35	G090AY002WI
475C	Rubicon-Sayner complex, 6 to 15 percent slopes	Sayner	40	G090AY002WI
		Rubicon	50	G090AY002WI
475D	Rubicon-Sayner complex, 15 to 30 percent slopes	Sayner	40	G090AY003WI
		Rubicon	50	G090AY003WI
476B	Newood-Pesabic complex, 1 to 6 percent slopes, very stony	Newood	50	G090AY005WI
		Pesabic	40	G090AY004WI
485C	Lupton and Tawas soils, seeped, 2 to 15 percent slopes	Lupton	50	G090AY010WI
		Tawas	45	G090AY010WI
495B	Karlsborg-Grettum-Perida complex, 1 to 6 percent slopes	Karlsborg	40	G090AY002WI
		Grettum	30	G090AY002WI
		Perida	20	G090AY002WI
495C	Karlsborg-Grettum-Perida complex, 6 to 12 percent slopes	Karlsborg	35	G090AY002WI

495C	Karlsborg-Grettum-Perida complex, 6 to 12 percent slopes	Grettum	30	G090AY002WI
		Perida	20	G090AY002WI
500A	Croswell sand, 0 to 3 percent slopes	Croswell	85	G090AY002WI
500B	Croswell sand, 0 to 6 percent slopes	Croswell	82	G092XY002WI
514B	Iosco loamy sand, 0 to 4 percent slopes	Iosco	85	G092XY004WI
515A	Manitowish sandy loam, 0 to 3 percent slopes	Manitowish	80	G090AY002WI
517B	Annalake fine sandy loam, lake terrace, 2 to 6 percent slopes	Annalake	85	G092XY005WI
517C	Annalake fine sandy loam, lake terrace, 6 to 15 percent slopes	Annalake	80	G092XY005WI
523A	Nokasippi muck, 0 to 1 percent slopes	Nokasippi	90	G090AY004WI
524E	Rock outcrop-Frogcreek-Metonga complex, 2 to 45 percent slopes, very stony	Metonga	20	G090AY006WI
		Frogcreek	20	G090AY005WI
		Rock outcrop	30	
526A	Flink sand, 0 to 3 percent slopes	Flink	75	G092XY004WI
544F	Menahga and Mahtomedi soils, 30 to 45 percent slopes	Menahga	65	G090AY003WI
		Mahtomedi	20	G090AY003WI
555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	Fordum	85	G090AY010WI
574B	Sayner loamy sand, 0 to 6 percent slopes	Sayner	85	G090AY002WI
574C	Sayner loamy sand, 6 to 15 percent slopes	Sayner	90	G090AY002WI

574E	Sayner loamy sand, 15 to 45 percent slopes	Sayner	90	G090AY003WI
577A	Lerch-Borea complex, 0 to 3 percent slopes	Lerch	50	G092XY004WI
		Borea	30	G092XY004WI
578C	Anton silty clay loam, 6 to 15 percent slopes	Anton	85	G092XY005WI
579B	Parkfalls sandy loam, 0 to 4 percent slopes, very stony	Parkfalls	85	G090AY004WI
591A	Crowell-Chinwhisker complex, 0 to 3 percent slopes	Chinwhisker	35	G090AY002WI
		Crowell	50	G090AY002WI
600A	Haplosaprists and Psammaquents, 0 to 2 percent slopes	Haplosaprists	50	
		Psammaquents	40	
604C	Amnicon-Rock outcrop complex, 2 to 15 percent slopes	Amnicon	45	G092XY005WI
		Rock outcrop	35	
615B	Cress sandy loam, 0 to 6 percent slopes	Cress	75	G090AY002WI
623A	Capitola muck, 0 to 2 percent slopes, very stony	Capitola	75	G090AY004WI
624A	Ossmer silt loam, 0 to 3 percent slopes	Ossmer	80	G090AY007WI
631A	Giese muck, 0 to 1 percent slopes, very stony	Giese	90	G090AY007WI
634C	Drylanding-Beartree complex, 0 to 12 percent slopes, rocky	Beartree	20	G090AY001WI
		Rock outcrop	5	
		Drylanding	75	G090AY002WI

635C	Drylanding-Beartree complex, 0 to 12 percent slopes, rocky, rarely flooded	Drylanding	75	G090AY002WI
		Beartree	20	G090AY001WI
		Rock outcrop	5	
639A	Neconish loamy fine sand, 0 to 3 percent slopes	Neconish	80	G092XY002WI
654A	Pesabic-Newood-Capitola complex, 0 to 3 percent slopes, very stony	Capitola	20	G090AY004WI
		Pesabic	45	G090AY004WI
		Newood	25	G090AY005WI
669D	Fremstadt, stony-Pomroy complex, 15 to 30 percent slopes	Fremstadt	50	G090AY003WI
		Pomroy	30	G090AY006WI
670C	Keweenaw-Pence complex, 6 to 15 percent slopes, stony	Keweenaw	50	G090AY002WI
		Pence	30	G090AY002WI
670E	Keweenaw-Pence complex, 15 to 45 percent slopes, stony	Keweenaw	50	G090AY003WI
		Pence	30	G090AY003WI
674B	Sultz sand, 0 to 6 percent slopes	Sultz	85	G090AY002WI
674C	Sultz sand, 6 to 15 percent slopes	Sultz	90	G090AY002WI
674E	Sultz sand, 15 to 45 percent slopes	Sultz	90	G090AY003WI
675A	Robago fine sandy loam, 0 to 3 percent slopes	Robago	90	G090AY004WI
678B	Springstead-Parkfalls complex, 0 to 6 percent slopes, very stony	Springstead	60	G090AY005WI

678B	Springstead-Parkfalls complex, 0 to 6 percent slopes, very stony	Parkfalls	25	G090AY004WI
683A	Tipler sandy loam, 0 to 3 percent slopes	Tipler	90	G090AY005WI
705B	Cublake-Croswell-Ashwabay complex, 0 to 6 percent slopes	Cublake	35	G092XY002WI
		Ashwabay	20	G092XY002WI
		Croswell	20	G092XY002WI
706A	Winterfield-Totagatic complex, 0 to 2 percent slopes, frequently flooded	Winterfield	65	G090AY010WI
		Totagatic	25	G090AY010WI
712B	Morganlake loamy sand, 0 to 6 percent slopes	Morganlake	85	G092XY005WI
712C	Morganlake loamy sand, 6 to 15 percent slopes	Morganlake	85	G092XY005WI
713B	Kellogg-Allendale-Ashwabay complex, 2 to 6 percent slopes	Kellogg	35	G092XY005WI
		Allendale	25	G092XY001WI
		Ashwabay	20	G092XY002WI
713C	Kellogg-Allendale-Ashwabay complex, 6 to 15 percent slopes	Kellogg	40	G092XY005WI
		Allendale	25	G092XY001WI
		Ashwabay	20	G092XY002WI
714A	Cebana-Brennyville complex, 0 to 2 percent slopes, very stony	Cebana	60	G090AY007WI
		Brennyville	35	G090AY007WI
715A	Mora silt loam, 0 to 3 percent slopes, very stony	Mora	80	G090AY004WI

717B	Milaca silt loam, 3 to 6 percent slopes, very stony	Milaca	85	G090AY005WI
717C	Milaca silt loam, 6 to 12 percent slopes, very stony	Milaca	80	G090AY005WI
717D	Milaca silt loam, 12 to 20 percent slopes, very stony	Milaca	90	G090AY006WI
718B	Brennyville-Milaca complex, 1 to 6 percent slopes, very stony	Milaca	45	G090AY005WI
		Brennyville	50	G090AY007WI
724A	Rib-Rock outcrop complex, 0 to 2 percent slopes	Rib	60	G090AY007WI
		Rock outcrop	10	
728C	Springstead-Parkfalls-Metonga complex, 0 to 15 percent slopes, very stony	Springstead	35	G090AY005WI
		Parkfalls	30	G090AY004WI
		Metonga	20	G090AY005WI
733A	Wozny muck, 0 to 2 percent slopes, very stony	Wozny	80	G090AY007WI
742B	Milaca sandy loam, 2 to 6 percent slopes, very stony	Milaca	90	G090AY005WI
742C	Milaca sandy loam, 6 to 12 percent slopes, very stony	Milaca	95	G090AY005WI
742D	Milaca sandy loam, 12 to 20 percent slopes, very stony	Milaca	95	G090AY006WI
753B	Sedgwick-Munuscong complex, 0 to 6 percent slopes	Munuscong	30	G092XY004WI
		Sedgwick	50	G092XY004WI
756B	Superior-Sedgwick complex, 0 to 6 percent slopes	Superior	50	G092XY005WI

756B	Superior-Sedgwick complex, 0 to 6 percent slopes	Sedgwick	30	G092XY004WI
756C	Superior-Sedgwick complex, 6 to 15 percent slopes	Superior	50	G092XY005WI
		Sedgwick	30	G092XY004WI
771A	Lenroot loamy sand, 0 to 3 percent slopes	Lenroot	85	G090AY002WI
805E	Sultz-Ashwabay-Rubicon complex, 15 to 45 percent slopes	Rubicon	20	G092XY003WI
		Sultz	35	G092XY003WI
		Ashwabay	25	G092XY003WI
812B	Mora sandy loam, 0 to 4 percent slopes, very stony	Mora	90	G090AY004WI
813E	Manistee-Kellogg-Ashwabay complex, 15 to 45 percent slopes	Manistee	40	G092XY003WI
		Kellogg	30	G092XY006WI
		Ashwabay	20	G092XY003WI
815A	Wormet sandy loam, 0 to 3 percent slopes	Wormet	80	G090AY004WI
825A	Meehan sand, 0 to 2 percent slopes	Meehan	90	G090AY001WI
853C	Frogcreek-Stinnett-Wozny complex, 0 to 15 percent slopes, very stony	Frogcreek	45	G090AY005WI
		Stinnett	25	G090AY007WI
		Wozny	20	G090AY007WI
856B	Stinnett silt loam, 0 to 4 percent slopes, very stony	Stinnett	80	G090AY007WI
857B	Frogcreek silt loam, 2 to 6 percent slopes, very stony	Frogcreek	85	G090AY005WI

857C	Frogcreek silt loam, 6 to 15 percent slopes, very stony	Frogcreek	90	G090AY005WI
873B	Stanberry sandy loam, 1 to 6 percent slopes, very stony	Stanberry	80	G090AY005WI
873C	Stanberry sandy loam, 6 to 15 percent slopes, very stony	Stanberry	80	G090AY005WI
873D	Stanberry sandy loam, 15 to 30 percent slopes, very stony	Stanberry	75	G090AY006WI
874B	Keweenaw, stony-Rubicon complex, 0 to 6 percent slopes	Keweenaw	60	G090AY002WI
		Rubicon	30	G090AY002WI
874C	Keweenaw, stony-Rubicon complex, 6 to 15 percent slopes	Keweenaw	60	G090AY002WI
		Rubicon	30	G090AY002WI
874D	Keweenaw, stony-Rubicon complex, 15 to 30 percent slopes	Keweenaw	60	G090AY003WI
		Rubicon	30	G090AY003WI
884C	Keweenaw, stony-Vilas-Cathro complex, 0 to 15 percent slopes	Keweenaw	40	G090AY002WI
		Cathro	15	G090AY010WI
		Vilas	30	G090AY002WI
884E	Keweenaw, stony-Vilas-Cathro complex, 0 to 55 percent slopes	Keweenaw	40	G090AY003WI
		Vilas	30	G090AY003WI
		Cathro	15	G090AY010WI
885B	Springstead, stony-Annalake-Cathro complex, 0 to 6 percent slopes	Springstead	55	G090AY005WI

885B	Springstead, stony-Annalake-Cathro complex, 0 to 6 percent slopes	Annalake	25	G090AY005WI
		Cathro	15	G090AY010WI
896A	Wurtsmith sand, 0 to 3 percent slopes	Wurtsmith	90	G090AY002WI
905A	Cublake loamy sand, 0 to 3 percent slopes	Cublake	80	G090AY002WI
917B	Annalake fine sandy loam, 2 to 6 percent slopes	Annalake	90	G090AY005WI
917C	Annalake fine sandy loam, 6 to 15 percent slopes	Annalake	87	G090AY005WI
926A	Flink loamy sand, 0 to 3 percent slopes	Flink	80	G090AY001WI
928C	Milaca-Mora-Haustrup complex, 0 to 15 percent slopes, very stony, rocky	Milaca	45	G090AY005WI
		Mora	30	G090AY004WI
		Haustrup	15	G090AY002WI
948A	Billyboy silt loam, 0 to 3 percent slopes	Billyboy	90	G090AY005WI
1053C	Milaca-Mora-Giese complex, 0 to 15 percent slopes, very stony	Milaca	55	G090AY005WI
		Mora	25	G090AY004WI
		Giese	17	G090AY007WI
1153C	Newood-Pesabic-Capitola complex, 0 to 15 percent slopes, very stony	Newood	45	G090AY005WI
		Capitola	20	G090AY004WI
		Pesabic	25	G090AY004WI
1274B	Amnicon-Miskoaki complex, 2 to 6 percent slopes	Amnicon	50	G092XY005WI

1274B	Amnicon-Miskoaki complex, 2 to 6 percent slopes	Miskoaki	40	G092XY005WI
1637B	Newood sandy loam, 1 to 5 percent slopes, very stony	Newood	85	G090AY005WI
1637C	Newood sandy loam, 5 to 15 percent slopes, very stony	Newood	85	G090AY005WI
1637D	Newood sandy loam, 15 to 30 percent slopes, very stony	Newood	85	G090AY006WI
1653B	Stanberry-Parkfalls-Wozny complex, 0 to 6 percent slopes, very stony	Stanberry	40	G090AY005WI
		Parkfalls	35	G090AY004WI
		Wozny	20	G090AY007WI
1653C	Stanberry-Parkfalls-Wozny complex, 0 to 15 percent slopes, very stony	Stanberry	40	G090AY005WI
		Parkfalls	25	G090AY004WI
		Wozny	15	G090AY007WI
1670C	Keweenaw, stony-Newood, stony-Cathro complex, 0 to 15 percent slopes	Keweenaw	50	G090AY002WI
		Newood	20	G090AY005WI
		Cathro	15	G090AY010WI
1884B	Springstead, stony-Markey complex, 0 to 6 percent slopes	Springstead	70	G090AY002WI
		Markey	20	G090AY010WI
1885B	Springstead, stony-Cathro complex, 0 to 6 percent slopes	Springstead	70	G090AY005WI
		Cathro	20	G090AY010WI
2002	Udorthents, earthen dams	Udorthents	100	

2014	Pits, quarry, hard bedrock	Pits	100	
2015	Pits	Pits	100	
2030	Udorthents and Udipsamments, cut or fill	Udorthents	50	
		Udipsamments	50	
2050	Landfill	Landfill	100	
3114A	Saprists, aquents, and aquepts, 0 to 1 percent slopes, ponded, flooded	Saprists	55	G090AY010WI
		Aquepts	15	G090AY010WI
		Aquents	15	G090AY010WI
3125A	Meehan loamy sand, 0 to 2 percent slopes	Meehan	85	G090AY001WI
3126A	Wurtsmith loamy sand, 0 to 3 percent slopes	Wurtsmith	85	G090AY002WI
3244A	Brimley fine sandy loam, 0 to 3 percent slopes	Brimley	80	G092XY007WI
3247A	Bruce silt loam, 0 to 2 percent slopes	Bruce	85	G090AY007WI
3276A	Au Gres loamy sand, 0 to 3 percent slopes	Au Gres	85	G090AY001WI
3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	Loxley	40	G090AY010WI
		Beseman	30	G090AY010WI
		Dawson	28	G090AY010WI
3423A	Rifle peat, 0 to 1 percent slopes	Rifle	90	G092XY010WI
3424C	Frogcreek-Magroc-Stinnett complex, 0 to 15 percent slopes, very stony, rocky	Frogcreek	45	G090AY005WI
		Magroc	25	G090AY004WI

3424C	Frogcreek-Magroc-Stinnett complex, 0 to 15 percent slopes, very stony, rocky	Stinnett	20	G090AY007WI
		Rock outcrop	3	
3446A	Newson muck, 0 to 2 percent slopes	Newson	85	G090AY004WI
3448B	Grettum loamy sand, 0 to 6 percent slopes	Grettum	80	G090AY002WI
3448C	Grettum loamy sand, 6 to 12 percent slopes	Grettum	80	G090AY002WI
3454B	Odanah-Cornucopia complex, 2 to 6 percent slopes	Odanah	55	G092XY005WI
		Cornucopia	25	G092XY005WI
3510B	Pomroy-Fremstadt-Fremstadt, stony complex, 1 to 6 percent slopes	Pomroy	40	G090AY005WI
		Fremstadt	20	G090AY002WI
		Fremstadt	20	G090AY002WI
3510C	Pomroy-Fremstadt-Fremstadt, stony complex, 6 to 15 percent slopes	Pomroy	45	G090AY005WI
		Fremstadt	20	G090AY002WI
		Fremstadt	20	G090AY002WI
3511A	Bushville loamy sand, 0 to 3 percent slopes	Bushville	90	G090AY004WI
3512D	Menominee loamy sand, 15 to 30 percent slopes	Menominee	85	G092XY006WI
3516A	Slimlake sandy loam, 0 to 3 percent slopes	Slimlake	70	G090AY002WI
3547B	Newood-Pence complex, 1 to 6 percent slopes, very stony	Newood	55	G090AY005WI
		Pence	35	G090AY002WI

3576B	Anton-Borea complex, 0 to 4 percent slopes	Anton	50	G092XY005WI
		Borea	30	G092XY004WI
3601C	Ishpeming-Rock outcrop complex, 5 to 20 percent slopes, very stony	Ishpeming	60	G092XY006WI
		Rock outcrop	30	
3676A	Au Gres sand, 0 to 3 percent slopes	Au Gres	85	G090AY001WI
M-W	Miscellaneous water	Water	100	
W	Water	Water	100	