

Forage Suitability Groups

Eau Claire County, Wisconsin

| <i>Symbol</i> | <i>Mapunit Name</i> | <i>Comp Name</i> | <i>Component %</i> | <i>foragesuitgrpid</i> |
|---------------|--|--------------------|--------------------|------------------------|
| Ad | Adrian muck | Adrian | 100 | G105XY010WI |
| Ae | Alluvial land, sandy | Typic Udipsamments | 90 | G105XY002WI |
| Af | Alluvial land, wet | Fluvaquents | 100 | G105XY010WI |
| ArA | Arenzville silt loam, 0 to 3 percent slopes | Arenzville | 99 | G105XY008WI |
| AtB | Arland sandy loam, 2 to 6 percent slopes | Arland | 100 | G105XY005WI |
| AtC2 | Arland sandy loam, 6 to 12 percent slopes, eroded | Arland | 100 | G105XY005WI |
| AtD2 | Arland sandy loam, 12 to 20 percent slopes, eroded | Arland | 100 | G105XY006WI |
| Au | Au Gres loamy sand | Au Gres | 99 | G089XY001WI |
| BIB | Billett sandy loam, 1 to 6 percent slopes | Billett | 100 | G105XY005WI |
| BIC2 | Billett sandy loam, 6 to 12 percent slopes, eroded | Billett | 100 | G105XY005WI |
| BID2 | Billett sandy loam, 12 to 20 percent slopes, eroded | Billett | 100 | G105XY006WI |
| BmA | Billett sandy loam, moderately well drained, 0 to 3 percent slopes | Billett | 100 | G105XY005WI |
| BoB | Boone-Plainbo complex, 2 to 6 percent slopes | Boone | 60 | G105XY002WI |
| | | Plainbo | 40 | G105XY002WI |
| BoC | Boone-Plainbo complex, 6 to 12 percent slopes | Boone | 60 | G105XY002WI |
| | | Plainbo | 40 | G105XY002WI |

| | | | | |
|------|--|-----------|-----|-------------|
| BoE | Boone-Plainbo complex, 12 to 45 percent slopes | Boone | 60 | G105XY003WI |
| | | Plainbo | 40 | G105XY003WI |
| BP | Borrow pit | Pits | 100 | |
| BuA | Burkhardt sandy loam, 0 to 3 percent slopes | Burkhardt | 100 | G105XY002WI |
| Cb | Cable loam | Cable | 100 | G090BY004WI |
| CeA | Caryville loam, 0 to 3 percent slopes | Caryville | 100 | G105XY005WI |
| CkB | Chetek sandy loam, 1 to 6 percent slopes | Chetek | 100 | G105XY002WI |
| CkC2 | Chetek sandy loam, 6 to 12 percent slopes, eroded | Chetek | 100 | G105XY002WI |
| CkD2 | Chetek sandy loam, 12 to 20 percent slopes, eroded | Chetek | 100 | G105XY003WI |
| Cu | Curran silt loam | Curran | 99 | G105XY007WI |
| DaA | Dakota loam, 0 to 3 percent slopes | Dakota | 100 | G105XY005WI |
| De | Dells silt loam | Dells | 99 | G105XY007WI |
| DuA | Dunnville sandy loam, 0 to 3 percent slopes | Dunnville | 100 | G105XY005WI |
| EIB | Eleva sandy loam, 2 to 6 percent slopes | Eleva | 100 | G105XY002WI |
| EIC2 | Eleva sandy loam, 6 to 12 percent slopes, eroded | Eleva | 100 | G105XY002WI |
| EID2 | Eleva sandy loam, 12 to 20 percent slopes, eroded | Eleva | 100 | G105XY003WI |
| EmB | Elk mound loam, 2 to 6 percent slopes | Elk mound | 100 | G105XY002WI |
| EmC2 | Elk mound loam, 6 to 12 percent slopes, eroded | Elk mound | 100 | G105XY002WI |

| | | | | |
|------|---|------------|-----|-------------|
| EmD2 | Elk mound loam, 12 to 20 percent slopes, eroded | Elk mound | 100 | G105XY003WI |
| EmE | Elk mound loam, 20 to 45 percent slopes | Elk mound | 100 | G105XY003WI |
| Eo | Elm Lake loamy sand | Elm Lake | 100 | G089XY001WI |
| Er | Ettrick silt loam | Ettrick | 100 | G105XY010WI |
| FmA | Fairchild and Merrillan soils, 0 to 2 percent slopes | Fairchild | 50 | G089XY001WI |
| | | Merrillan | 48 | G089XY004WI |
| FmB | Fairchild and Merrillan soils, 2 to 6 percent slopes | Merrillan | 48 | G089XY004WI |
| | | Fairchild | 50 | G089XY001WI |
| FoA | Fallcreek sandy loam, 0 to 2 percent slopes | Fallcreek | 98 | G090BY004WI |
| FoB | Fallcreek sandy loam, 2 to 6 percent slopes | Fallcreek | 98 | G090BY004WI |
| FpB | Fallcreek loam, moderately well drained variant, 2 to 6 percent | Fallcreek | 100 | G090BY005WI |
| FpC | Fallcreek loam, moderately well drained variant, 6 to 12 percent slopes | Fallcreek | 100 | G090BY005WI |
| FrA | Friendship loamy sand, 0 to 3 percent slopes | Friendship | 100 | G105XY002WI |
| GaB | Gale silt loam, 2 to 6 percent slopes | Gale | 100 | G105XY005WI |
| GaC2 | Gale silt loam, 6 to 12 percent slopes, eroded | Gale | 100 | G105XY005WI |
| GaD2 | Gale silt loam, 12 to 20 percent slopes, eroded | Gale | 100 | G105XY006WI |
| GaE | Gale silt loam, 20 to 30 percent slopes | Gale | 100 | G105XY006WI |

| | | | | |
|------|---|------------|-----|-------------|
| GoB | Gotham loamy sand, 1 to 6 percent slopes | Gotham | 100 | G105XY002WI |
| GoC2 | Gotham loamy sand, 6 to 12 percent slopes, eroded | Gotham | 100 | G105XY002WI |
| GP | Gravel pit | Pits | 99 | 105X |
| GsB | Gotham loamy sand, sandstone substratum, 2 to 6 percent slopes | Gotham | 100 | G105XY002WI |
| GsC2 | Gotham loamy sand, sandstone substratum, 6 to 12 percent slopes, eroded | Gotham | 100 | G105XY002WI |
| HeC2 | Hiles silt loam, 6 to 12 percent slopes, eroded | Hiles | 100 | G105XY005WI |
| HkB | Hiles and Kert soils, 2 to 6 percent slopes | Hiles | 50 | G105XY005WI |
| | | Kert | 48 | G105XY004WI |
| HnB | Hixton loam, 2 to 6 percent slopes | Hixton | 100 | G105XY005WI |
| HnC2 | Hixton loam, 6 to 12 percent slopes, eroded | Hixton | 100 | G105XY005WI |
| HnD2 | Hixton loam, 12 to 20 percent slopes, eroded | Hixton | 100 | G105XY006WI |
| Ho | Houghton muck | Houghton | 100 | G105XY010WI |
| KeA | Kert loam, 0 to 3 percent slopes | Kert | 99 | G105XY004WI |
| La | Lows loam | Lows | 100 | G105XY004WI |
| LDF | Landfill | Urban land | 100 | |
| LuB | Ludington and Humbird soils, 2 to 6 percent slopes | Ludington | 52 | G089XY002WI |
| | | Humbird | 48 | G089XY005WI |
| LuC | Ludington and Humbird soils, 6 to 12 percent slopes | Ludington | 52 | G089XY002WI |

| | | | | |
|------|---|-------------|-----|-------------|
| LuC | Ludington and Humbird soils, 6 to 12 percent slopes | Humbird | 48 | G089XY005WI |
| M-W | Miscellaneous water | Water | 100 | |
| Ma | Markey muck | Markey | 100 | G089XY010WI |
| Mc | Marshan loam | Marshan | 100 | G105XY007WI |
| MdB | Menahga sand, 1 to 6 percent slopes | Menahga | 100 | G105XY002WI |
| MdC | Menahga sand, 6 to 12 percent slopes | Menahga | 100 | G105XY002WI |
| MeA | Meridian loam, 0 to 2 percent slopes | Meridian | 100 | G105XY005WI |
| MeB | Meridian loam, 2 to 6 percent slopes | Meridian | 100 | G105XY005WI |
| MeC2 | Meridian loam, 6 to 12 percent slopes, eroded | Meridian | 100 | G105XY005WI |
| MmA | Meridian loam, moderately well drained, 0 to 3 percent slopes | Meridian | 100 | G105XY005WI |
| Mo | Morocco loamy sand | Morocco | 99 | G105XY001WI |
| MrB | Mt. Carroll silt loam, 2 to 6 percent slopes | Mt. Carroll | 100 | G105XY008WI |
| MrC2 | Mt. Carroll silt loam, 6 to 12 percent slopes, eroded | Mt. Carroll | 100 | G105XY008WI |
| Ms | Mt. Carroll silt loam, benches | Mt. Carroll | 100 | G105XY008WI |
| Na | Newson loamy sand | Newson | 100 | G105XY001WI |
| NrC2 | Norden silt loam, 6 to 12 percent slopes, eroded | Norden | 100 | G105XY005WI |
| NrD2 | Norden silt loam, 12 to 20 percent slopes, eroded | Norden | 100 | G105XY006WI |
| NrE2 | Norden silt loam, 20 to 30 percent slopes, eroded | Norden | 100 | G105XY006WI |

| | | | | |
|------|---|------------|-----|-------------|
| NtB | Northfield silt loam, 2 to 6 percent slopes | Northfield | 100 | G105XY002WI |
| NtC2 | Northfield silt loam, 6 to 12 percent slopes, eroded | Northfield | 100 | G105XY002WI |
| NtD2 | Northfield silt loam, 12 to 20 percent slopes, eroded | Northfield | 100 | G105XY003WI |
| NtE2 | Northfield silt loam, 20 to 30 percent slopes, eroded | Northfield | 100 | G105XY003WI |
| NtF | Northfield silt loam, 30 to 45 percent slopes | Northfield | 100 | G105XY003WI |
| On | Orion silt loam | Orion | 99 | G105XY007WI |
| Or | Otter silt loam, overwash | Otter | 100 | G105XY007WI |
| OsB | Otterholt silt loam, 2 to 6 percent slopes | Otterholt | 100 | G105XY008WI |
| OsC2 | Otterholt silt loam, 6 to 12 percent slopes, eroded | Otterholt | 100 | G105XY008WI |
| PcB | Pillot silt loam, 2 to 6 percent slopes | Pillot | 100 | G105XY008WI |
| PdB | Plainbo loamy sand, 2 to 6 percent slopes | Plainbo | 100 | G105XY002WI |
| PdC2 | Plainbo loamy sand, 6 to 12 percent slopes, eroded | Plainbo | 100 | G105XY002WI |
| PfB | Plainfield loamy sand, 1 to 6 percent slopes | Plainfield | 100 | G105XY002WI |
| PfC2 | Plainfield loamy sand, 6 to 12 percent slopes, eroded | Plainfield | 100 | G105XY002WI |
| PIB | Plainfield loamy sand, loamy substratum, 1 to 6 percent slopes | Plainfield | 100 | G105XY002WI |
| PIC2 | Plainfield loamy sand, loamy substratum, 6 to 12 percent slopes, eroded | Plainfield | 100 | G105XY002WI |

| | | | | |
|------|--|--------------|-----|-------------|
| Pw | Psammaquents | Psammaquents | 100 | |
| QUA | Quarry | Pits | 100 | |
| Re | Riverwash | Riverwash | 100 | G105XY010WI |
| SeB | Seaton silt loam, 2 to 6 percent slopes | Seaton | 100 | G105XY008WI |
| SeC2 | Seaton silt loam, 6 to 12 percent slopes, eroded | Seaton | 100 | G105XY008WI |
| SeD2 | Seaton silt loam, 12 to 20 percent slopes, eroded | Seaton | 100 | G105XY009WI |
| SeE2 | Seaton silt loam, 20 to 30 percent slopes, eroded | Seaton | 100 | G105XY009WI |
| SfB | Seaton silt loam, benches, 2 to 6 percent slopes | Seaton | 100 | G105XY008WI |
| SmA | Seaton silt loam, moderately well drained, 0 to 2 percent slopes | Seaton | 100 | G105XY008WI |
| SmB | Seaton silt loam, moderately well drained, 2 to 6 percent slopes | Seaton | 100 | G105XY008WI |
| So | Shiffer loam | Shiffer | 99 | G105XY004WI |
| SpB | Sparta loamy sand, 1 to 6 percent slopes | Sparta | 100 | G105XY002WI |
| SPO | Spoil area | Dumps | 100 | |
| TeA | Tell silt loam, 0 to 2 percent slopes | Tell | 100 | G105XY008WI |
| TeB | Tell silt loam, 2 to 6 percent slopes | Tell | 100 | G105XY008WI |
| Tn | Terrace escarpments, sandy | Udipsamments | 100 | G105XY003WI |
| TrB | Trempe loamy sand, 1 to 6 percent slopes | Trempe | 100 | G105XY002WI |
| UnD2 | Urne very fine sandy loam, 12 to 20 percent slopes, eroded | Urne | 100 | G105XY003WI |

| | | | | |
|-----|--|-----------|-----|-------------|
| UnE | Urne very fine sandy loam, 20 to 45 percent slopes | Urne | 100 | G105XY003WI |
| Vd | Veedum silt loam | Veedum | 100 | G089XY004WI |
| Ve | Vesper loam | Vesper | 100 | G089XY004WI |
| VIB | Vilas sand, 1 to 6 percent slopes | Vilas | 100 | G089XY002WI |
| W | Water | Water | 100 | |
| Wh | Whitehall silt loam, deep variant | Whitehall | 100 | G105XY008WI |