

Forage Suitability Groups

Fond du Lac County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
Ak	Adrian mucky peat	Adrian	100	G095BY010WI
Am	Alluvial land	Alluvial land	90	
An	Alluvial land, wet	Alluvial land, wet	100	
AtA	Ashkum silty clay loam, 0 to 3 percent slopes	Ashkum	100	G095BY004WI
BcA	Beecher silt loam, 0 to 2 percent slopes	Beecher	90	G095BY007WI
BcB	Beecher silt loam, 2 to 6 percent slopes	Beecher	95	G095BY007WI
BeB	Beecher silt loam, shaly subsoil variant, 2 to 6 percent slopes	Beecher variant	95	G095BY001WI
BP	Borrow area	Borrow area	100	
BsA	Brookston silt loam, 0 to 3 percent slopes	Brookston	100	G095BY007WI
BtA	Brookston stony silt loam, 0 to 3 percent slopes	Brookston	100	G095BY007WI
BuA	Brookston silty clay loam, 0 to 3 percent slopes	Brookston	100	G095BY007WI
Ca	Carbondale mucky peat	Carbondale	100	G095BY110WI
CcB	Casco sandy loam, 2 to 6 percent slopes	Casco	100	G095BY002WI
CcC	Casco sandy loam, 6 to 12 percent slopes	Casco	100	G095BY002WI
CeB	Casco loam, 2 to 6 percent slopes	Casco	100	G095BY005WI
CeC2	Casco loam, 6 to 12 percent slopes, eroded	Casco	100	G095BY005WI

CeD2	Casco loam, 12 to 20 percent slopes, eroded	Casco	100	G095BY006WI
CfB3	Casco soils, 2 to 6 percent slopes, severely eroded	Casco	100	G095BY002WI
CfC3	Casco soils, 6 to 12 percent slopes, severely eroded	Casco	100	G095BY002WI
CfD3	Casco soils, 12 to 20 percent slopes, severely eroded	Casco	100	G095BY003WI
CgB	Casco loam, loamy subsoil variant, 0 to 6 percent slopes	Casco variant	100	G095BY005WI
ChB	Casco loam, clayey subsoil variant, 2 to 6 percent slopes	Casco variant	100	G095AY005WI
CmB	Casco-Hochheim loams, 2 to 6 percent slopes	Casco	50	G095BY005WI
		Hochheim	30	G095BY005WI
CmC2	Casco-Hochheim loams, 6 to 12 percent slopes, eroded	Casco	50	G095BY005WI
		Hochheim	30	G095BY005WI
CmD2	Casco-Hochheim loams, 12 to 20 percent slopes, eroded	Casco	50	G095BY006WI
		Hochheim	30	G095BY006WI
CnC3	Casco-Hochheim complex, 6 to 12 percent slopes, severely eroded	Casco	50	G095BY002WI
		Hochheim	30	G095BY005WI
CnD3	Casco-Hochheim complex, 12 to 20 percent slopes, severely eroded	Casco	50	G095BY003WI
		Hochheim	30	G095BY006WI

CpC2	Casco-Rodman loams, 6 to 12 percent slopes, eroded	Casco	50	G095BY005WI
		Rodman	30	G095BY002WI
CpE	Casco-Rodman loams, 12 to 30 percent slopes	Casco	50	G095BY006WI
		Rodman	30	G095BY003WI
CpE3	Casco-Rodman loams, 12 to 30 percent slopes, severely eroded	Casco	50	G095BY003WI
		Rodman	30	G095BY003WI
CpF	Casco-Rodman loams, 30 to 45 percent slopes	Rodman	30	G095BY003WI
		Casco	50	G095BY006WI
DcA	Depere silty clay loam, 0 to 3 percent slopes	Depere	95	G095AY005WI
DdA	Dodge silt loam, 0 to 2 percent slopes	Dodge	100	G095BY008WI
DdB	Dodge silt loam, 2 to 6 percent slopes	Dodge	100	G095BY008WI
DdB2	Dodge silt loam, 2 to 6 percent slopes, eroded	Dodge	100	G095BY008WI
EbA	Elburn silt loam, 0 to 3 percent slopes	Elburn	90	G095BY007WI
EsA	Elliott silt loam, 0 to 2 percent slopes	Elliott	90	G095BY004WI
EsB	Elliott silt loam, 2 to 6 percent slopes	Elliott	95	G095BY004WI
FmB	Fox sandy loam, 2 to 6 percent slopes	Fox	100	G095BY005WI
FoB	Fox loam, 2 to 6 percent slopes	Fox	100	G095BY005WI
FoB2	Fox loam, 2 to 6 percent slopes, eroded	Fox	100	G095BY005WI

FoC2	Fox loam, 6 to 12 percent slopes, eroded	Fox	100	G095BY005WI
FsA	Fox silt loam, 0 to 2 percent slopes	Fox	100	G095BY005WI
FsB	Fox silt loam, 2 to 6 percent slopes	Fox	100	G095BY005WI
FsB2	Fox silt loam, 2 to 6 percent slopes, eroded	Fox	100	G095BY005WI
FsC2	Fox silt loam, 6 to 12 percent slopes, eroded	Fox	100	G095BY005WI
GP	Gravel pit	Pits	99	
HhE2	Hixton loam, 12 to 30 percent slopes, eroded	Hixton	100	G095BY006WI
HmB	Hochheim loam, 2 to 6 percent slopes	Hochheim	100	G095BY005WI
HmB2	Hochheim loam, 2 to 6 percent slopes, eroded	Hochheim	100	G095BY005WI
HmC	Hochheim loam, 6 to 12 percent slopes	Hochheim	100	G095BY005WI
HmC2	Hochheim loam, 6 to 12 percent slopes, eroded	Hochheim	100	G095BY005WI
HmD	Hochheim loam, 12 to 20 percent slopes	Hochheim	100	G095BY006WI
HmD2	Hochheim loam, 12 to 20 percent slopes, eroded	Hochheim	100	G095BY006WI
HmE	Hochheim loam, 20 to 30 percent slopes	Hochheim	100	G095BY006WI
HoB3	Hochheim soils, 2 to 6 percent slopes, severely eroded	Hochheim	100	G095BY005WI
HoC3	Hochheim soils, 6 to 12 percent slopes, severely eroded	Hochheim	100	G095BY005WI
HoD3	Hochheim soils, 12 to 20 percent slopes, severely eroded	Hochheim	100	G095BY006WI

HoE3	Hochheim soils, 20 to 30 percent slopes, severely eroded	Hochheim	100	G095BY006WI
Hu	Houghton mucky peat	Houghton	100	G095BY010WI
InA	Ionia sandy loam, 0 to 3 percent slopes	Ionia	100	G095BY005WI
IoA	Ionia silt loam, 0 to 2 percent slopes	Ionia	95	G095BY005WI
IoB	Ionia silt loam, 2 to 6 percent slopes	Ionia	90	G095BY005WI
IrA	Ionia silt loam, loamy subsoil variant, 0 to 3 percent slopes	Ionia variant	100	G095BY005WI
IsB	Ionia silt loam, clayey subsoil variant, 2 to 6 percent slopes	Ionia variant	100	G095AY005WI
JuA	Juneau silt loam, 0 to 2 percent slopes	Juneau	100	G095BY008WI
JuB	Juneau silt loam, 2 to 6 percent slopes	Juneau	100	G095BY008WI
Km	Keown silt loam	Keown	100	G095AY004WI
KnA	Kewaunee silt loam, 0 to 2 percent slopes	Kewaunee	95	G095AY005WI
KnB	Kewaunee silt loam, 2 to 6 percent slopes	Kewaunee	95	G095AY005WI
KnB2	Kewaunee silt loam, 2 to 6 percent slopes, eroded	Kewaunee	95	G095BY005WI
KnC2	Kewaunee silt loam, 6 to 12 percent slopes, eroded	Kewaunee	100	G095BY005WI
KoA	Kewaunee silty clay loam, 0 to 2 percent slopes	Kewaunee	90	G095AY005WI
KoB	Kewaunee silty clay loam, 2 to 6 percent slopes	Kewaunee	100	G095AY005WI
KoB2	Kewaunee silty clay loam, 2 to 6 percent slopes, eroded	Kewaunee	100	G095AY005WI

KoC2	Kewaunee silty clay loam, 6 to 12 percent slopes, eroded	Kewaunee	100	G095AY005WI
KoD2	Kewaunee silty clay loam, 12 to 20 percent slopes, eroded	Kewaunee	100	G095BY006WI
KoE2	Kewaunee silty clay loam, 20 to 30 percent slopes, eroded	Kewaunee	100	G095BY006WI
KsB3	Kewaunee soils, 2 to 6 percent slopes, severely eroded	Kewaunee	100	G095BY005WI
KsC3	Kewaunee soils, 6 to 12 percent slopes, severely eroded	Kewaunee	100	G095BY005WI
KsD3	Kewaunee soils, 12 to 20 percent slopes, severely eroded	Kewaunee	100	G095BY006WI
KtB	Kewaunee silt loam, moderately shallow variant, 2 to 6 percent slopes	Kewaunee variant	100	G095BY005WI
KuA	Kibbie silt loam, 0 to 2 percent slopes	Kibbie	100	G095BY007WI
KwA	Knowles silt loam, 0 to 2 percent slopes	Knowles	100	G095BY008WI
KwB	Knowles silt loam, 2 to 6 percent slopes	Knowles	100	G095BY008WI
KwC2	Knowles silt loam, 6 to 12 percent slopes, eroded	Knowles	100	G095BY008WI
KwE2	Knowles silt loam, 12 to 30 percent slopes, eroded	Knowles	100	G095BY009WI
LDF	Landfill	Urban Land	100	
LmA	Lamartine silt loam, 0 to 2 percent slopes	Lamartine	90	G095BY007WI
LmB	Lamartine silt loam, 2 to 6 percent slopes	Lamartine	95	G095BY007WI
LrB2	LeRoy silt loam, 2 to 6 percent slopes, eroded	LeRoy	100	G095BY005WI

LrC2	LeRoy silt loam, 6 to 12 percent slopes, eroded	LeRoy	100	G095BY005WI
LrD	LeRoy silt loam, 12 to 20 percent slopes	LeRoy	100	G095BY006WI
LrD2	LeRoy silt loam, 12 to 20 percent slopes, eroded	LeRoy	100	G095BY006WI
LrE	LeRoy silt loam, 20 to 30 percent slopes	LeRoy	100	G095BY006WI
LtC3	LeRoy soils, 6 to 12 percent slopes, severely eroded	LeRoy	100	G095BY005WI
LtD3	LeRoy soils, 12 to 20 percent slopes, severely eroded	LeRoy	100	G095BY006WI
LvA	Lomira silt loam, 0 to 2 percent slopes	Lomira	100	G095BY008WI
LvB	Lomira silt loam, 2 to 6 percent slopes	Lomira	100	G095BY008WI
LvB2	Lomira silt loam, 2 to 6 percent slopes, eroded	Lomira	100	G095BY008WI
LvC	Lomira silt loam, 6 to 12 percent slopes	Lomira	100	G095BY008WI
LvC2	Lomira silt loam, 6 to 12 percent slopes, eroded	Lomira	100	G095BY008WI
LvC3	Lomira silt loam, 6 to 12 percent slopes, severely eroded	Lomira	100	G095BY008WI
LvD	Lomira silt loam, 12 to 20 percent slopes	Lomira	100	G095BY009WI
LvD2	Lomira silt loam, 12 to 20 percent slopes, eroded	Lomira	100	G095BY009WI
LvD3	Lomira silt loam, 12 to 20 percent slopes, severely eroded	Lomira	100	G095BY009WI
LwA	Lomira-Knowles silt loams, 0 to 2 percent slopes	Lomira	50	G095BY008WI
		Knowles	30	G095BY008WI

LwB	Lomira-Knowles silt loams, 2 to 6 percent slopes	Lomira	50	G095BY008WI
		Knowles	30	G095BY008WI
LwB2	Lomira-Knowles silt loams, 2 to 6 percent slopes, eroded	Knowles	30	G095BY008WI
		Lomira	50	G095BY008WI
LwC2	Lomira-Knowles silt loams, 6 to 12 percent slopes, eroded	Lomira	50	G095BY008WI
		Knowles	30	G095BY008WI
M-W	Miscellaneous water	Water	100	
MaA	Manawa silt loam, 0 to 2 percent slopes	Manawa	90	G095AY004WI
MaB	Manawa silt loam, 2 to 6 percent slopes	Manawa	95	G095BY004WI
McA	Manawa silty clay loam, 0 to 2 percent slopes	Manawa	90	G095AY004WI
McB	Manawa silty clay loam, 2 to 6 percent slopes	Manawa	95	G095AY004WI
MdB	Markesan silt loam, 2 to 6 percent slopes	Markesan	100	G095BY005WI
MdB2	Markesan silt loam, 2 to 6 percent slopes, eroded	Markesan	100	G095BY005WI
MdC2	Markesan silt loam, 6 to 12 percent slopes, eroded	Markesan	100	G095BY005WI
MdC3	Markesan silt loam, 6 to 12 percent slopes, severely eroded	Markesan	100	G095BY005WI
MdD2	Markesan silt loam, 12 to 20 percent slopes, eroded	Markesan	100	G095BY006WI
MdD3	Markesan silt loam, 12 to 20 percent slopes, severely eroded	Markesan	100	G095BY006WI

Mf	Marsh	Marsh	100	
ML	Made land	Made land	100	
MmA	Martinton silt loam, 0 to 2 percent slopes	Martinton	90	G095AY007WI
MmB	Martinton silt loam, 2 to 6 percent slopes	Martinton	95	G095BY007WI
MoA	Mayville silt loam, 0 to 2 percent slopes	Mayville	100	G095BY008WI
MoB	Mayville silt loam, 2 to 6 percent slopes	Mayville	100	G095BY008WI
MsA	Mendota silt loam, 0 to 2 percent slopes	Mendota	100	G095BY008WI
MsB	Mendota silt loam, 2 to 6 percent slopes	Mendota	100	G095BY008WI
MsB2	Mendota silt loam, 2 to 6 percent slopes, eroded	Mendota	100	G095BY008WI
MsC2	Mendota silt loam, 6 to 12 percent slopes, eroded	Mendota	100	G095BY008WI
MzaA	Milton silt loam, 0 to 2 percent slopes	Milton	100	G095BY005WI
MzaB2	Milton silt loam, 2 to 6 percent slopes, eroded	Milton	100	G095BY005WI
MzaD2	Milton silt loam, 6 to 20 percent slopes, eroded	Milton	100	G095BY006WI
MzdB	Morley silt loam, 2 to 6 percent slopes	Morley	95	G095BY005WI
MzdB2	Morley silt loam, 2 to 6 percent slopes, eroded	Morley	95	G095BY005WI
MzdC2	Morley silt loam, 6 to 12 percent slopes, eroded	Morley	100	G095BY005WI
MzdD2	Morley silt loam, 12 to 20 percent slopes, eroded	Morley	100	G095BY006WI
MzeC3	Morley soils, 6 to 12 percent slopes, severely eroded	Morley	100	G095BY005WI

MzeD3	Morley soils, 12 to 20 percent slopes, severely eroded	Morley	100	G095BY006WI
Od	Ogden mucky peat	Ogden	100	G095BY010WI
Oe	Old beaches	Old beaches	100	
OhA	Oshkosh silt loam, 0 to 2 percent slopes	Oshkosh	100	G095AY005WI
OhB	Oshkosh silt loam, 2 to 6 percent slopes	Oshkosh	100	G095AY005WI
OkA	Oshkosh silty clay loam, 0 to 2 percent slopes	Oshkosh	100	G095AY005WI
OkB	Oshkosh silty clay loam, 2 to 6 percent slopes	Oshkosh	100	G095AY005WI
Pa	Palms muck	Palms	100	G095BY010WI
Pc	Palms mucky peat	Palms	100	G095BY010WI
PfA	Peebles silt loam, 0 to 2 percent slopes	Peebles	90	G095AY005WI
PfB	Peebles silt loam, 2 to 6 percent slopes	Peebles	95	G095AY005WI
PhA	Pella silt loam, 0 to 3 percent slopes	Pella	100	G095BY007WI
PnA	Pella silty clay loam, 0 to 2 percent slopes	Pella	100	G095BY007WI
PsA	Plano silt loam, 0 to 2 percent slopes	Plano	100	G095BY008WI
PsB	Plano silt loam, 2 to 6 percent slopes	Plano	100	G095BY008WI
PsB2	Plano silt loam, 2 to 6 percent slopes, eroded	Plano	100	G095BY008WI
PuB	Plano fine sandy loam, sandy variant, 2 to 6 percent slopes	Plano variant	100	G095BY005WI
Py	Poygan silty clay loam	Poygan	100	G095AY004WI
QUA	Quarry	Pits	100	

ReB	Rimer loam, 2 to 6 percent slopes	Rimer	90	G095AY004WI
Rm	Rock land	Rock land	100	
RnD2	Rodman gravelly sand, 6 to 20 percent slopes, eroded	Rodman	100	G095BY003WI
RnE2	Rodman gravelly sand, 20 to 30 percent slopes, eroded	Rodman	100	G095BY003WI
RoD2	Rodman gravelly loam, 12 to 20 percent slopes, eroded	Rodman	100	G095BY003WI
RoF2	Rodman gravelly loam, 20 to 45 percent slopes, eroded	Rodman	100	G095BY003WI
Rw	Rollin mucky peat	Rollin	100	G095BY010WI
ScA	St. Charles silt loam, 0 to 2 percent slopes	St. Charles	100	G095BY008WI
ScB	St. Charles silt loam, 2 to 6 percent slopes	St. Charles	100	G095BY008WI
SeA	St. Charles silt loam, gravelly substratum, 0 to 2 percent slopes	St. Charles	100	G095BY008WI
SeB	St. Charles silt loam, gravelly substratum, 2 to 6 percent slopes	St. Charles	100	G095BY008WI
SmA	Sebewa silt loam, 0 to 2 percent slopes	Sebewa	100	G095BY004WI
SmB	Sebewa silt loam, 2 to 6 percent slopes	Sebewa	90	G095BY004WI
SnA	Sebewa silt loam, deep, 0 to 2 percent slopes	Sebewa, deep	100	G095BY004WI
SpA	Sebewa silt loam, loamy subsoil variant, 0 to 3 percent slopes	Sebewa variant	100	G095BY004WI
SuB2	Sisson silt loam, 2 to 6 percent slopes, eroded	Sisson	100	G095BY008WI

SwB	Sogn stony silt loam, 0 to 6 percent slopes	Sogn	100	G095BY002WI
ThA	Theresa silt loam, 0 to 2 percent slopes	Theresa	100	G095BY005WI
ThB	Theresa silt loam, 2 to 6 percent slopes	Theresa	100	G095BY005WI
ThB2	Theresa silt loam, 2 to 6 percent slopes, eroded	Theresa	100	G095BY005WI
ThC	Theresa silt loam, 6 to 12 percent slopes	Theresa	100	G095BY005WI
ThC2	Theresa silt loam, 6 to 12 percent slopes, eroded	Theresa	100	G095BY005WI
ThD	Theresa silt loam, 12 to 20 percent slopes	Theresa	100	G095BY006WI
ThD2	Theresa silt loam, 12 to 20 percent slopes, eroded	Theresa	100	G095BY006WI
TrC3	Theresa soils, 6 to 12 percent slopes, severely eroded	Theresa	100	G095BY005WI
TrD3	Theresa soils, 12 to 20 percent slopes, severely eroded	Theresa	100	G095BY006WI
TsB2	Theresa-Casco silt loams, 2 to 6 percent slopes, eroded	Theresa	50	G095BY005WI
		Casco	30	G095BY005WI
TsC2	Theresa-Casco silt loams, 6 to 12 percent slopes, eroded	Theresa	50	G095BY005WI
		Casco	30	G095BY005WI
TsD2	Theresa-Casco silt loams, 12 to 20 percent slopes, eroded	Theresa	50	G095BY006WI
		Casco	30	G095BY006WI
TsE2	Theresa-Casco silt loams, 20 to 30 percent slopes, eroded	Casco	30	G095BY006WI

TsE2	Theresa-Casco silt loams, 20 to 30 percent slopes, eroded	Theresa	50	G095BY006WI
VgA	Virgil silt loam, 0 to 2 percent slopes	Virgil	90	G095BY007WI
VgB	Virgil silt loam, 2 to 6 percent slopes	Virgil	95	G095BY007WI
VsA	Virgil silt loam, gravelly substratum 0 to 2 percent slopes	Virgil	86	G095BY007WI
VsB	Virgil silt loam, gravelly substratum, 2 to 6 percent slopes	Virgil	90	G095BY004WI
W	Water	Water	100	
Wa	Walkkill silt loam	Walkkill	100	G095BY010WI
WhB	Warsaw silt loam, 2 to 6 percent slopes	Warsaw	100	G095BY008WI
WsA	Washtenaw silt loam, 0 to 2 percent slopes	Washtenaw	100	G095BY007WI
WsB	Washtenaw silt loam, 2 to 6 percent slopes	Washtenaw	90	G095BY007WI
Wt	Wauseon loam	Wauseon	100	G095AY004WI
Wu	Wauseon silt loam	Wauseon	100	G095BY004WI