

Forage Suitability Groups

Green County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
Ac	Adrian muck	Adrian	100	G095BY010WI
Ad	Alluvial land, frequently flooded	Alluvial land	100	G095BY005WI
Ae	Alluvial land, wet, frequently flooded	Alluvial land	100	
An	Arenzville silt loam, occasionally flooded	Arenzville	100	G105XY008WI
ArB2	Arland loam, warm variant, 2 to 6 percent slopes, moderately eroded	Arland variant	100	G095BY005WI
ArC2	Arland loam, warm variant, 6 to 12 percent slopes, moderately eroded	Arland variant	100	G095BY005WI
ArD2	Arland loam, warm variant, 12 to 20 percent slopes, moderately eroded	Arland variant	100	G095BY006WI
AsB2	Ashdale silt loam, 2 to 6 percent slopes, moderately eroded	Ashdale	100	G095BY008WI
AsC2	Ashdale silt loam, 6 to 12 percent slopes, moderately eroded	Ashdale	100	G095BY008WI
AsD2	Ashdale silt loam, 12 to 20 percent slopes, moderately eroded	Ashdale	100	G105XY009WI
BIA	Billett sandy loam, 0 to 2 percent slopes	Billett	100	G095BY005WI
BIB2	Billett sandy loam, 2 to 6 percent slopes, moderately eroded	Billett	100	G095BY005WI
BIC2	Billett sandy loam, 6 to 12 percent slopes, moderately eroded	Billett	100	G095BY005WI
BoD	Boone fine sand, 2 to 20 percent slopes	Boone	100	G095BY002WI

Br	Brookston silt loam	Brookston	100	G095BY007WI
CdB2	Cadiz silt loam, 2 to 6 percent slopes, moderately eroded	Cadiz	100	G095BY008WI
CdC2	Cadiz silt loam, 6 to 12 percent slopes, moderately eroded	Cadiz	100	G095BY008WI
ChB	Chaseburg silt loam, 2 to 6 percent slopes, occasionally flooded	Chaseburg	100	G105XY008WI
ChC	Chaseburg silt loam, 6 to 12 percent slopes, rarely flooded	Chaseburg	100	G105XY008WI
Cn	Chaseburg and Arenzville silt loams, occasionally flooded	Chaseburg	70	G105XY008WI
		Arenzville	30	G105XY008WI
Co	Colwood silt loam	Colwood	100	G095BY007WI
DaA	Dakota loam, 0 to 2 percent slopes	Dakota	100	G095BY005WI
DaB2	Dakota loam, 2 to 6 percent slopes, moderately eroded	Dakota	100	G095BY005WI
DbA	Dells silt loam, 0 to 3 percent slopes, rarely flooded	Dells	100	G095BY007WI
Dc	Del Rey silt loam	Del Rey	100	G095BY004WI
DdA	Dickinson sandy loam, 1 to 3 percent slopes	Dickinson	100	G095BY002WI
DeB2	Dodge silt loam, 2 to 6 percent slopes, moderately eroded	Dodge	100	G095BY008WI
DeC2	Dodge silt loam, 6 to 12 percent slopes, moderately eroded	Dodge	100	G095BY008WI
DgB2	Dodgeville silt loam, 2 to 6 percent slopes, moderately eroded	Dodgeville	100	G095BY005WI
DgC2	Dodgeville silt loam, 6 to 12 percent slopes, moderately eroded	Dodgeville	100	G105XY005WI

DgD2	Dodgeville silt loam, 12 to 20 percent slopes, moderately eroded	Dodgeville	100	G105XY006WI
DoB2	Downs silt loam, 2 to 6 percent slopes, eroded	Downs	100	G095BY008WI
DoC2	Downs silt loam, 6 to 12 percent slopes, moderately eroded	Downs	100	G095BY008WI
DsA	Downs silt loam, heavy substratum, 0 to 2 percent slopes	Downs	100	G095BY008WI
DsB	Downs silt loam, heavy substratum, 2 to 6 percent slopes	Downs	100	G095BY008WI
DsB2	Downs silt loam, heavy substratum, 2 to 6 percent slopes, moderately eroded	Downs	100	G095BY008WI
DsC2	Downs silt loam, heavy substratum, 6 to 12 percent slopes, moderately eroded	Downs	100	G095BY008WI
DuB2	Dunbarton silt loam, 2 to 6 percent slopes, moderately eroded	Dunbarton	100	G095BY002WI
DuC2	Dunbarton silt loam, 6 to 12 percent slopes, moderately eroded	Dunbarton	100	G095BY002WI
DuD2	Dunbarton silt loam, 12 to 20 percent slopes, moderately eroded	Dunbarton	100	G105XY003WI
DuE2	Dunbarton silt loam, 20 to 30 percent slopes, moderately eroded	Dunbarton	100	G105XY003WI
DvD2	Dunbarton silty clay loam, 10 to 20 percent slopes, moderately eroded	Dunbarton	100	G105XY003WI
DwB2	Durand silt loam, 2 to 6 percent slopes, moderately eroded	Durand	100	G095BY008WI

DwC2	Durand silt loam, 6 to 12 percent slopes, moderately eroded	Durand	100	G095BY008WI
EdB2	Edmund silt loam, 2 to 6 percent slopes, eroded	Edmund	100	G095BY002WI
EdC2	Edmund silt loam, 6 to 12 percent slopes, moderately eroded	Edmund	100	G095BY002WI
EdD2	Edmund silt loam, 12 to 20 percent slopes, moderately eroded	Edmund	100	G095BY003WI
EeC2	Eleva sandy loam, 6 to 12 percent slopes, moderately eroded	Eleva	100	G095BY005WI
EeD2	Eleva sandy loam, 12 to 20 percent slopes, moderately eroded	Eleva	100	G105XY006WI
EIB2	Elkound sandy loam, 2 to 6 percent slopes, moderately eroded	Elkound	100	G095BY002WI
EIC2	Elkound sandy loam, 6 to 12 percent slopes, moderately eroded	Elkound	100	G095BY002WI
EID2	Elkound sandy loam, 12 to 20 percent slopes, moderately eroded	Elkound	100	G095BY003WI
EIE2	Elkound sandy loam, 20 to 30 percent slopes, moderately eroded	Elkound	100	G105XY003WI
EIF	Elkound sandy loam, 30 to 45 percent slopes	Elkound	100	G105XY003WI
Et	Ettrick silt loam, frequently flooded	Ettrick	100	G105XY007WI
FaB2	Fayette silt loam, 2 to 6 percent slopes, moderately eroded	Fayette	100	G095BY008WI
FaC2	Fayette silt loam, 6 to 12 percent slopes, moderately eroded	Fayette	100	G095BY008WI

FaD2	Fayette silt loam, 12 to 20 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FbA	Fayette silt loam, benches, 0 to 2 percent slopes	Fayette	100	G095BY008WI
FbB2	Fayette silt loam, benches, 2 to 6 percent slopes, moderately eroded	Fayette	100	G095BY008WI
FbC	Fayette silt loam, benches, 6 to 12 percent slopes	Fayette	100	G095BY008WI
FcB2	Fayette silt loam, loamy substratum, 2 to 6 percent slopes, moderately eroded	Fayette	100	G095BY008WI
FcC2	Fayette silt loam, loamy substratum, 6 to 12 percent slopes, moderately eroded	Fayette	100	G095BY008WI
FcD2	Fayette silt loam, loamy substratum, 12 to 20 percent slopes, moderately eroded	Fayette	100	G095BY009WI
FeC2	Fayette silt loam, valleys, 6 to 12 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FeD2	Fayette silt loam, valleys, 12 to 20 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FIA	Flagg silt loam, 0 to 2 percent slopes	Flagg	100	G095BY008WI
FIB2	Flagg silt loam, 2 to 6 percent slopes, moderately eroded	Flagg	100	G095BY008WI
FIC2	Flagg silt loam, 6 to 12 percent slopes, moderately eroded	Flagg	100	G095BY008WI
FnC2	Fox sandy loam, 6 to 12 percent slopes, moderately eroded	Fox	100	G095BY005WI
FnD2	Fox sandy loam, 12 to 20 percent slopes, moderately eroded	Fox	100	G095BY006WI

FoA	Fox loam, 0 to 2 percent slopes	Fox	100	G095BY005WI
FoB2	Fox loam, 2 to 6 percent slopes, moderately eroded	Fox	100	G095BY005WI
FoC2	Fox loam, 6 to 12 percent slopes, moderately eroded	Fox	100	G095BY005WI
FsA	Fox silt loam, 0 to 2 percent slopes	Fox	100	G095BY005WI
FsB2	Fox silt loam, 2 to 6 percent slopes, moderately eroded	Fox	100	G095BY005WI
GaB2	Gale silt loam, 2 to 6 percent slopes, moderately eroded	Gale	100	G095BY005WI
GaC2	Gale silt loam, 6 to 12 percent slopes, moderately eroded	Gale	100	G105XY005WI
GaD2	Gale silt loam, 12 to 20 percent slopes, moderately eroded	Gale	100	G105XY006WI
GaE2	Gale silt loam, 20 to 30 percent slopes, eroded	Gale	100	G105XY006WI
GoA	Gotham loamy sand, 0 to 2 percent slopes	Gotham	100	G095BY002WI
GoB2	Gotham loamy sand, 2 to 6 percent slopes, moderately eroded	Gotham	100	G095BY002WI
GoC2	Gotham loamy sand, 6 to 12 percent slopes, eroded	Gotham	100	G095BY002WI
GP	Gravel pit	Pits	99	
GrB2	Griswold silt loam, 2 to 6 percent slopes, moderately eroded	Griswold	100	G095BY005WI
GrC2	Griswold silt loam, 6 to 12 percent slopes, moderately eroded	Griswold	100	G095BY005WI
HbA	Hebron silt loam, 0 to 2 percent slopes	Hebron	100	G095BY008WI

HbB2	Hebron silt loam, 2 to 6 percent slopes, moderately eroded	Hebron	100	G095BY008WI
HeA	Hebron silt loam, mottled subsoil variant, 0 to 3 percent slopes	Hebron variant	100	G095BY007WI
HmB2	Hixton loam, 2 to 6 percent slopes, moderately eroded	Hixton	100	G095BY005WI
HmC2	Hixton loam, 6 to 12 percent slopes, moderately eroded	Hixton	100	G105XY005WI
Hu	Houghton mucky peat	Houghton	100	G095BY010WI
HvA	Huntsville silt loam, 0 to 2 percent slopes, occasionally flooded	Huntsville	100	G095BY008WI
HvB	Huntsville silt loam, 2 to 6 percent slopes, rarely flooded	Huntsville	100	G095BY008WI
JuB2	Juda silt loam, 2 to 6 percent slopes, moderately eroded	Juda	100	G095BY008WI
JuC2	Juda silt loam, 6 to 12 percent slopes, moderately eroded	Juda	100	G095BY008WI
LaB	Lamartine silt loam, 1 to 6 percent slopes	Lamartine	100	G095BY007WI
LDF	Landfill	Urban Land	100	
LeA	Lawler loam, 0 to 2 percent slopes	Lawler	100	G095BY004WI
LIA	Lawler silt loam, 0 to 3 percent slopes	Lawler	100	G095BY004WI
LnC2	Lindstrom sandy loam, 6 to 12 percent slopes, moderately eroded	Lindstrom	100	G095BY008WI
LnD2	Lindstrom sandy loam, 12 to 20 percent slopes, moderately eroded	Lindstrom	100	G095BY009WI
LsC2	Lindstrom silt loam, 6 to 12 percent slopes, moderately eroded	Lindstrom	100	G095BY008WI

LsD2	Lindstrom silt loam, 12 to 20 percent slopes, moderately eroded	Lindstrom	100	G095BY009WI
M-W	Miscellaneous water	Water	100	
Mb	Marshan loam, rarely flooded	Marshan	100	G095BY004WI
Mc	Marshan silt loam, rarely flooded	Marshan	100	G095BY004WI
Md	Matherton silt loam	Matherton	100	G095BY004WI
Me	Maumee sandy loam	Maumee	100	G095BY004WI
MIA	Meridian loam, 0 to 2 percent slopes	Meridian	100	G095BY005WI
MIB2	Meridian loam, 2 to 6 percent slopes, moderately eroded	Meridian	100	G095BY005WI
MIC2	Meridian loam, 6 to 12 percent slopes, moderately eroded	Meridian	100	G095BY005WI
MmB2	Miami silt loam, 2 to 6 percent slopes, moderately eroded	Miami	100	G095BY008WI
MmC2	Miami silt loam, 6 to 12 percent slopes, moderately eroded	Miami	100	G095BY008WI
MmD2	Miami silt loam, 12 to 20 percent slopes, moderately eroded	Miami	100	G095BY009WI
MnC2	Mifflin loam, 6 to 12 percent slopes, moderately eroded	Mifflin	100	G105XY005WI
MnD2	Mifflin loam, 12 to 20 percent slopes, moderately eroded	Mifflin	100	G105XY006WI
MoC2	Mifflin loam, shallow solum variant, 6 to 12 percent slopes, moderately eroded	Mifflin variant	100	G105XY002WI
MoD2	Mifflin loam, shallow solum variant, 12 to 20 percent slopes, moderately eroded	Mifflin variant	100	G105XY003WI

MrB2	Morley silt loam, 2 to 6 percent slopes, moderately eroded	Morley	100	G095BY005WI
MrC2	Morley silt loam, 6 to 12 percent slopes, moderately eroded	Morley	100	G095BY005WI
MrD2	Morley silt loam, 12 to 20 percent slopes, moderately eroded	Morley	100	G095BY006WI
MsB2	Muscatine silt loam, 2 to 6 percent slopes, moderately eroded	Muscatine	100	G095BY007WI
MtA	Muscatine silt loam, benches, 0 to 3 percent slopes	Muscatine	100	G095BY007WI
MuA	Muscatine silt loam, loamy substratum, 0 to 3 percent slopes	Muscatine	100	G095BY007WI
MyB2	Myrtle silt loam, 2 to 6 percent slopes, moderately eroded	Myrtle	100	G095BY008WI
MyC2	Myrtle silt loam, 6 to 12 percent slopes, moderately eroded	Myrtle	100	G095BY008WI
Na	Navan silt loam, rarely flooded	Navan	100	G095BY004WI
NgB2	NewGlarus silt loam, 2 to 6 percent slopes, moderately eroded	NewGlarus	100	G105XY005WI
NgC2	NewGlarus silt loam, 6 to 12 percent slopes, moderately eroded	NewGlarus	100	G105XY005WI
NgD2	NewGlarus silt loam, 12 to 20 percent slopes, moderately eroded	NewGlarus	100	G105XY006WI
NgE2	NewGlarus silt loam, 20 to 30 percent slopes, moderately eroded	NewGlarus	100	G105XY006WI
NIC2	NewGlarus soils, 6 to 12 percent slopes, moderately eroded	NewGlarus	100	G105XY005WI
NID2	NewGlarus soils, 12 to 20 percent slopes, moderately eroded	NewGlarus	100	G105XY006WI

NoB2	Northfield loam, 2 to 6 percent slopes, moderately eroded	Northfield	100	G095BY002WI
NoC2	Northfield loam, 6 to 12 percent slopes, moderately eroded	Northfield	100	G095BY002WI
NoD2	Northfield loam, 12 to 20 percent slopes, moderately eroded	Northfield	100	G095BY003WI
NoE2	Northfield loam, 20 to 30 percent slopes, moderately eroded	Northfield	100	G105XY003WI
OcA	Ockley sandy loam, 0 to 3 percent slopes	Ockley	100	G095BY008WI
OeA	Ockley loam, 0 to 2 percent slopes	Ockley	100	G095BY008WI
OeB	Ockley loam, 2 to 6 percent slopes	Ockley	100	G095BY008WI
OkA	Ockley silt loam, 0 to 2 percent slopes	Ockley	100	G095BY008WI
OkB2	Ockley silt loam, 2 to 6 percent slopes, moderately eroded	Ockley	100	G095BY008WI
OkC2	Ockley silt loam, 6 to 12 percent slopes, moderately eroded	Ockley	100	G095BY008WI
OIB2	Ogle silt loam, 2 to 6 percent slopes, moderately eroded	Ogle	100	G095BY008WI
OIC2	Ogle silt loam, 6 to 12 percent slopes, moderately eroded	Ogle	100	G095BY008WI
OnA	Orion silt loam, 0 to 3 percent slopes, frequently flooded	Orion	100	G105XY007WI
Or	Orion silt loam, wet variant, frequently flooded	Orion variant	100	G095BY007WI
OsA	Oshtemo loamy sand, 0 to 2 percent slopes	Oshtemo	100	G095BY005WI
OsB2	Oshtemo loamy sand, 2 to 6 percent slopes, moderately eroded	Oshtemo	100	G095BY005WI

OsC2	Oshtemo loamy sand, 6 to 12 percent slopes, moderately eroded	Oshtemo	100	G095BY005WI
Ot	Ossian silt loam, occasionally flooded	Ossian	100	G095BY007WI
Ou	Otter silt loam, frequently flooded	Otter	100	G095BY007WI
Pa	Palms muck	Palms	100	G095BY010WI
PgB2	Palsgrove silt loam, 2 to 6 percent slopes, moderately eroded	Palsgrove	100	G105XY008WI
PgC2	Palsgrove silt loam, 6 to 12 percent slopes, moderately eroded	Palsgrove	100	G105XY008WI
PgD2	Palsgrove silt loam, 12 to 20 percent slopes, moderately eroded	Palsgrove	100	G105XY009WI
PID2	Palsgrove silty clay loam, 12 to 20 percent slopes, moderately eroded	Palsgrove	100	G105XY009WI
PnB2	Pecatonica silt loam, 2 to 6 percent slopes, moderately eroded	Pecatonica	100	G095BY008WI
PnC2	Pecatonica silt loam, 6 to 12 percent slopes, moderately eroded	Pecatonica	100	G095BY008WI
PnD2	Pecatonica silt loam, 12 to 20 percent slopes, moderately eroded	Pecatonica	100	G095BY009WI
PoA	Pillot silt loam, 0 to 2 percent slopes	Pillot	100	G095BY008WI
PoB2	Pillot silt loam, 2 to 6 percent slopes, moderately eroded	Pillot	100	G095BY008WI
PoC2	Pillot silt loam, 6 to 12 percent slopes, moderately eroded	Pillot	100	G095BY008WI
PrB2	Plainfield loamy sand, 0 to 6 percent slopes, moderately eroded	Plainfield	100	G095BY002WI

QUA	Quarry	Pits	100	
Rh	Riverwash	Riverwash	100	
RkC2	Rockton loam, 6 to 12 percent slopes, moderately eroded	Rockton	100	G095BY005WI
RkD2	Rockton loam, 12 to 20 percent slopes, moderately eroded	Rockton	100	G095BY006WI
RnB2	Rockton silt loam, 2 to 6 percent slopes, moderately eroded	Rockton	100	G095BY005WI
RnC2	Rockton silt loam, 6 to 12 percent slopes, moderately eroded	Rockton	100	G095BY005WI
RoC2	Rodman gravelly loam, 2 to 12 percent slopes, moderately eroded	Rodman	100	G095BY002WI
RoE2	Rodman gravelly loam, 12 to 30 percent slopes, moderately eroded	Rodman	100	G095BY003WI
SaB2	Saybrook silt loam, 2 to 6 percent slopes, moderately eroded	Saybrook	100	G095BY008WI
SaC2	Saybrook silt loam, 6 to 12 percent slopes, moderately eroded	Saybrook	100	G095BY008WI
ScB2	Saylesville silt loam, 2 to 6 percent slopes, moderately eroded	Saylesville	100	G095BY008WI
Se	Sebewa silt loam	Sebewa	100	G095BY004WI
SfA	Shiffer loam, 0 to 3 percent slopes, rarely flooded	Shiffer	100	G095BY004WI
SoC2	Sogn silt loam, 2 to 12 percent slopes, moderately eroded	Sogn	100	G095BY002WI
SoE2	Sogn silt loam, 12 to 30 percent slopes, moderately eroded	Sogn	100	G105XY003WI
Sp	Steep stony and rocky land	Steep stony and rocky	100	G105XY006WI

SsB	Stronghurst silt loam, 2 to 6 percent slopes	Stronghurst	100	G105XY007WI
StA	Stronghurst silt loam, benches, 0 to 3 percent slopes	Stronghurst	100	G095BY004WI
SuA	Stronghurst silt loam, loamy substratum, 0 to 3 percent slopes	Stronghurst	100	G095BY007WI
SyB2	Sylvester silt loam, 2 to 6 percent slopes, moderately eroded	Sylvester	100	G095BY005WI
SyC2	Sylvester silt loam, 6 to 12 percent slopes, moderately eroded	Sylvester	100	G095BY005WI
TaB2	Tama silt loam, 2 to 6 percent slopes, moderately eroded	Tama	100	G095BY008WI
TaC2	Tama silt loam, 6 to 12 percent slopes, moderately eroded	Tama	100	G095BY008WI
TbA	Tama silt loam, benches, 0 to 2 percent slopes	Tama	100	G095BY008WI
TbB	Tama silt loam, benches, 2 to 6 percent slopes	Tama	100	G095BY008WI
TcA	Tell silt loam, 0 to 2 percent slopes	Tell	100	G095BY008WI
TcB2	Tell silt loam, 2 to 6 percent slopes, moderately eroded	Tell	100	G095BY008WI
TcC2	Tell silt loam, 6 to 12 percent slopes, moderately eroded	Tell	100	G095BY008WI
Te	Terrace escarpments	Terrace escarpments	100	
ThA	Thackery silt loam, 0 to 3 percent slopes	Thackery	100	G095BY005WI
W	Water	Water	100	
Wa	Walkkill silt loam, frequently flooded	Walkkill	100	G095BY007WI
WdC2	Westville loam, 6 to 12 percent slopes, moderately eroded	Westville	100	G095BY008WI

WeB2	Westville silt loam, 2 to 6 percent slopes, moderately eroded	Westville	100	G095BY008WI
WeC2	Westville silt loam, 6 to 12 percent slopes, moderately eroded	Westville	100	G095BY008WI
WeD2	Westville silt loam, 12 to 20 percent slopes, moderately eroded	Westville	100	G095BY009WI
WhB2	Whalan loam, 2 to 6 percent slopes, moderately eroded	Whalan	100	G095BY005WI
WhC2	Whalan loam, 6 to 12 percent slopes, moderately eroded	Whalan	100	G095BY005WI
WIB2	Whalan silt loam, 2 to 6 percent slopes, moderately eroded	Whalan	100	G095BY005WI
WIC2	Whalan silt loam, 6 to 12 percent slopes, moderately eroded	Whalan	100	G095BY005WI
WID2	Whalan silt loam, 12 to 20 percent slopes, moderately eroded	Whalan	100	G095BY006WI
WnB2	Winnebago silt loam, 2 to 6 percent slopes, moderately eroded	Winnebago	100	G095BY008WI
WnC2	Winnebago silt loam, 6 to 12 percent slopes, moderately eroded	Winnebago	100	G095BY008WI