
Forage Suitability Groups

Iowa County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
Ar	Arenzville silt loam	Arenzville	100	G105XY008WI
BeA	Bertrand silt loam, 0 to 2 percent slopes	Bertrand	100	G105XY008WI
BeB	Bertrand silt loam, 2 to 6 percent slopes	Bertrand	100	G105XY008WI
BeB2	Bertrand silt loam, 2 to 6 percent slopes, moderately eroded	Bertrand	100	G105XY008WI
BeC2	Bertrand silt loam, 6 to 12 percent slopes, moderately eroded	Bertrand	100	G105XY008WI
Bm	Boaz silt loam	Boaz	100	G105XY007WI
BoC2	Boone fine sand, 6 to 12 percent slopes, moderately eroded	Boone	100	G105XY002WI
BoD2	Boone fine sand, 12 to 30 percent slopes, moderately eroded	Boone	100	G105XY003WI
CaA	Chaseburg fine sandy loam, 0 to 2 percent slopes	Chaseburg	100	G105XY008WI
CaB	Chaseburg fine sandy loam, 2 to 6 percent slopes	Chaseburg	100	G105XY008WI
CaC	Chaseburg fine sandy loam, 6 to 12 percent slopes	Chaseburg	100	G105XY008WI
ChA	Chaseburg silt loam, 0 to 2 percent slopes	Chaseburg	100	G105XY008WI
ChB	Chaseburg silt loam, 2 to 6 percent slopes	Chaseburg	100	G105XY008WI
ChC	Chaseburg silt loam, 6 to 12 percent slopes	Chaseburg	100	G105XY008WI
CuA	Curran silt loam, 0 to 3 percent slopes	Curran	100	G105XY007WI

DaA	Dakota loam, 0 to 2 percent slopes	Dakota	100	G105XY005WI
DaB	Dakota loam, 2 to 6 percent slopes	Dakota	100	G105XY005WI
DbA	Dakota sandy loam, 0 to 2 percent slopes	Dakota	100	G105XY005WI
DbB	Dakota sandy loam, 2 to 6 percent slopes	Dakota	100	G105XY005WI
DbB2	Dakota sandy loam, 2 to 6 percent slopes, moderately eroded	Dakota	100	G105XY005WI
DbC2	Dakota sandy loam, 6 to 12 percent slopes, moderately eroded	Dakota	100	G105XY005WI
DeB	Derinda stony silt loam, 2 to 6 percent slopes	Derinda	100	G105XY005WI
DeC	Derinda stony silt loam, 6 to 12 percent slopes	Derinda	100	G105XY005WI
Df	Dillon loamy fine sand	Dillon	100	G105XY001WI
DgB	Dodgeville silt loam, 2 to 6 percent slopes	Dodgeville	100	G105XY005WI
DgB2	Dodgeville silt loam, 2 to 6 percent slopes, moderately eroded	Dodgeville	100	G105XY005WI
DgC2	Dodgeville silt loam, 6 to 12 percent slopes, moderately eroded	Dodgeville	100	G105XY005WI
DgD2	Dodgeville silt loam, 12 to 20 percent slopes, moderately eroded	Dodgeville	100	G105XY006WI
DgE2	Dodgeville silt loam, 20 to 30 percent slopes, moderately eroded	Dodgeville	100	G105XY006WI
DhA	Dodgeville silt loam, deep, 0 to 2 percent slopes	Dodgeville	100	G105XY008WI
DhB	Dodgeville silt loam, deep, 2 to 6 percent slopes	Dodgeville	100	G105XY008WI

DhB2	Dodgeville silt loam, deep, 2 to 6 percent slopes, moderately eroded	Dodgeville	100	G105XY008WI
DhC2	Dodgeville silt loam, deep, 6 to 12 percent slopes, moderately eroded	Dodgeville	100	G105XY008WI
DhD2	Dodgeville silt loam, deep, 12 to 20 percent slopes, moderately eroded	Dodgeville	100	G105XY009WI
DIB2	Dodgeville silt loam, shallow, 2 to 6 percent slopes, moderately eroded	Dodgeville	100	G105XY002WI
DIC2	Dodgeville silt loam, shallow, 6 to 12 percent slopes, moderately eroded	Dodgeville	100	G105XY002WI
DID2	Dodgeville silt loam, shallow, 12 to 20 percent slopes, moderately eroded	Dodgeville	100	G105XY003WI
DmB2	Dodgeville soils, 2 to 6 percent slopes, moderately eroded	Dodgeville	100	G105XY005WI
DmC2	Dodgeville soils, 6 to 12 percent slopes, moderately eroded	Dodgeville	100	G105XY005WI
DmD2	Dodgeville soils, 12 to 20 percent slopes, moderately eroded	Dodgeville	100	G105XY006WI
DnB2	Dodgeville soils, deep, 2 to 6 percent slopes, moderately eroded	Dodgeville	100	G105XY005WI
DnC2	Dodgeville soils, deep, 6 to 12 percent slopes, moderately eroded	Dodgeville	100	G105XY005WI
DnD2	Dodgeville soils, deep, 12 to 20 percent slopes, moderately eroded	Dodgeville	100	G105XY006WI
DoB2	Downs silt loam, 2 to 6 percent slopes, moderately eroded	Downs	100	G105XY008WI

DoC2	Downs silt loam, 6 to 12 percent slopes, moderately eroded	Downs	100	G105XY008WI
DsB	Dubuque silt loam, 2 to 6 percent slopes	Dubuque	100	G105XY005WI
DsB2	Dubuque silt loam, 2 to 6 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DsC2	Dubuque silt loam, 6 to 12 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DsD2	Dubuque silt loam, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DsE2	Dubuque silt loam, 20 to 30 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DsF	Dubuque silt loam, 30 to 45 percent slopes	Dubuque	100	G105XY006WI
DtB	Dubuque silt loam, deep, 2 to 6 percent slopes	Dubuque	100	G105XY005WI
DtB2	Dubuque silt loam, deep, 2 to 6 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DtC2	Dubuque silt loam, deep, 6 to 12 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DtD2	Dubuque silt loam, deep, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DtE2	Dubuque silt loam, deep, 20 to 30 percent slopes moderately eroded	Dubuque	100	G105XY006WI
DuB2	Dubuque soils, 2 to 6 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DuC2	Dubuque soils, 6 to 12 percent slopes, moderately eroded	Dubuque	100	G105XY005WI

DuD2	Dubuque soils, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DuE2	Dubuque soils, 20 to 30 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DvC2	Dubuque soils, deep, 6 to 12 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DvD2	Dubuque soils, deep, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DyB2	Dubuque stony silt loam, 2 to 6 percent slopes, moderately eroded	Dubuque	100	G105XY002WI
DyC2	Dubuque stony silt loam, 6 to 12 percent slopes moderately eroded	Dubuque	100	G105XY002WI
DyD2	Dubuque stony silt loam, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY003WI
DyE2	Dubuque stony silt loam, 20 to 30 percent slopes, moderately eroded	Dubuque	100	G105XY003WI
Et	Ettrick silt loam	Ettrick	100	G105XY010WI
FaA	Fayette silt loam, uplands, 0 to 2 percent slopes	Fayette	100	G105XY008WI
FaB	Fayette silt loam, uplands, 2 to 6 percent slopes	Fayette	100	G105XY008WI
FaB2	Fayette silt loam, uplands, 2 to 6 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FaC2	Fayette silt loam, uplands, 6 to 12 percent slopes, moderately eroded	Fayette	100	G105XY008WI

FaD2	Fayette silt loam, uplands, 12 to 20 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FaE2	Fayette silt loam, uplands, 20 to 30 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FeB	Fayette silt loam, valleys, 2 to 6 percent slopes	Fayette	100	G105XY008WI
FeB2	Fayette silt loam, valleys, 2 to 6 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FeC2	Fayette silt loam, valleys, 6 to 12 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FeD2	Fayette silt loam, valleys, 12 to 20 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FeE2	Fayette silt loam, valleys, 20 to 30 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FyC	Fayette stony silt loam, valleys, 6 to 12 percent slopes	Fayette	100	G105XY008WI
FyD2	Fayette stony silt loam, valleys, 12 to 20 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FyE	Fayette stony silt loam, valleys, 20 to 30 percent slopes	Fayette	100	G105XY009WI
GaB2	Gale silt loam, 2 to 6 percent slopes, moderately eroded	Gale	100	G105XY005WI
GaC2	Gale silt loam, 6 to 12 percent slopes, moderately eroded	Gale	100	G105XY005WI
GaD2	Gale silt loam, 12 to 20 percent slopes, moderately eroded	Gale	100	G105XY006WI

GaE2	Gale silt loam, 20 to 30 percent slopes, moderately eroded	Gale	100	G105XY006WI
GnC2	Gale stony silt loam, 6 to 12 percent slopes, moderately eroded	Gale	100	G105XY005WI
GnD2	Gale stony silt loam, 12 to 20 percent slopes, moderately eroded	Gale	100	G105XY006WI
GnE2	Gale stony silt loam, 20 to 30 percent slopes, moderately eroded	Gale	100	G105XY006WI
GoA	Gotham loamy fine sand, 0 to 2 percent slopes	Gotham	100	G105XY002WI
GoB	Gotham loamy fine sand, 2 to 6 percent slopes	Gotham	100	G105XY002WI
GoB2	Gotham loamy fine sand, 2 to 8 percent slopes, moderately eroded	Gotham	100	G105XY002WI
HeB2	Hesch loam, 2 to 6 percent slopes, moderately eroded	Hesch	100	G105XY005WI
HeC2	Hesch loam, 6 to 12 percent slopes, moderately eroded	Hesch	100	G105XY005WI
HeD2	Hesch loam, 12 to 20 percent slopes, moderately eroded	Hesch	100	G105XY006WI
HsE2	Hesch sandy loam, 20 to 30 percent slopes, moderately eroded	Hesch	100	G105XY006WI
HtB2	Hixton sandy loam, 2 to 6 percent slopes, moderately eroded	Hixton	100	G105XY005WI
HtC2	Hixton sandy loam, 6 to 12 percent slopes, moderately eroded	Hixton	100	G105XY005WI
HtD2	Hixton sandy loam, 12 to 20 percent slopes, moderately eroded	Hixton	100	G105XY006WI

HtE2	Hixton sandy loam, 20 to 30 percent slopes, moderately eroded	Hixton	100	G105XY006WI
HtF	Hixton sandy loam, 30 to 45 percent slopes	Hixton	100	G105XY006WI
Hu	Huntsville silt loam	Huntsville	100	G105XY008WI
JaA	Jackson silt loam, 0 to 2 percent slopes	Jackson	100	G105XY008WI
JaB	Jackson silt loam, 2 to 6 percent slopes	Jackson	100	G105XY008WI
JuA	Judson silt loam, 0 to 2 percent slopes	Judson	100	G105XY008WI
JuB	Judson silt loam, 2 to 6 percent slopes	Judson	100	G105XY008WI
JuC	Judson silt loam, 6 to 12 percent slopes	Judson	100	G105XY008WI
La	Lawson silt loam	Lawson	100	G105XY007WI
LDF	Landfill	Urban Land	100	
Lo	Loamy alluvial land	Alluvial land	100	
Lp	Loamy alluvial land, poorly drained	Alluvial land, wet	100	
LsB	Lindstrom silt loam, 2 to 6 percent slopes	Lindstrom	100	G105XY008WI
LsB2	Lindstrom silt loam, 2 to 6 percent slopes, moderately eroded	Lindstrom	100	G105XY008WI
LsC2	Lindstrom silt loam, 6 to 12 percent slopes, moderately eroded	Lindstrom	100	G105XY008WI
LsD2	Lindstrom silt loam, 12 to 20 percent slopes, moderately eroded	Lindstrom	100	G105XY009WI
M-W	Miscellaneous water	Water	100	
Ma	Marsh	Marsh	100	
Md	Meridian loam, somewhat poorly drained variant	Meridian	100	G105XY004WI

MeA	Meridian sandy loam, 0 to 2 percent slopes	Meridian	100	G105XY005WI
MeB	Meridian sandy loam, 2 to 6 percent slopes	Meridian	100	G105XY005WI
MeB2	Meridian sandy loam, 2 to 6 percent slopes, moderately eroded	Meridian	100	G105XY005WI
MeC2	Meridian sandy loam, 6 to 12 percent slopes, moderately eroded	Meridian	100	G105XY005WI
Mm	Millsdale silty clay loam, shale variant	Millsdale	100	G105XY004WI
Mp	Mine pits and dumps	Mine pits and dumps	100	
Mu	Muscatine silt loam	Muscatine	100	G105XY007WI
NfB2	Northfield loam, 2 to 6 percent slopes, moderately eroded	Northfield	100	G105XY002WI
NfC2	Northfield loam, 6 to 12 percent slopes, moderately eroded	Northfield	100	G105XY002WI
NfD2	Northfield loam, 12 to 20 percent slopes, moderately eroded	Northfield	100	G105XY003WI
NfE2	Northfield loam, 20 to 30 percent slopes, moderately eroded	Northfield	100	G105XY003WI
NoC2	Northfield sandy loam, 6 to 12 percent slopes, moderately eroded	Northfield	100	G105XY002WI
NoD2	Northfield sandy loam, 12 to 20 percent slopes, moderately eroded	Northfield	100	G105XY003WI
NoE2	Northfield sandy loam, 20 to 30 percent slopes, moderately eroded	Northfield	100	G105XY003WI
NsD2	Northfield stony loam, 12 to 20 percent slopes, moderately eroded	Northfield	100	G105XY003WI

NsE2	Northfield stony loam, 20 to 30 percent slopes, moderately eroded	Northfield	100	G105XY003WI
NwB2	Norwalk silt loam, deep, 2 to 6 percent slopes, moderately eroded	Norwalk	100	G105XY004WI
NwC2	Norwalk silt loam, deep, 6 to 12 percent slopes, moderately eroded	Norwalk	100	G105XY005WI
Or	Orion silt loam	Orion	100	G105XY007WI
OsA	Osseo silt loam, 0 to 2 percent slopes	Osseo	100	G105XY007WI
OsB	Osseo silt loam, 2 to 6 percent slopes	Osseo	100	G105XY007WI
Pd	Peat and muck, deep	Peat and muck	100	G105XY010WI
Pe	Peat and muck, shallow	Peat and muck	100	G105XY010WI
PfB2	Plainfield fine sand, 0 to 6 percent slopes, moderately eroded	Plainfield	100	G105XY002WI
PgA	Plainfield loamy fine sand, 0 to 2 percent slopes	Plainfield	100	G105XY002WI
PgB	Plainfield loamy fine sand, 2 to 6 percent slopes	Plainfield	100	G105XY002WI
Pm	Plainfield loamy fine sand, mottled substratum variant	Plainfield	100	G105XY002WI
Ps	Plainfield and Sparta fine sands and dune land	Plainfield	40	G105XY002WI
		Sparta	30	G105XY002WI
		Duneland	30	G105XY002WI
QUA	Quarry	Pits	100	
RcA	Richwood silt loam, 0 to 2 percent slopes	Richwood	100	G105XY008WI

RcB	Richwood silt loam, 2 to 6 percent slopes	Richwood	100	G105XY008WI
RcB2	Richwood silt loam, 2 to 6 percent slopes, moderately eroded	Richwood	100	G105XY008WI
RcC2	Richwood silt loam, 6 to 12 percent slopes, moderately eroded	Richwood	100	G105XY008WI
Re	Riverwash	Riverwash	100	
Ro	Rowley silt loam	Rowley	100	G105XY007WI
RzB2	Rozetta silt loam, 2 to 6 percent slopes, moderately eroded	Rozetta	100	G105XY008WI
SoB2	Sogn and Dodgeville silt loams, shallow, 2 to 6 percent slopes, moderately eroded	Sogn	50	G105XY002WI
		Dodgeville	50	G105XY002WI
SoC2	Sogn and Dodgeville silt loams, shallow, 6 to 12 percent slopes, moderately eroded	Sogn	50	G105XY002WI
		Dodgeville	50	G105XY002WI
SoD2	Sogn and Dodgeville silt loams, shallow, 12 to 20 percent slopes, moderately eroded	Sogn	50	G105XY003WI
		Dodgeville	50	G105XY003WI
SoE2	Sogn and Dodgeville silt loams, shallow, 20 to 30 percent slopes, moderately eroded	Sogn	50	G105XY003WI
		Dodgeville	50	G105XY003WI
SP	Sand pit	Pits	100	
SpA	Sparta loamy fine sand, 0 to 2 percent slopes	Sparta	100	G105XY002WI

SpA2	Sparta loamy fine sand, 0 to 2 percent slopes, moderately eroded	Sparta	100	G105XY002WI
SpB	Sparta loamy fine sand, 2 to 6 percent slopes	Sparta	100	G105XY002WI
SpB2	Sparta loamy fine sand, 2 to 6 percent slopes, moderately eroded	Sparta	100	G105XY002WI
Sr	Sparta loamy fine sand, moderately well drained variant	Sparta	100	G105XY002WI
Ss	Steep stony and rocky land	Steep stony and rocky	100	G105XY003WI
St	Stony alluvial land	Stony alluvial land	100	G105XY005WI
SuA	Stronghurst silt loam, 0 to 2 percent slopes	Stronghurst	100	G105XY007WI
SuB	Stronghurst silt loam, 2 to 6 percent slopes	Stronghurst	100	G105XY007WI
SuB2	Stronghurst silt loam, 2 to 6 percent slopes, moderately eroded	Stronghurst	100	G105XY007WI
TaA	Tama silt loam, 0 to 2 percent slopes	Tama	100	G105XY008WI
TaB	Tama silt loam, 2 to 6 percent slopes	Tama	100	G105XY008WI
TaB2	Tama silt loam, 2 to 6 percent slopes, moderately eroded	Tama	100	G105XY008WI
TaC2	Tama silt loam, 6 to 12 percent slopes, moderately eroded	Tama	100	G105XY008WI
TeA	Tell silt loam, 0 to 2 percent slopes	Tell	100	G105XY008WI
TeB	Tell silt loam, 2 to 6 percent slopes	Tell	100	G105XY008WI
TeB2	Tell silt loam, 2 to 6 percent slopes, moderately eroded	Tell	100	G105XY008WI
TeC2	Tell silt loam, 6 to 12 percent slopes, moderately eroded	Tell	100	G105XY008WI

Tr	Terrace escarpments, loamy	Terrace escarpments	100	
Ts	Terrace escarpments, sandy	Terrace escarpments	100	
TvA	Toddsville silt loam, 0 to 2 percent slopes	Toddsville	100	G105XY008WI
TvB	Toddsville silt loam, 2 to 6 percent slopes	Toddsville	100	G105XY008WI
UoE	Udorthents, loamy, steep (earthen dam)	Udorthents	100	
W	Water	Water	100	
Wa	Wallkill silt loam	Wallkill	100	G105XY007WI