

Forage Suitability Groups

Jefferson County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
Ad	Adrian muck	Adrian	100	G095BY010WI
AzA	Aztalan fine sandy loam, 0 to 3 percent slopes	Aztalan	90	G095BY004WI
BaA	Barry silt loam, 0 to 3 percent slopes	Barry	100	G095BY004WI
BoC	Boyer loamy sand, 6 to 12 percent slopes	Boyer	100	G095BY002WI
BpB	Boyer sandy loam, 1 to 6 percent slopes	Boyer	100	G095BY005WI
CaB2	Casco loam, 2 to 6 percent slopes, eroded	Casco	100	G095BY002WI
CaC2	Casco loam, 6 to 12 percent slopes, eroded	Casco	100	G095BY002WI
CrD2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	Casco	65	G095BY003WI
		Rodman	25	G095BY003WI
CrE	Casco-Rodman complex, 20 to 45 percent slopes	Casco	55	G095BY003WI
		Rodman	35	G095BY003WI
CtB	Chelsea loamy fine sand, 1 to 6 percent slopes	Chelsea	100	G095BY002WI
CtC	Chelsea loamy fine sand, 6 to 20 percent slopes	Chelsea	100	G095BY003WI
DcA	Del Rey silt loam, 0 to 3 percent slopes	Del Rey	90	G095BY004WI
DdB	Dodge silt loam, 2 to 6 percent slopes	Dodge	100	G095BY008WI

Ed	Edwards muck	Edwards	100	G095BY010WI
Ev	Elvers silt loam	Elvers	100	G095BY010WI
Fn	Fluvaquents	Fluvaquents	100	
FoC2	Fox loam, 6 to 12 percent slopes, eroded	Fox	100	G095BY005WI
FsA	Fox silt loam, 0 to 2 percent slopes	Fox	100	G095BY005WI
FsB	Fox silt loam, 2 to 6 percent slopes	Fox	100	G095BY005WI
Gd	Gilford sandy loam	Gilford	100	G095BY004WI
GsB	Grays silt loam, 2 to 6 percent slopes	Grays	100	G095BY008WI
GtB	Grellton fine sandy loam, 2 to 6 percent slopes	Grellton	100	G095BY005WI
GwB	Griswold sandy loam, 2 to 6 percent slopes	Griswold	100	G095BY005WI
GwC2	Griswold sandy loam, 6 to 12 percent slopes, eroded	Griswold	100	G095BY005WI
HeB	Hebron loam, 1 to 6 percent slopes	Hebron	100	G095BY008WI
Ht	Houghton muck	Houghton	100	G095BY010WI
JuB	Juneau silt loam, 1 to 6 percent slopes	Juneau	100	G095BY008WI
Kb	Keowns silt loam	Keowns	100	G095BY004WI
KdA	Kibbie fine sandy loam, 0 to 3 percent slopes	Kibbie	90	G095BY007WI
KeB	Kidder sandy loam, 2 to 6 percent slopes	Kidder	100	G095BY005WI
KeC2	Kidder sandy loam, 6 to 12 percent slopes, eroded	Kidder	100	G095BY005WI
KfB	Kidder loam, 2 to 6 percent slopes	Kidder	100	G095BY005WI

KfC2	Kidder loam, 6 to 12 percent slopes, eroded	Kidder	100	G095BY005WI
KfD2	Kidder loam, 12 to 20 percent slopes, eroded	Kidder	100	G095BY006WI
KgB	Kidder loam, moderately well-drained, 2 to 6 percent slopes	Kidder	100	G095BY005WI
LaB	Lamartine silt loam, 2 to 6 percent slopes	Lamartine	90	G095BY007WI
LyB	Lorenzo sandy loam, 2 to 6 percent slopes	Lorenzo	100	G095BY002WI
MgA	Martinton silt loam, 0 to 2 percent slopes	Martinton	90	G095BY007WI
MgB	Martinton silt loam, 2 to 6 percent slopes	Martinton	90	G095BY007WI
MmA	Matherton silt loam, 0 to 3 percent slopes	Matherton	90	G095BY004WI
MnA	Matherton silt loam, clayey substratum, 0 to 3 percent slopes	Matherton	90	G095BY004WI
MoB	Mayville silt loam, 2 to 6 percent slopes	Mayville	100	G095BY008WI
MpB	McHenry silt loam, 2 to 6 percent slopes	McHenry	100	G095BY008WI
MpC2	McHenry silt loam, 6 to 12 percent slopes, eroded	McHenry	100	G095BY008WI
Mr	Milford silty clay loam	Milford	100	G095BY007WI
MvB	Moundville loamy sand, 1 to 6 percent slopes	Moundville	100	G095BY005WI
Ot	Otter silt loam	Otter	100	G095BY007WI
Pa	Palms muck	Palms	100	G095BY010WI
Pb	Palms muck, ponded	Palms	100	G095BY010WI
Pg	Pits, gravel	Pits	99	
RaA	Radford silt loam, 0 to 3 percent slopes	Radford	90	G095BY007WI

RnB	Ringwood silt loam, 2 to 6 percent slopes	Ringwood	100	G095BY008WI
RtB	Rotamer loam, 2 to 6 percent slopes	Rotamer	100	G095BY005WI
RtC2	Rotamer loam, 6 to 12 percent slopes, eroded	Rotamer	100	G095BY005WI
RtD2	Rotamer loam, 12 to 20 percent slopes, eroded	Rotamer	100	G095BY006WI
RtE2	Rotamer loam, 20 to 30 percent slopes, eroded	Rotamer	100	G095BY006WI
SbA	St. Charles silt loam, moderately well-drained, 0 to 2 percent slopes	St. Charles	100	G095BY008WI
SbB	St. Charles silt loam, moderately well-drained, 2 to 6 percent slopes	St. Charles	100	G095BY008WI
SfB	St. Charles silt loam, moderately well-drained, gravelly substratum, 2 to 6 percent slopes	St. Charles	100	G095BY008WI
ShB	Salter loamy sand, 2 to 6 percent slopes	Salter	100	G095BY005WI
SkB	Saylesville silt loam, 2 to 6 percent slopes	Saylesville	100	G095BY005WI
SIC2	Saylesville silty clay loam, 6 to 12 percent slopes, eroded	Saylesville	100	G095BY005WI
Sm	Sebewa silt loam	Sebewa	100	G095BY004WI
Sn	Sebewa silt loam, clayey substratum	Sebewa	100	G095BY004WI
SoB	Sisson fine sandy loam, 1 to 6 percent slopes	Sisson	100	G095BY005WI
SoC2	Sisson fine sandy loam, 6 to 12 percent slopes, eroded	Sisson	100	G095BY005WI
ThB	Theresa silt loam, 2 to 6 percent slopes	Theresa	100	G095BY005WI

ThC2	Theresa silt loam, 6 to 12 percent slopes, eroded	Theresa	100	G095BY005WI
TuA	Tuscola silt loam, 0 to 2 percent slopes	Tuscola	90	G095BY008WI
TuB	Tuscola silt loam, 2 to 6 percent slopes	Tuscola	100	G095BY008WI
Ud	Udorthents	Udorthents	100	G095BY002WI
VrB	Virgil silt loam, 2 to 6 percent slopes	Virgil	90	G095BY007WI
VwA	Virgil silt loam, gravelly substratum, 0 to 3 percent slopes	Virgil	90	G095BY007WI
W	Water	Water	100	
Wa	Wacousta silty clay loam	Wacousta	100	G095BY010WI
WmA	Wasepi sandy loam, 0 to 3 percent slopes	Wasepi	90	G095BY004WI
WtA	Watseka variant loamy sand, 0 to 3 percent slopes	Watseka variant	90	G095BY004WI
WvA	Wauconda silt loam, 0 to 2 percent slopes	Wauconda	90	G095BY007WI
WvB	Wauconda silt loam, 2 to 6 percent slopes	Wauconda	90	G095BY007WI
WxB	Whalan loam, 2 to 6 percent slopes	Whalan	100	G095BY008WI
WxC2	Whalan loam, 6 to 12 percent slopes, eroded	Whalan	100	G095BY008WI
WyA	Whalan variant silt loam, 0 to 3 percent slopes	Whalan variant	90	G095BY004WI
YaA	Yahara fine sandy loam, 0 to 3 percent slopes	Yahara	90	G095BY004WI