

Forage Suitability Groups

Juneau County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
AgA	Alganssee-Glendora fine sandy loams, 0 to 3 percent slopes	Glendora	45	G105XY010WI
		Alganssee	55	G105XY010WI
BIB	Billett sandy loam, 1 to 6 percent slopes	Billett	100	G089XY005WI
BIC2	Billett sandy loam, 6 to 12 percent slopes, eroded	Billett	100	G089XY005WI
BmB	Billett sandy loam, moderately well drained, 1 to 6 percent slopes	Billett	100	G089XY005WI
BpF	Boone-Plainfield- Rock outcrop complex, 12 to 60 percent slopes	Rock outcrop	15	
		Boone	60	G089XY003WI
		Plainfield	25	G089XY003WI
CuA	Curran silt loam, 0 to 3 percent slopes	Curran	100	G089XY007WI
Dc	Dawson muck, 0 to 1 percent slopes	Dawson	100	G089XY010WI
DeB	Delton loamy fine sand, moderately well drained, 1 to 6 percent slopes	Delton	100	G089XY005WI
EeB	Eleva sandy loam, 2 to 6 percent slopes	Eleva	100	G105XY002WI
EeC2	Eleva sandy loam, 6 to 12 percent slopes, eroded	Eleva	100	G105XY002WI
EeD2	Eleva sandy loam, 12 to 20 percent slopes, eroded	Eleva	100	G105XY003WI

EkF	Eleva-Boone-Rock outcrop complex, 30 to 60 percent slopes	Rock outcrop	20	
		Eleva	45	G105XY003WI
		Boone	35	G105XY003WI
EnB	Elk mound sandy loam, 1 to 6 percent slopes	Elk mound	100	G105XY002WI
Et	Ettrick silt loam, 0 to 2 percent slopes	Ettrick	100	G089XY007WI
FrB	Friendship sand, 1 to 6 percent slopes	Friendship	100	G105XY002WI
FsB	Friendship loamy sand, loamy substratum, 1 to 6 percent slopes	Friendship	100	G089XY002WI
GaB	Gale silt loam, 2 to 6 percent slopes	Gale	100	G105XY005WI
GaC2	Gale silt loam, 6 to 12 percent slopes, eroded	Gale	100	G105XY005WI
HvA	Hixton variant loam, 0 to 3 percent slopes	Hixton	100	G105XY004WI
JaB	Jackson silt loam, 2 to 6 percent slopes	Jackson	100	G089XY008WI
KyA	Korobago sandy loam, 0 to 3 percent slopes	Korobago	100	G089XY007WI
LDF	Landfill	Urban Land	100	
LfB	La Farge silt loam, 2 to 6 percent slopes	La Farge	100	G105XY005WI
LfC2	La Farge silt loam, 6 to 12 percent slopes, eroded	La Farge	100	G105XY005WI
LfD2	La Farge silt loam, 12 to 20 percent slopes, eroded	La Farge	100	G105XY006WI
Lw	Lows loam, 0 to 2 percent slopes	Lows	100	G089XY004WI
Lx	Loxley muck, 0 to 1 percent slopes	Loxley	100	G089XY010WI

M-W	Miscellaneous water	Water	100	
MaA	Manawa silt loam, 0 to 3 percent slopes	Manawa	100	G089XY007WI
MeA	Meehan sand, 0 to 3 percent slopes	Meehan	100	G105XY001WI
MnA	Meehan-Newson complex, 0 to 3 percent slopes	Meehan	50	G105XY001WI
		Newson	50	G105XY001WI
MrB	Meridian loam, 2 to 6 percent slopes	Meridian	100	G105XY005WI
NaB	NewGlarus silt loam, 2 to 6 percent slopes	NewGlarus	100	G105XY005WI
NaC2	NewGlarus silt loam, 6 to 12 percent slopes, eroded	NewGlarus	100	G105XY005WI
Ne	Newson mucky loamy sand, 0 to 2 percent slopes	Newson	100	G105XY001WI
Ns	Newson-Dawson complex, 0 to 2 percent slopes	Newson	65	G105XY001WI
		Dawson	35	G105XY010WI
OrA	Orion silt loam, 0 to 3 percent slopes	Orion	100	G105XY007WI
Pa	Palms muck, 0 to 1 percent slopes	Palms	100	G089XY010WI
PbA	Partridge loamy fine sand, 0 to 3 percent slopes	Partridge	100	G105XY001WI
Pc	Pits	Pits	100	
PdB	Plainbo sand, 1 to 6 percent slopes	Plainbo	100	G105XY002WI
PdC	Plainbo sand, 6 to 12 percent slopes	Plainbo	100	G105XY002WI
PfB	Plainfield sand, 1 to 6 percent slopes	Plainfield	100	G105XY002WI
PfC	Plainfield sand, 6 to 12 percent slopes	Plainfield	100	G105XY002WI

PfD	Plainfield sand, 12 to 20 percent slopes	Plainfield	100	G105XY003WI
Po	Poygan silt loam, 0 to 2 percent slopes	Poygan	100	G089XY010WI
Ps	Psammaquents, nearly level	Psammaquents	100	
RbB	Reedsburg silt loam, 2 to 6 percent slopes	Reedsburg	100	G105XY004WI
RoA	Roby sandy loam, 0 to 3 percent slopes	Roby	100	G089XY004WI
RzB	Rozetta silt loam, 2 to 6 percent slopes	Rozetta	100	G105XY008WI
RzC2	Rozetta silt loam, 6 to 12 percent slopes, eroded	Rozetta	100	G105XY008WI
RzD2	Rozetta silt loam, 12 to 20 percent slopes, eroded	Rozetta	100	G105XY009WI
Ud	Udorthents, nearly level	Udorthents	100	
UfB	Urne very fine sandy loam, 2 to 6 percent slopes	Urne	100	G105XY005WI
UfC2	Urne very fine sandy loam, 6 to 12 percent slopes, eroded	Urne	100	G105XY005WI
UfD2	Urne very fine sandy loam, 12 to 20 percent slopes, eroded	Urne	100	G105XY006WI
UfE	Urne very fine sandy loam, 20 to 30 percent slopes	Urne	100	G105XY006WI
UfF	Urne very fine sandy loam, 30 to 60 percent slopes	Urne	100	G105XY006WI
UoE	Udorthents, loamy, steep (earthen dam)	Udorthents	100	
W	Water	Water	100	
Wa	Wautoma loamy sand, 0 to 2 percent slopes	Wautoma	100	G089XY004WI

WdB	Wildale cherty silt loam, 2 to 6 percent slopes	Wildale	100	G105XY002WI
WdC2	Wildale cherty silt loam, 6 to 12 percent slopes, eroded	Wildale	100	G105XY002WI
WeA	Wyeville sand, 0 to 3 percent slopes	Wyeville	100	G089XY004WI