
Forage Suitability Groups

Marathon County, Wisconsin

| <i>Symbol</i> | <i>Mapunit Name</i> | <i>Comp Name</i> | <i>Component %</i> | <i>foragesuitgrpid</i> |
|---------------|--|------------------|--------------------|------------------------|
| AbB | Alban loam, 1 to 6 percent slopes | Alban | 100 | G090BY005WI |
| Ad | Altdorf mucky silt loam, 0 to 2 percent slopes | Altdorf | 100 | G090BY004WI |
| AmC | Amery silt loam, 5 to 15 percent slopes | Amery | 100 | G090BY005WI |
| CbA | Cable silt loam, 0 to 3 percent slopes, stony | Cable | 100 | G090BY004WI |
| Ch | Cathro muck, 0 to 1 percent slopes | Cathro | 100 | G090BY010WI |
| CkA | Chetek sandy loam, 0 to 2 percent slopes | Chetek | 100 | G090BY002WI |
| CkB | Chetek sandy loam, 2 to 6 percent slopes | Chetek | 100 | G090BY002WI |
| CkC | Chetek sandy loam, 6 to 15 percent slopes | Chetek | 100 | G090BY002WI |
| CkE | Chetek sandy loam, 15 to 30 percent slopes | Chetek | 100 | G090BY003WI |
| Da | Dancy sandy loam, 0 to 2 percent slopes | Dancy | 100 | G090BY004WI |
| DoA | Dolph silt loam, 0 to 3 percent slopes | Dolph | 100 | G090BY007WI |
| DuB | Dunnville fine sandy loam, 1 to 4 percent slopes | Dunnville | 100 | G090BY005WI |
| FeC | Fenwood silt loam, 6 to 12 percent slopes | Fenwood | 100 | G090BY005WI |
| FeD | Fenwood silt loam, 12 to 20 percent slopes | Fenwood | 100 | G090BY006WI |
| FfC | Fenwood silt loam 2 to 15 percent slopes, stony | Fenwood | 100 | G090BY005WI |

| | | | | |
|------|---|-------------|-----|-------------|
| FfE | Fenwood silt loam, 15 to 30 percent slopes, stony | Fenwood | 100 | G090BY006WI |
| FgB | Fenwood-Rozellville silt loams, 2 to 6 percent slopes | Fenwood | 55 | G090BY005WI |
| | | Rozellville | 45 | G090BY005WI |
| Fh | Fordum silt loam, 0 to 1 percent slopes | Fordum | 100 | G090BY010WI |
| FnB | Freeon silt loam, 2 to 6 percent slopes | Freeon | 100 | G090BY005WI |
| FnC | Freeon silt loam, 6 to 12 percent slopes | Freeon | 100 | G090BY005WI |
| GcB | Graycalm loamy sand, 2 to 6 percent slopes | Graycalm | 100 | G090BY002WI |
| Gm | Graycalm loamy sand, moderately well drained, 0 to 2 percent slopes | Graycalm | 100 | G090BY002WI |
| Gr | Greenwood peat, 0 to 1 percent slopes | Greenwood | 100 | G090BY010WI |
| GuB | Guenther loamy sand, 2 to 6 percent slopes | Guenther | 100 | G090BY002WI |
| HtB | Hatley silt loam, 1 to 6 percent slopes | Hatley | 100 | G090BY004WI |
| HyB | Hatley cobbly silt loam, 1 to 6 percent slopes, bouldery | Hatley | 100 | G090BY004WI |
| KaB | Kennan sandy loam, 2 to 8 percent slopes | Kennan | 100 | G090BY005WI |
| KaC | Kennan sandy loam, 8 to 15 percent slopes | Kennan | 100 | G090BY005WI |
| KaD2 | Kennan sandy loam, 15 to 30 percent slopes, eroded | Kennan | 100 | G090BY006WI |
| KeB | Kennan sandy loam, 2 to 8 percent slopes, bouldery | Kennan | 100 | G090BY005WI |
| KeC | Kennan sandy loam, 8 to 15 percent slopes, bouldery | Kennan | 100 | G090BY005WI |

| | | | | |
|-----|--|------------|-----|-------------|
| KeE | Kennan sandy loam, 15 to 30 percent slopes, bouldery | Kennan | 100 | G090BY006WI |
| LDF | Landfill | Urban land | 100 | |
| LoB | Loyal silt loam, 1 to 6 percent slopes | Loyal | 100 | G090BY005WI |
| LoC | Loyal silt loam, 6 to 12 percent slopes | Loyal | 100 | G090BY005WI |
| MaB | Magnor silt loam, 0 to 4 percent slopes | Magnor | 100 | G090BY004WI |
| MbB | Mahtomedi loamy sand, 0 to 6 percent slopes | Mahtomedi | 100 | G090BY002WI |
| MbC | Mahtomedi loamy sand, 6 to 15 percent slopes | Mahtomedi | 100 | G090BY002WI |
| MbE | Mahtomedi loamy sand, 15 to 45 percent slopes | Mahtomedi | 100 | G090BY003WI |
| McA | Mahtomedi loamy sand, moderately well drained, 0 to 3 percent slopes | Mahtomedi | 100 | G090BY002WI |
| MdB | Marathon silt loam, 2 to 6 percent slopes | Marathon | 100 | G090BY005WI |
| MdC | Marathon silt loam, 6 to 12 percent slopes | Marathon | 100 | G090BY005WI |
| MeC | Marathon silt loam, 2 to 15 percent slopes, stony | Marathon | 100 | G090BY005WI |
| MfA | Marshfield silt loam, 0 to 3 percent slopes | Marshfield | 100 | G090BY004WI |
| MgA | Meadland loam, 0 to 3 percent slopes | Meadland | 100 | G090BY004WI |
| MhA | Meadland loam, 0 to 3 percent slopes, stony | Meadland | 100 | G090BY004WI |
| Mm | Meehan loamy sand, 0 to 2 percent slopes | Meehan | 100 | G090BY001WI |
| Mn | Minocqua sandy loam, 0 to 2 percent slopes | Minocqua | 100 | G090BY001WI |

| | | | | |
|-----|--|--------------|-----|-------------|
| MoB | Moberg gravelly silt loam, 2 to 6 percent slopes | Moberg | 100 | G090BY002WI |
| MoC | Moberg gravelly silt loam, 6 to 15 percent slopes | Moberg | 100 | G090BY002WI |
| MsB | Mosinee sandy loam, 2 to 6 percent slopes | Mosinee | 100 | G090BY005WI |
| MsC | Mosinee sandy loam, 6 to 12 percent slopes | Mosinee | 100 | G090BY005WI |
| MsD | Mosinee sandy loam, 12 to 20 percent slopes | Mosinee | 100 | G090BY006WI |
| MtC | Mosinee sandy loam, 2 to 15 percent slopes, stony | Mosinee | 100 | G090BY005WI |
| MyB | Mylrea silt loam, 1 to 6 percent slopes | Mylrea | 100 | G090BY007WI |
| MzB | Mylrea silt loam, 1 to 6 percent slopes, stony | Mylrea | 100 | G090BY004WI |
| Ne | Newson mucky loamy sand, 0 to 1 percent slopes | Newson | 100 | G090BY001WI |
| Oe | Oesterle loam, 0 to 2 percent slopes | Oesterle | 100 | G090BY004WI |
| Pg | Pits, gravel | Pits, gravel | 100 | |
| Ph | Pits, quarries | Pits, quarry | 100 | |
| Po | Plover sandy loam, 0 to 2 percent slopes | Plover | 100 | G090BY004WI |
| RbC | Ribhill cobbly silt loam, 6 to 15 percent slopes, stony | Ribhill | 100 | G090BY005WI |
| RbE | Ribhill cobbly silt loam, 15 to 30 percent slopes, stony | Ribhill | 100 | G090BY003WI |
| RcB | Rietbrock silt loam, 1 to 8 percent slopes | Rietbrock | 100 | G090BY004WI |
| ReB | Rietbrock silt loam, 1 to 8 percent slopes, stony | Rietbrock | 100 | G090BY004WI |

| | | | | |
|-----|--|-------------|-----|-------------|
| RhA | Rockers loamy sand, 0 to 3 percent slopes | Rockers | 100 | G090BY004WI |
| RoA | Rosholt sandy loam, 0 to 2 percent slopes | Rosholt | 100 | G090BY005WI |
| RoB | Rosholt sandy loam, 2 to 6 percent slopes | Rosholt | 100 | G090BY005WI |
| RsA | Rosholt silt loam, 0 to 2 percent slopes | Rosholt | 100 | G090BY005WI |
| RsB | Rosholt silt loam, 2 to 6 percent slopes | Rosholt | 100 | G090BY005WI |
| ScA | Scott Lake sandy loam, 0 to 3 percent slopes | Scott Lake | 100 | G090BY005WI |
| SdA | Scott Lake silt loam, 0 to 3 percent slopes | Scott Lake | 100 | G090BY005WI |
| Se | Seelyeville muck, 0 to 1 percent slopes | Seelyeville | 100 | G090BY010WI |
| ShA | Sherry silt loam, 0 to 3 percent slopes | Sherry | 100 | G090BY007WI |
| St | Sturgeon silt loam, 0 to 2 percent slopes | Sturgeon | 100 | G090BY010WI |
| UoB | Udorthents, loamy, gently sloping | Udorthents | 100 | G090BY005WI |
| UoE | Udorthents, loamy, steep, (earthen dam) | Udorthents | 100 | |
| W | Water | Water | 100 | |
| WtA | Withee silt loam, 0 to 3 percent slopes | Withee | 100 | G090BY007WI |