
Forage Suitability Groups

Menominee County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
AfB	Aftad loam, 0 to 6 percent slopes	Aftad	95	G090BY005WI
AnB	Annalake fine sandy loam, 0 to 6 percent slopes	Annalake	95	G090BY005WI
AtB	Antigo silt loam, 0 to 6 percent slopes	Antigo	95	G090BY005WI
AuA	Au Gres loamy sand, 0 to 3 percent slopes	Au Gres	90	G090AY004WI
CeB	Cress sandy loam, 0 to 6 percent slopes	Cress	90	G090AY002WI
CeC	Cress sandy loam, 6 to 15 percent slopes	Cress	90	G090BY002WI
CeD	Cress sandy loam, 15 to 35 percent slopes	Cress	90	G090BY003WI
CmA	Crex fine sand, 0 to 3 percent slopes	Crex	90	G090AY002WI
CrB	Cromwell sandy loam, 0 to 6 percent slopes	Cromwell	90	G090BY005WI
CrC	Cromwell sandy loam, 6 to 15 percent slopes	Cromwell	90	G090AY005WI
CrD	Cromwell sandy loam, 15 to 35 percent slopes	Cromwell	90	G090BY006WI
CsA	Croswell loamy sand, 0 to 3 percent slopes	Croswell	90	G090AY005WI
FeB	Frechette fine sandy loam, 2 to 6 percent slopes	Frechette	90	G090AY005WI
FeC	Frechette fine sandy loam, 6 to 15 percent slopes	Frechette	90	G090AY005WI

FeD	Frechette fine sandy loam, 15 to 35 percent slopes	Frechette	90	G090AY006WI
FrB	Frechette sandy loam, 2 to 6 percent slopes	Frechette	90	G090AY005WI
FrC	Frechette sandy loam, 6 to 15 percent slopes	Frechette	90	G090AY005WI
FrD	Frechette sandy loam, 15 to 35 percent slopes	Frechette	90	G090AY006WI
GaB	Grayling loamy sand, 0 to 6 percent slopes	Grayling	85	G090AY005WI
GaC	Grayling loamy sand, 6 to 15 percent slopes	Grayling	90	G090AY005WI
GaD	Grayling loamy sand, 15 to 35 percent slopes	Grayling	90	G090AY006WI
GyB	Grayling sand, 0 to 6 percent slopes	Grayling	85	G090AY002WI
GyC	Grayling sand, 6 to 15 percent slopes	Grayling	90	G090AY002WI
GyD	Grayling sand, 15 to 35 percent slopes	Grayling	90	G090AY003WI
IgA	Ingalls loamy sand, 0 to 3 percent slopes	Ingalls	90	G090BY004WI
IsB	Iosco loamy sand, 0 to 4 percent slopes	Iosco	90	G095AY004WI
IxB	Ishpeming-Rock outcrop complex, 0 to 6 percent slopes	Ishpeming	60	G090AY002WI
		Rock outcrop	30	
IxC	Ishpeming-Rock outcrop complex, 6 to 15 percent slopes	Rock outcrop	30	
		Ishpeming	60	G090AY002WI
KaB	Karlin sandy loam, 0 to 6 percent slopes	Karlin	85	G090BY005WI
KaC	Karlin sandy loam, 6 to 15 percent slopes	Karlin	85	G090BY005WI

KaD	Karlin sandy loam, 15 to 35 percent slopes	Karlin	85	G090BY006WI
KeC	Kennan fine sandy loam, 6 to 15 percent slopes, very bouldery	Kennan	94	G090BY005WI
KeD	Kennan fine sandy loam, 15 to 35 percent slopes, very bouldery	Kennan	95	G090BY006WI
KoC	Kennan silt loam, 6 to 15 percent slopes, very bouldery	Kennan	95	G090BY005WI
KoD	Kennan silt loam, 15 to 35 percent slopes, very bouldery	Kennan	95	G090BY006WI
KxB	Keshena fine sandy loam, 2 to 6 percent slopes	Keshena	90	G090AY005WI
LaB	Lablatz sandy loam, 0 to 4 percent slopes	Lablatz	90	G090AY007WI
LDF	Landfill	Urban land	100	
LoA	Loxley peat, 0 to 1 percent slopes	Loxley	94	G090BY010WI
LuA	Lupton, Markey, and Cathro mucks, 0 to 1 percent slopes	Cathro	15	G090AY010WI
		Lupton	40	G090AY010WI
		Markey	35	G090AY010WI
M-W	Miscellaneous water	Water	100	
MaB	Mahtomedi loamy sand, 0 to 6 percent slopes	Mahtomedi	90	G090AY002WI
MaC	Mahtomedi loamy sand, 6 to 15 percent slopes	Mahtomedi	90	G090AY002WI
MaD	Mahtomedi loamy sand, 15 to 35 percent slopes	Mahtomedi	90	G090AY003WI
MoC	Menominee loamy fine sand, 6 to 15 percent slopes	Menominee	90	G090AY005WI

MoD	Menominee loamy fine sand, 15 to 35 percent slopes	Menominee	90	G090AY006WI
MqB	Mequithy-Rock outcrop complex, 0 to 6 percent slopes	Mequithy	60	G090AY005WI
		Rock outcrop	30	
MqC	Mequithy-Rock outcrop complex, 6 to 15 percent slopes	Mequithy	60	G090AY005WI
		Rock outcrop	30	
MuA	Minocqua muck, 0 to 2 percent slopes	Minocqua	90	G090BY010WI
MwB	Moodig fine sandy loam, 0 to 4 percent slopes, very bouldery	Moodig	95	G090BY004WI
MxB	Morganlake loamy fine sand, 0 to 6 percent slopes	Morganlake	90	G090AY005WI
MzB	Moshawquit loamy sand, 2 to 6 percent slopes	Moshawquit	90	G090AY005WI
MzC	Moshawquit loamy sand, 6 to 15 percent slopes	Moshawquit	90	G090AY005WI
NeA	Neconish fine sand, 0 to 3 percent slopes	Neconish	90	G090AY002WI
NoB	Neopit fine sandy loam, 2 to 6 percent slopes, very bouldery	Neopit	95	G090BY005WI
NpB	Neopit silt loam, 2 to 6 percent slopes, very bouldery	Neopit	95	G090BY005WI
NsA	Noseum fine sandy loam, 0 to 3 percent slopes	Noseum	90	G090BY005WI
PaB	Padus fine sandy loam, 0 to 6 percent slopes	Padus	85	G090BY005WI
PaC	Padus fine sandy loam, 6 to 15 percent slopes	Padus	85	G090BY005WI

PaD	Padus fine sandy loam, 15 to 35 percent slopes	Padus	85	G090BY006WI
PbB	Padwet fine sandy loam, 0 to 6 percent slopes	Padwet	90	G090BY005WI
PeB	Pecore loam, 2 to 6 percent slopes	Pecore	90	G090AY008WI
PeC	Pecore loam, 6 to 15 percent slopes	Pecore	90	G090AY008WI
PeD	Pecore loam, 15 to 35 percent slopes	Pecore	90	G090AY009WI
PnB	Pence sandy loam, 0 to 6 percent slopes	Pence	90	G090BY005WI
PnC	Pence sandy loam, 6 to 15 percent slopes	Pence	90	G090BY005WI
PnD	Pence sandy loam, 15 to 35 percent slopes	Pence	90	G090BY006WI
PrB	Perote fine sandy loam, 2 to 6 percent slopes	Perote	90	G090AY008WI
PrC	Perote fine sandy loam, 6 to 15 percent slopes	Perote	90	G090AY008WI
PrD	Perote fine sandy loam, 15 to 35 percent slopes	Perote	90	G090AY009WI
PsB	Peshtigo loam, 0 to 4 percent slopes	Peshtigo	90	G090AY004WI
Pt	Pits, gravel	Pits	99	105X
RaB	Rabe loamy sand, 2 to 6 percent slopes	Rabe	90	G090AY005WI
RaC	Rabe loamy sand, 6 to 15 percent slopes	Rabe	90	G090AY005WI
RaD	Rabe loamy sand, 15 to 35 percent slopes	Rabe	90	G090AY006WI
RbA	Robago fine sandy loam, 0 to 3 percent slopes	Robago	90	G090BY004WI
RcA	Roscommon muck, 0 to 2 percent slopes	Roscommon	90	G090AY010WI

RoB	Rosholt fine sandy loam, 0 to 6 percent slopes	Rosholt	90	G090AY005WI
RoC	Rosholt fine sandy loam, 6 to 15 percent slopes	Rosholt	90	G090AY005WI
RoD	Rosholt fine sandy loam, 15 to 35 percent slopes	Rosholt	90	G090AY006WI
RsB	Rousseau fine sand, 0 to 6 percent slopes	Rousseau	94	G090AY002WI
RsC	Rousseau fine sand, 6 to 15 percent slopes	Rousseau	95	G090AY002WI
RsD	Rousseau fine sand, 15 to 35 percent slopes	Rousseau	95	G090BY003WI
ScA	Scott Lake fine sandy loam, 0 to 3 percent slopes	Scott Lake	90	G090BY005WI
SfB	Shawano fine sand, 0 to 6 percent slopes	Shawano	95	G090AY005WI
SfC	Shawano fine sand, 6 to 15 percent slopes	Shawano	95	G090AY005WI
SfD	Shawano fine sand, 15 to 35 percent slopes	Shawano	95	G090AY006WI
SuA	Sunia sandy loam, 0 to 3 percent slopes	Sunia	91	G090AY005WI
TIC	Tilleda sandy loam, 6 to 15 percent slopes	Tilleda	90	G090AY005WI
TID	Tilleda sandy loam, 15 to 35 percent slopes	Tilleda	90	G090AY006WI
TmA	Tipler fine sandy loam, 0 to 3 percent slopes	Tipler	90	G090BY005WI
ToB	Tourtillotte loamy sand, 0 to 6 percent slopes	Tourtillotte	90	G090AY002WI
ToC	Tourtillotte loamy sand, 6 to 15 percent slopes	Tourtillotte	90	G090AY002WI

UdD	Udipsamments, moderately steep or steep (earthen dam)	Udipsamments	100	G090AY003WI
VsB	Vilas loamy sand, 0 to 6 percent slopes	Vilas	88	G090AY002WI
VsC	Vilas loamy sand, 6 to 15 percent slopes	Vilas	90	G090BY002WI
VsD	Vilas loamy sand, 15 to 35 percent slopes	Vilas	90	G090BY003WI
W	Water	Water	100	
WaA	Wainola loamy fine sand, 0 to 3 percent slopes	Wainola	90	G090AY004WI
WkB	Wayka-Rock outcrop complex, 0 to 4 percent slopes	Wayka	70	G090AY004WI
		Rock outcrop	20	
WrA	Worcester fine sandy loam, 0 to 3 percent slopes	Worcester	85	G090BY004WI
WtA	Wormet fine sandy loam, 0 to 3 percent slopes	Wormet	90	G090BY004WI
WuA	Wurtsmith sand, 0 to 3 percent slopes	Wurtsmith	90	G090AY002WI